DC(E)097 - PHASE II

Project Name: PHASE II
UNIVERSITY CAMPUS BROOKLYN,
NEWYORK

Architect:
Engineer: DESIMONE
Customer:

Job Type: Lump Sum

Estimator: P.Andrews
Creation Date: 6/28/2023
Last Modified: 7/4/2023
Status: Complete

Escalation: No

Cover Page Comments:

```
  TOTALS
**************************************
  Cast in-place = x,xxx,xxx pounds (x,xxx.xx tons)

  INCLUSIONS
*********************************************************
  Super structure only.

   EXCLUSIONS
*********************************************************
  1)Sub structure.
  2)Site work (Drawings not available).
  3)Builup slab, Bollard embed plate detail & davit detail - S-404
    (location not available).
  4)Temporary openings, Slab depression & trench drain - S-401
    (location not available).

   NOTES AND ASSUMPTIONS
*****************************************************
  1)We followed CIP reinforcement #8 and larger as ASTM A615 Grade-80  and
    #7 and smaller and shear wall all vertical rebar(S-320/note8) as ASTM A615
    Grade-60 as per sheet FO-001.00/Material-2.
  2)We followed CIP lap splice per Sheet FO-001.00/Concrete note-5.
  3)Below beam designs are assumed due to insufficiant design info @ level-2 to
    level-4.
    *24"x30" - 6#7 T&B and #4 @12"STIRRUPS
    *36"x24" - 8#7 T&B and #4 @12"STIRRUPS
  4)We assumed Cellar to Roof stair rebar quantity 1 ton per floor due to
    insufficiant profile and design details.
  5)We followed mechanical coupler in column due to area of steel exceeding 4%
    as per sheet S-301.00.


  Reinforcing quantites based on stock lengths of 30'-0" for concrete.
```

Drawing References:

FO-001.00 to S-911 DATED 04/21/2023.

Segment Summary

Segment	Rebar Wgt	Plain Wgt	Misc. Wgt	Total (Lbs)	Costing
Included Segments:					
CELLAR	**55,708**	**0**	**0**	**55,708**	**No**
SHEAR WALL	29,531	0	0	29,531	No
STAIR	2,003	0	0	2,003	No
WALL	6,906	0	0	6,906	No
COLUMN	16,278	0	0	16,278	No
LINK BEAM	990	0	0	990	No

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - PHASE II

Segment	Rebar Wgt	Plain Wgt	Misc. Wgt	Total (Lbs)	Costing
1ST FLOOR	**174,103**	**0**	**0**	**174,103**	**No**
SHEAR WALL	41,247	0	0	41,247	No
STAIR	2,003	0	0	2,003	No
SLAB	97,435	0	0	97,435	No
COLUMN	31,698	0	0	31,698	No
LINK BEAM	1,720	0	0	1,720	No
2ND FLOOR	**173,046**	**0**	**0**	**173,046**	**No**
SHEAR WALL	23,495	0	0	23,495	No
BEAM	2,197	0	0	2,197	No
STAIR	2,003	0	0	2,003	No
SLAB	117,613	0	0	117,613	No
COLUMN	25,942	0	0	25,942	No
LINK BEAM	1,796	0	0	1,796	No
3RD FLOOR	**150,707**	**0**	**0**	**150,707**	**No**
SHEAR WALL	17,972	0	0	17,972	No
BEAM	4,126	0	0	4,126	No
STAIR	2,003	0	0	2,003	No
SLAB	101,680	0	0	101,680	No
COLUMN	21,699	0	0	21,699	No
LINK BEAM	3,227	0	0	3,227	No
4TH FLOOR	**131,156**	**0**	**0**	**131,156**	**No**
SHEAR WALL	12,647	0	0	12,647	No
BEAM	14,816	0	0	14,816	No
STAIR	2,003	0	0	2,003	No
SLAB	79,995	0	0	79,995	No
COLUMN	18,637	0	0	18,637	No
LINK BEAM	3,058	0	0	3,058	No
5TH FLOOR	**90,838**	**0**	**0**	**90,838**	**No**
SHEAR WALL	8,546	0	0	8,546	No
STAIR	2,003	0	0	2,003	No
SLAB	63,216	0	0	63,216	No
COLUMN	15,493	0	0	15,493	No
LINK BEAM	1,580	0	0	1,580	No
6TH FLOOR	**69,561**	**0**	**0**	**69,561**	**No**
SHEAR WALL	6,839	0	0	6,839	No
STAIR	2,003	0	0	2,003	No
SLAB	47,552	0	0	47,552	No
COLUMN	11,596	0	0	11,596	No
LINK BEAM	1,571	0	0	1,571	No
7TH FLOOR	**73,137**	**0**	**0**	**73,137**	**No**
SHEAR WALL	6,839	0	0	6,839	No
STAIR	2,003	0	0	2,003	No
SLAB	51,128	0	0	51,128	No
COLUMN	11,596	0	0	11,596	No
LINK BEAM	1,571	0	0	1,571	No
8TH FLOOR	**73,286**	**0**	**0**	**73,286**	**No**
SHEAR WALL	6,839	0	0	6,839	No
STAIR	2,003	0	0	2,003	No
SLAB	51,128	0	0	51,128	No
COLUMN	11,593	0	0	11,593	No
LINK BEAM	1,723	0	0	1,723	No

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - PHASE II

Segment	Rebar Wgt	Plain Wgt	Misc. Wgt	Total (Lbs)	Costing
9TH FLOOR	**76,390**	**0**	**0**	**76,390**	**No**
SHEAR WALL	8,298	0	0	8,298	No
STAIR	2,003	0	0	2,003	No
SLAB	51,128	0	0	51,128	No
COLUMN	11,670	0	0	11,670	No
LINK BEAM	3,291	0	0	3,291	No
10TH FLOOR	**70,579**	**0**	**0**	**70,579**	**No**
SHEAR WALL	6,409	0	0	6,409	No
STAIR	2,003	0	0	2,003	No
SLAB	52,119	0	0	52,119	No
COLUMN	8,325	0	0	8,325	No
LINK BEAM	1,723	0	0	1,723	No
11TH FLOOR	**63,343**	**0**	**0**	**63,343**	**No**
SHEAR WALL	5,821	0	0	5,821	No
STAIR	2,003	0	0	2,003	No
SLAB	45,831	0	0	45,831	No
COLUMN	7,965	0	0	7,965	No
LINK BEAM	1,723	0	0	1,723	No
12TH FLOOR	**63,510**	**0**	**0**	**63,510**	**No**
SHEAR WALL	6,051	0	0	6,051	No
STAIR	2,003	0	0	2,003	No
SLAB	45,827	0	0	45,827	No
COLUMN	7,906	0	0	7,906	No
LINK BEAM	1,723	0	0	1,723	No
13TH FLOOR	**63,474**	**0**	**0**	**63,474**	**No**
SHEAR WALL	6,051	0	0	6,051	No
STAIR	2,003	0	0	2,003	No
SLAB	45,827	0	0	45,827	No
COLUMN	7,870	0	0	7,870	No
LINK BEAM	1,723	0	0	1,723	No
14TH FLOOR	**63,322**	**0**	**0**	**63,322**	**No**
SHEAR WALL	6,051	0	0	6,051	No
STAIR	2,003	0	0	2,003	No
SLAB	45,827	0	0	45,827	No
COLUMN	7,870	0	0	7,870	No
LINK BEAM	1,571	0	0	1,571	No
15TH FLOOR	**65,825**	**0**	**0**	**65,825**	**No**
SHEAR WALL	7,333	0	0	7,333	No
STAIR	2,003	0	0	2,003	No
SLAB	45,827	0	0	45,827	No
COLUMN	8,892	0	0	8,892	No
LINK BEAM	1,770	0	0	1,770	No
16TH FLOOR	**64,986**	**0**	**0**	**64,986**	**No**
SHEAR WALL	6,414	0	0	6,414	No
STAIR	2,003	0	0	2,003	No
SLAB	47,992	0	0	47,992	No
COLUMN	7,168	0	0	7,168	No
LINK BEAM	1,409	0	0	1,409	No

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - PHASE II

Segment	Rebar Wgt	Plain Wgt	Misc. Wgt	Total (Lbs)	Costing
17TH FLOOR	**53,947**	**0**	**0**	**53,947**	**No**
SHEAR WALL	6,051	0	0	6,051	No
STAIR	2,003	0	0	2,003	No
SLAB	38,124	0	0	38,124	No
COLUMN	6,822	0	0	6,822	No
LINK BEAM	947	0	0	947	No
18TH FLOOR	**54,138**	**0**	**0**	**54,138**	**No**
SHEAR WALL	6,152	0	0	6,152	No
STAIR	2,003	0	0	2,003	No
SLAB	38,124	0	0	38,124	No
COLUMN	6,661	0	0	6,661	No
LINK BEAM	1,198	0	0	1,198	No
19TH FLOOR	**54,074**	**0**	**0**	**54,074**	**No**
SHEAR WALL	6,152	0	0	6,152	No
STAIR	2,003	0	0	2,003	No
SLAB	38,124	0	0	38,124	No
COLUMN	6,624	0	0	6,624	No
LINK BEAM	1,171	0	0	1,171	No
20TH FLOOR	**54,074**	**0**	**0**	**54,074**	**No**
SHEAR WALL	6,152	0	0	6,152	No
STAIR	2,003	0	0	2,003	No
SLAB	38,124	0	0	38,124	No
COLUMN	6,624	0	0	6,624	No
LINK BEAM	1,171	0	0	1,171	No
21ST FLOOR	**56,893**	**0**	**0**	**56,893**	**No**
SHEAR WALL	7,446	0	0	7,446	No
STAIR	2,003	0	0	2,003	No
SLAB	38,124	0	0	38,124	No
COLUMN	7,232	0	0	7,232	No
LINK BEAM	2,088	0	0	2,088	No
22ND FLOOR	**56,093**	**0**	**0**	**56,093**	**No**
SHEAR WALL	6,517	0	0	6,517	No
STAIR	2,003	0	0	2,003	No
SLAB	41,239	0	0	41,239	No
COLUMN	5,476	0	0	5,476	No
LINK BEAM	858	0	0	858	No
23RD FLOOR	**49,434**	**0**	**0**	**49,434**	**No**
SHEAR WALL	6,152	0	0	6,152	No
STAIR	2,003	0	0	2,003	No
SLAB	34,985	0	0	34,985	No
COLUMN	5,665	0	0	5,665	No
LINK BEAM	629	0	0	629	No
24TH FLOOR	**50,435**	**0**	**0**	**50,435**	**No**
SHEAR WALL	5,906	0	0	5,906	No
STAIR	2,003	0	0	2,003	No
SLAB	34,985	0	0	34,985	No
COLUMN	6,904	0	0	6,904	No
LINK BEAM	637	0	0	637	No

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - PHASE II

Segment	Rebar Wgt	Plain Wgt	Misc. Wgt	Total (Lbs)	Costing
25TH FLOOR	**48,638**	**0**	**0**	**48,638**	**No**
SHEAR WALL	5,906	0	0	5,906	No
STAIR	2,003	0	0	2,003	No
SLAB	34,985	0	0	34,985	No
COLUMN	5,324	0	0	5,324	No
LINK BEAM	420	0	0	420	No
26TH FLOOR	**48,457**	**0**	**0**	**48,457**	**No**
SHEAR WALL	5,906	0	0	5,906	No
STAIR	2,003	0	0	2,003	No
SLAB	34,985	0	0	34,985	No
COLUMN	5,112	0	0	5,112	No
LINK BEAM	451	0	0	451	No
27TH FLOOR	**50,728**	**0**	**0**	**50,728**	**No**
SHEAR WALL	7,075	0	0	7,075	No
STAIR	2,003	0	0	2,003	No
SLAB	34,985	0	0	34,985	No
COLUMN	5,878	0	0	5,878	No
LINK BEAM	787	0	0	787	No
28TH FLOOR	**49,218**	**0**	**0**	**49,218**	**No**
SHEAR WALL	7,075	0	0	7,075	No
STAIR	2,003	0	0	2,003	No
SLAB	34,985	0	0	34,985	No
COLUMN	4,575	0	0	4,575	No
LINK BEAM	580	0	0	580	No
29TH FLOOR	**43,395**	**0**	**0**	**43,395**	**No**
SHEAR WALL	5,906	0	0	5,906	No
STAIR	2,003	0	0	2,003	No
SLAB	31,109	0	0	31,109	No
COLUMN	3,888	0	0	3,888	No
LINK BEAM	489	0	0	489	No
30TH FLOOR	**42,142**	**0**	**0**	**42,142**	**No**
SHEAR WALL	9,136	0	0	9,136	No
STAIR	2,003	0	0	2,003	No
SLAB	26,680	0	0	26,680	No
COLUMN	3,763	0	0	3,763	No
LINK BEAM	560	0	0	560	No
ROOF	**37,452**	**0**	**0**	**37,452**	**No**
SHEAR WALL	20,799	0	0	20,799	No
STAIR	2,003	0	0	2,003	No
SLAB	14,149	0	0	14,149	No
LINK BEAM	501	0	0	501	No
EMR LEVEL	**10,507**	**0**	**0**	**10,507**	**No**
SHEAR WALL	6,349	0	0	6,349	No
SLAB	2,849	0	0	2,849	No
LINK BEAM	1,309	0	0	1,309	No
ZECKENDORF ROOF	**727**	**0**	**0**	**727**	**No**
SLAB ON METAL DECK	727	0	0	727	No

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - PHASE II

Estimate Defaults

Size Unit:	Imperial	**Building Code:**	ACI 1983
Length Unit:	Feet - Inches	**Concrete Strength:**	3000
Weight Unit:	Pounds	**Lap Table:**	
Soft Hooks:	No	**Estimating Lap:**	40D
Seismic Hooks:	No	**Steel Manufactured In:**	ANY
		Tie Clearance:	0-012
		Spiral Clearance:	0-03
		Spacing Tolerance:	0-00
Rebar Coating:	Black	**Rebar Grade:**	60
Plain Coating:	Black	**Plain Grade:**	60

Number of lap lengths to extend a stock bar before lapping: 1

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1	GI	Segment: CELLAR Sub-Segment: SHEAR WALL																	
2	MT	SHEAR WALL (REF: S-320 & S-350)																	
3	MT	CELLAR (REF: FO-101.00)																	
4	MT	MARK: SW-1- 1'-6" THK																	
5	TR	BF		60		32-00	1-00	2	7/22	S	13-00	3-03						2,192	#7 @12" V EF
6	TR	LS		60		13-00	1-00	2	5/16	S	32-00				0	2-05	30-00	1,005	#5 @12" H EF
7	TR	BF		60		13-00	1-00	2	5/16	H	2-05	1-042	2-05					181	#5 @12" U ES
8	TR	BF		60		13-00	1-00	31	3/10	L	S90	1-042	S135					334	#3 LINK
9	MT	MARK: SW-2- 1'-6" THK																	
10	TR	BF		60		9-06	1-00	2	7/22	S	13-00	3-03						731	#7 @12" V EF
11	TR	BF		60		13-00	1-00	2	5/16	S	9-06							277	#5 @12" H EF
12	TR	BF		60		13-00	1-00	2	5/16	H	2-05	1-042	2-05					181	#5 @12" U ES
13	TR	BF		60		13-00	1-00	9	3/10	L	S90	1-042	S135					97	#3 LINK
14	TR	BF		60		9-06	1-00	2	8/25	S	13-00	3-09						984	#8 @12" V EF
15	TR	BF		60		13-00	1-00	2	5/16	S	9-06							277	#5 @12" H EF
16	TR	BF		60		13-00	1-00	2	5/16	H	2-05	1-042	2-05					181	#5 @12" U ES
17	TR	BF		60		13-00	1-00	9	3/10	L	S90	1-042	S135					97	#3 LINK
18	MT	MARK: SW-3- 1'-6" THK																	
19	TR	BF		60		21-09	1-00	2	8/25	S	13-00	3-09						2,057	#8 @12" V EF
20	TR	BF		60		13-00	1-00	2	5/16	S	21-09							635	#5 @12" H EF
21	TR	BF		60		13-00	1-00	2	5/16	H	2-05	1-042	2-05					181	#5 @12" U ES
22	TR	BF		60		13-00	1-00	21	3/10	L	S90	1-042	S135					226	#3 LINK
23	TR	BF		60		5-00	1-00	2	8/25	S	13-00	3-09						537	#8 @12" V EF
24	TR	BF		60		13-00	1-00	2	5/16	S	5-00							146	#5 @12" H EF
25	TR	BF		60		13-00	1-00	2	5/16	H	2-05	1-042	2-05					181	#5 @12" U ES
26	TR	BF		60		13-00	1-00	12	3/10	L	S90	1-042	S135					129	#3 LINK
27	MT	MARK: SW-4- 1'-6" THK																	
28	TR	BF		60		9-06	1-00	2	7/22	S	13-00	3-03						731	#7 @12" V EF
29	TR	BF		60		13-00	0-10	2	5/16	S	9-06							337	#5 @10" H EF
30	TR	BF		60		13-00	0-10	2	5/16	H	2-05	1-042	2-05					220	#5 @10" U ES
31	TR	BF		60		13-00	0-10	9	3/10	L	S90	1-042	S135					118	#3 LINK
32	TR	BF		60		9-06	1-00	2	11/36	S	13-00	8-08						2,533	#11 @12" V EF
33	TR	BF		60		13-00	1-00	2	5/16	S	9-06							277	#5 @12" H EF
34	TR	BF		60		13-00	1-00	2	5/16	H	2-05	1-042	2-05					181	#5 @12" U ES
35	TR	BF		60		13-00	1-00	9	4/13	L	S90	1-042	S135					179	#4 LINK
36	TR	BF		60	2			4*2*3	5/16	S	4-00							200	2 #5 DIAG.
37	TR	BF		60	2			2*3	5/16	S	13-00	2-00						188	2 #5 ES @OP
38	GI	Segment: 1ST FLOOR Sub-Segment: SHEAR WALL																	
39	MT	1ST FLOOR																	
40	MT	MARK: SW-1- 1'-6" THK																	
41	TR	BF		60		26-03	1-00	2	8/25	S	19-00	3-09						3,401	#8 @12" V EF
42	TR	LS		60		19-00	1-00	2	5/16	S	26-03				0	2-05	30-00	1,095	#5 @12" H EF
43	TR	BF		60		19-00	1-00	2	5/16	H	2-05	1-042	2-05					259	#5 @12" U ES
44	TR	BF		60		19-00	1-00	26	3/10	L	S90	1-042	S135					400	#3 LINK
45	MT	MARK: SW-2- 1'-6" THK																	
46	TR	BF		60		9-06	1-00	2	8/25	S	19-00	3-09						1,336	#8 @12" V EF
47	TR	BF		60		19-00	1-00	2	5/16	S	9-06							396	#5 @12" H EF
48	TR	BF		60		19-00	1-00	2	5/16	H	2-05	1-042	2-05					259	#5 @12" U ES
49	TR	BF		60		19-00	1-00	9	3/10	L	S90	1-042	S135					138	#3 LINK
50	TR	BF		60		9-06	1-00	2	8/25	S	19-00	3-09						1,336	#8 @12" V EF
51	TR	BF		60		19-00	1-00	2	5/16	S	9-06							396	#5 @12" H EF
52	TR	BF		60		19-00	1-00	2	5/16	H	2-05	1-042	2-05					259	#5 @12" U ES
53	TR	BF		60		19-00	1-00	9	3/10	L	S90	1-042	S135					138	#3 LINK
54	MT	MARK: SW-3- 1'-6" THK																	
55	TR	BF		60		21-09	1-00	2	8/25	S	19-00	3-09						2,794	#8 @12" V EF
56	TR	BF		60		19-00	1-00	2	5/16	S	21-09							907	#5 @12" H EF
57	TR	BF		60		19-00	1-00	2	5/16	H	2-05	1-042	2-05					259	#5 @12" U ES
58	TR	BF		60		19-00	1-00	21	3/10	L	S90	1-042	S135					323	#3 LINK
59	TR	BF		60		5-00	1-00	2	8/25	S	19-00	3-09						729	#8 @12" V EF

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
60	TR	BF		60		19-00	1-00	2	5/16	S	5-00							209	#5 @12" H EF
61	TR	BF		60		19-00	1-00	2	5/16	H	2-05	1-042	2-05					259	#5 @12" U ES
62	TR	BF		60		19-00	1-00	12	3/10	L	S90	1-042	S135					184	#3 LINK
63	MT	MARK: SW-4- 1'-6" THK																	
64	TR	BF		60		8-00	1-00	2	9/29	S	19-00	4-02						1,418	#9 @12" VERT
65	TR	BF		60		19-00	1-00	2	5/16	S	9-06							396	#5 @12" H EF
66	TR	BF		60		19-00	1-00	2	5/16	H	2-05	1-042	2-05					259	#5 @12" U ES
67	TR	BF		60		19-00	1-00	7	3/10	L	S90	1-042	S135					108	#3 LINK
68	TR	BF		60		9-06	1-00	2	11/36	S	19-00	8-08						3,234	#11 @12" V EF
69	TR	BF		60		19-00	1-00	2	5/16	S	9-06							396	#5 @12" H EF
70	TR	BF		60		19-00	1-00	2	5/16	H	2-05	1-042	2-05					259	#5 @12" U ES
71	TR	BF		60		19-00	1-00	9	4/13	L	S90	1-042	S135					255	#4 LINK
72	TR	BF		60		7-00	0-04		11/36	S	19-00	8-08						3,234	#11 @4" VERT
73	TR	TA		60		19-00	0-06		4/13	L	1-06	2-02		0-003	0			197	#4 @6" TIES
74	TR	BF		60	2			4*2*4	5/16	S	4-00							267	2 #5 DIAG.
75	TR	BF		60	2			2*4	5/16	S	19-00	2-00						350	2 #5 ES @OP
76	GI	Segment: 2ND FLOOR Sub-Segment: SHEAR WALL																	
77	MT	2ND FLOOR																	
78	MT	MARK: SW-1- 1'-6" THK																	
79	TR	BF		60		32-00	1-00	2	7/22	S	15-00	3-03						2,462	#7 @12" V EF
80	TR	LS		60		15-00	1-00	2	5/16	S	32-00				0	2-05	30-00	1,149	#5 @12" H EF
81	TR	BF		60		15-00	1-00	2	5/16	H	2-05	1-042	2-05					207	#5 @12" U ES
82	TR	BF		60		15-00	1-00	31	3/10	L	S90	1-042	S135					381	#3 LINK
83	MT	MARK: SW-2- 1'-6" THK																	
84	TR	BF		60		9-06	1-00	2	7/22	S	15-00	3-03						821	#7 @12" V EF
85	TR	BF		60		15-00	1-00	2	5/16	S	9-06							317	#5 @12" H EF
86	TR	BF		60		15-00	1-00	2	5/16	H	2-05	1-042	2-05					207	#5 @12" U ES
87	TR	BF		60		15-00	1-00	9	3/10	L	S90	1-042	S135					111	#3 LINK
88	TR	BF		60		9-06	1-00	2	7/22	S	15-00	3-03						821	#7 @12" V EF
89	TR	BF		60		15-00	1-00	2	5/16	S	9-06							317	#5 @12" H EF
90	TR	BF		60		15-00	1-00	2	5/16	H	2-05	1-042	2-05					207	#5 @12" U ES
91	TR	BF		60		15-00	1-00	9	3/10	L	S90	1-042	S135					111	#3 LINK
92	MT	MARK: SW-3- 1'-6" THK																	
93	TR	BF		60		32-00	1-00	2	7/22	S	15-00	3-03						2,462	#7 @12" V EF
94	TR	LS		60		15-00	1-00	2	5/16	S	32-00				0	2-05	30-00	1,149	#5 @12" H EF
95	TR	BF		60		15-00	1-00	2	5/16	H	2-05	1-042	2-05					207	#5 @12" U ES
96	TR	BF		60		15-00	1-00	31	3/10	L	S90	1-042	S135					381	#3 LINK
97	MT	MARK: SW-4- 1'-6" THK																	
98	TR	BF		60		9-06	1-00	2	7/22	S	15-00	3-03						821	#7 @12" V EF
99	TR	BF		60		15-00	1-00	2	5/16	S	9-06							317	#5 @12" H EF
100	TR	BF		60		15-00	1-00	2	5/16	H	2-05	1-042	2-05					207	#5 @12" U ES
101	TR	BF		60		15-00	1-00	9	3/10	L	S90	1-042	S135					111	#3 LINK
102	TR	BF		60		9-06	1-00	2	7/22	S	15-00	3-03						821	#7 @12" V EF
103	TR	BF		60		15-00	1-00	2	5/16	S	9-06							317	#5 @12" H EF
104	TR	BF		60		15-00	1-00	2	5/16	H	2-05	1-042	2-05					207	#5 @12" U ES
105	TR	BF		60		15-00	1-00	9	3/10	L	S90	1-042	S135					111	#3 LINK
106	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
107	TR	BF		60	2			2*2	5/16	S	15-00	2-00						142	2 #5 ES @OP
108	GI	Segment: 3RD FLOOR Sub-Segment: SHEAR WALL																	
109	MT	3RD FLOOR																	
110	MT	MARK: SW-1- 1'-6" THK																	
111	TR	BF		60		32-00	1-00	2	7/22	S	14-00	3-03						2,327	#7 @12" V EF
112	TR	LS		60		14-00	0-10	2	5/16	S	32-00				0	2-05	30-00	1,292	#5 @10" H EF
113	TR	BF		60		14-00	0-10	2	5/16	H	2-05	1-042	2-05					233	#5 @10" U ES
114	TR	BF		60		14-00	0-10	31	3/10	L	S90	1-042	S135					429	#3 LINK
115	MT	MARK: SW-2- 1'-6" THK																	
116	TR	BF		60		9-06	1-00	2	7/22	S	14-00	3-03						776	#7 @12" V EF
117	TR	BF		60		14-00	0-10	2	5/16	S	9-06							357	#5 @10" H EF
118	TR	BF		60		14-00	0-10	2	5/16	H	2-05	1-042	2-05					233	#5 @10" U ES

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
119	TR	BF		60		14-00	0-10	9	3/10	L	S90	1-042	S135					125	#3 LINK
120	TR	BF		60		9-06	1-00	2	6/19	S	14-00	2-03						537	#6 @12" V EF
121	TR	BF		60		14-00	0-10	2	4/13	S	9-06							228	#4 @10" H EF
122	TR	BF		60		14-00	0-10	2	4/13	H	2-00	1-042	2-00					129	#4 @10" U ES
123	TR	BF		60		14-00	0-10	9	3/10	L	S90	1-042	S135					125	#3 LINK
124	MT	MARK: SW-3- 1'-6" THK																	
125	TR	BF		60		32-00	1-00	2	7/22	S	14-00	3-03						2,327	#7 @12" V EF
126	TR	LS		60		14-00	0-10	2	4/13	S	32-00				0	2-00	30-00	818	#4 @10" H EF
127	TR	BF		60		14-00	1-00	2	5/16	H	2-00	1-042	2-00					168	#4 @10" U ES
128	TR	BF		60		14-00	0-10	31	3/10	L	S90	1-042	S135					429	#3 LINK
129	MT	MARK: SW-4- 1'-6" THK																	
130	TR	BF		60		9-06	1-00	2	7/22	S	14-00	3-03						776	#7 @12" V EF
131	TR	BF		60		14-00	0-10	2	6/19	S	9-06							514	#6 @10" H EF
132	TR	BF		60		14-00	0-10	2	6/19	H	2-11	1-042	2-11					390	#6 @10" U ES
133	TR	BF		60		14-00	0-10	9	3/10	L	S90	1-042	S135					125	#3 LINK
134	TR	BF		60		9-06	1-00	2	6/19	S	14-00	2-03						537	#6 @12" V EF
135	TR	BF		60		14-00	0-10	2	4/13	S	9-06							228	#4 @10" H EF
136	TR	BF		60		14-00	0-10	2	4/13	H	2-00	1-042	2-00					129	#4 @10" U ES
137	TR	BF		60		14-00	0-10	9	3/10	L	S90	1-042	S135					125	#3 LINK
138	TR	BF		60	2			2*2	5/16	S	14-00	2-00						134	2 #5 ES @OP
139	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
140	GI	Segment: 4TH FLOOR Sub-Segment: SHEAR WALL																	
141	MT	4TH FLOOR																	
142	MT	MARK: SW-1- 1'-6" THK																	
143	TR	BF		60		32-00	1-00	2	7/22	S	12-00	3-03						2,058	#7 @12" V EF
144	TR	BF		60		32-00	1-00		6/19	S	2-03	2-03						223	#6 @12" DWL OF
145	TR	LS		60		12-00	0-10	2	5/16	S	32-00				0	2-05	30-00	1,149	#5 @10" H EF
146	TR	BF		60		12-00	0-10	2	5/16	H	2-05	1-042	2-05					207	#5 @10" U ES
147	TR	BF		60		12-00	0-10	31	3/10	L	S90	1-042	S135					381	#3 LINK
148	MT	MARK: SW-2- 1'-6" THK																	
149	TR	BF		60		9-06	1-00	2	7/22	S	12-00	3-03						686	#7 @12" V EF
150	TR	BF		60		9-06	1-00		6/19	S	2-03	2-03						74	#6 @12" DWL OF
151	TR	BF		60		12-00	0-10	2	5/16	S	9-06							317	#5 @10" H EF
152	TR	BF		60		12-00	0-10	2	5/16	H	2-05	1-042	2-05					207	#5 @10" U ES
153	TR	BF		60		12-00	0-10	9	3/10	L	S90	1-042	S135					111	#3 LINK
154	TR	BF		60		9-06	1-00	2	6/19	S	12-00	2-03						471	#6 @12" V EF
155	TR	BF		60		9-06	1-00		5/16	S	2-00	2-00						46	#5 @12" DWL OF
156	TR	BF		60		12-00	1-00	2	5/16	S	9-06							258	#5 @12" H EF
157	TR	BF		60		12-00	1-00	2	5/16	H	2-05	1-042	2-05					168	#5 @12" U ES
158	TR	BF		60		12-00	1-00	9	3/10	L	S90	1-042	S135					90	#3 LINK
159	MT	MARK: SW-3- 1'-6" THK																	
160	TR	BF		60		32-00	1-00	2	6/19	S	12-00	2-03						1,413	#6 @12" V EF
161	TR	BF		60		32-00	1-00		6/19	S	2-03	2-03						223	#6 @12" DWL OF
162	TR	LS		60		12-00	1-00	2	5/16	S	32-00				0	2-05	30-00	933	#5 @12" H EF
163	TR	BF		60		12-00	1-00	2	5/16	H	2-05	1-042	2-05					168	#5 @12" U ES
164	TR	BF		60		12-00	1-00	31	3/10	L	S90	1-042	S135					310	#3 LINK
165	MT	MARK: SW-4- 1'-6" THK																	
166	TR	BF		60		9-06	1-00	2	7/22	S	12-00	3-03						686	#7 @12" V EF
167	TR	BF		60		9-06	1-00		6/19	S	2-03	2-03						74	#6 @12" DWL OF
168	TR	BF		60		12-00	1-00	2	7/22	S	9-06							505	#7 @12" H EF
169	TR	BF		60		12-00	1-00	2	7/22	H	4-02	1-042	4-02					516	#7 @12" U ES
170	TR	BF		60		12-00	1-00	9	3/10	L	S90	1-042	S135					90	#3 LINK
171	TR	BF		60		9-06	1-00	2	6/19	S	12-00	2-03						471	#6 @12" V EF
172	TR	BF		60		9-06	1-00		5/16	S	2-00	2-00						46	#5 @12" DWL OF
173	TR	BF		60		12-00	1-00	2	5/16	S	9-06							258	#5 @12" H EF
174	TR	BF		60		12-00	1-00	2	5/16	H	2-05	1-042	2-05					168	#5 @12" U ES
175	TR	BF		60		12-00	1-00	9	3/10	L	S90	1-042	S135					90	#3 LINK
176	TR	BF		60	2			2*2	5/16	S	12-00	2-00						117	2 #5 ES @OP
177	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
178	GI	Segment: 5TH FLOOR Sub-Segment: SHEAR WALL																	
179	MT	5TH FLOOR																	
180	MT	MARK: SW-1- 1'-2" THK																	
181	TR	BF		60		32-00	1-00	2	6/19	S	10-02	2-03						1,231	#6 @12" V EF
182	TR	LS		60		10-02	0-10	2	5/16	S	32-00				0	2-05	30-00	1,005	#5 @10" H EF
183	TR	BF		60		10-02	0-10	2	5/16	H	2-05	1-002	2-05					172	#5 @10" U ES
184	TR	BF		60		10-02	0-10	31	3/10	L	S90	1-002	S135					279	#3 LINK
185	MT	MARK: SW-2- 1'-2" THK																	
186	TR	BF		60		9-06	1-00	2	6/19	S	10-02	2-03						410	#6 @12" V EF
187	TR	BF		60		10-02	0-10	2	6/19	S	9-06							400	#6 @10" H EF
188	TR	BF		60		10-02	0-10	2	6/19	H	2-11	1-002	2-11					289	#6 @10" U ES
189	TR	BF		60		10-02	0-10	9	3/10	L	S90	1-002	S135					81	#3 LINK
190	TR	BF		60		9-06	1-00	2	5/16	S	10-02	2-00						279	#5 @12" V EF
191	TR	BF		60		10-02	0-10	2	4/13	S	9-06							178	#4 @10" H EF
192	TR	BF		60		10-02	0-10	2	4/13	H	2-00	1-002	2-00					94	#4 @10" U ES
193	TR	BF		60		10-02	0-10	9	3/10	L	S90	1-002	S135					81	#3 LINK
194	MT	MARK: SW-3- 1'-2" THK																	
195	TR	BF		60		32-00	1-00	2	6/19	S	10-02	2-03						1,231	#6 @12" V EF
196	TR	LS		60		10-02	0-10	2	4/13	S	32-00				0	2-00	30-00	636	#4 @10" H EF
197	TR	BF		60		10-02	0-10	2	4/13	H	2-00	1-002	2-00					94	#4 @10" U ES
198	TR	BF		60		10-02	0-10	31	3/10	L	S90	1-002	S135					279	#3 LINK
199	MT	MARK: SW-4- 1'-2" THK																	
200	TR	BF		60		9-06	1-00	2	6/19	S	10-02	2-03						410	#6 @12" V EF
201	TR	BF		60		10-02	0-10	2	5/16	S	9-06							277	#5 @10" H EF
202	TR	BF		60		10-02	0-10	2	5/16	H	2-05	1-002	2-05					172	#5 @10" U ES
203	TR	BF		60		10-02	0-10	9	3/10	L	S90	1-002	S135					81	#3 LINK
204	TR	BF		60		9-06	1-00	2	5/16	S	10-02	2-00						279	#5 @12" V EF
205	TR	BF		60		10-02	0-10	2	4/13	S	9-06							178	#4 @10" H EF
206	TR	BF		60		10-02	0-10	2	4/13	H	2-00	1-002	2-00					94	#4 @10" U ES
207	TR	BF		60		10-02	0-10	9	3/10	L	S90	1-002	S135					81	#3 LINK
208	TR	BF		60	2			2*2	5/16	S	10-02	2-00						102	2 #5 ES @OP
209	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
210	GI	Segment: 6TH FLOOR Sub-Segment: SHEAR WALL																	
211	MT	6TH FLOOR																	
212	MT	MARK: SW-1- 1'-2" THK																	
213	TR	BF		60		32-00	1-00	2	5/16	S	9-08	2-00						803	#5 @12" V EF
214	TR	LS		60		9-08	0-10	2	5/16	S	32-00				0	2-05	30-00	933	#5 @10" H EF
215	TR	BF		60		9-08	0-10	2	5/16	H	2-05	1-002	2-05					159	#5 @10" U ES
216	TR	BF		60		9-08	0-10	31	3/10	L	S90	1-002	S135					260	#3 LINK
217	MT	MARK: SW-2- 1'-2" THK																	
218	TR	BF		60		9-06	1-00	2	5/16	S	9-08	2-00						268	#5 @12" V EF
219	TR	BF		60		9-08	0-10	2	5/16	S	9-06							258	#5 @10" H EF
220	TR	BF		60		9-08	0-10	2	5/16	H	2-05	1-002	2-05					159	#5 @10" U ES
221	TR	BF		60		9-08	0-10	9	3/10	L	S90	1-002	S135					75	#3 LINK
222	TR	BF		60		9-06	1-00	2	5/16	S	9-08	2-00						268	#5 @12" V EF
223	TR	BF		60		9-08	0-10	2	4/13	S	9-06							165	#4 @10" H EF
224	TR	BF		60		9-08	0-10	2	4/13	H	2-00	1-002	2-00					88	#4 @10" U ES
225	TR	BF		60		9-08	0-10	9	3/10	L	S90	1-002	S135					75	#3 LINK
226	MT	MARK: SW-3- 1'-2" THK																	
227	TR	BF		60		32-00	1-00	2	5/16	S	9-08	2-00						803	#5 @12" V EF
228	TR	LS		60		9-08	0-10	2	4/13	S	32-00				0	2-00	30-00	591	#4 @10" H EF
229	TR	BF		60		9-08	0-10	2	4/13	H	2-00	1-002	2-00					88	#4 @10" U ES
230	TR	BF		60		9-08	0-10	31	3/10	L	S90	1-002	S135					260	#3 LINK
231	MT	MARK: SW-4- 1'-2" THK																	
232	TR	BF		60		9-06	1-00	2	5/16	S	9-08	2-00						268	#5 @12" V EF
233	TR	BF		60		9-08	0-10	2	5/16	S	9-06							258	#5 @10" H EF
234	TR	BF		60		9-08	0-10	2	5/16	H	2-05	1-002	2-05					159	#5 @10" U ES
235	TR	BF		60		9-08	0-10	9	3/10	L	S90	1-002	S135					75	#3 LINK
236	TR	BF		60		9-06	1-00	2	5/16	S	9-08	2-00						268	#5 @12" V EF

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
237	TR	BF		60		9-08	0-10	2	4/13	S	9-06							165	#4 @10" H EF
238	TR	BF		60		9-08	0-10	2	4/13	H	2-00	1-002	2-00					88	#4 @10" U ES
239	TR	BF		60		9-08	0-10	9	3/10	L	S90	1-002	S135					75	#3 LINK
240	TR	BF		60	2			2*2	5/16	S	9-08	2-00						97	2 #5 ES @OP
241	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
242	GI	Segment: 7TH FLOOR Sub-Segment: SHEAR WALL																	
243	MT	7TH FLOOR																	
244	MT	MARK: SW-1- 1'-2" THK																	
245	TR	BF		60		32-00	1-00	2	5/16	S	9-08	2-00						803	#5 @12" V EF
246	TR	LS		60		9-08	0-10	2	5/16	S	32-00				0	2-05	30-00	933	#5 @10" H EF
247	TR	BF		60		9-08	0-10	2	5/16	H	2-05	1-002	2-05					159	#5 @10" U ES
248	TR	BF		60		9-08	0-10	31	3/10	L	S90	1-002	S135					260	#3 LINK
249	MT	MARK: SW-2- 1'-2" THK																	
250	TR	BF		60		9-06	1-00	2	5/16	S	9-08	2-00						268	#5 @12" V EF
251	TR	BF		60		9-08	0-10	2	5/16	S	9-06							258	#5 @10" H EF
252	TR	BF		60		9-08	0-10	2	5/16	H	2-05	1-002	2-05					159	#5 @10" U ES
253	TR	BF		60		9-08	0-10	9	3/10	L	S90	1-002	S135					75	#3 LINK
254	TR	BF		60		9-06	1-00	2	5/16	S	9-08	2-00						268	#5 @12" V EF
255	TR	BF		60		9-08	0-10	2	4/13	S	9-06							165	#4 @10" H EF
256	TR	BF		60		9-08	0-10	2	4/13	H	2-00	1-002	2-00					88	#4 @10" U ES
257	TR	BF		60		9-08	0-10	9	3/10	L	S90	1-002	S135					75	#3 LINK
258	MT	MARK: SW-3- 1'-2" THK																	
259	TR	BF		60		32-00	1-00	2	5/16	S	9-08	2-00						803	#5 @12" V EF
260	TR	LS		60		9-08	0-10	2	4/13	S	32-00				0	2-00	30-00	591	#4 @10" H EF
261	TR	BF		60		9-08	0-10	2	4/13	H	2-00	1-002	2-00					88	#4 @10" U ES
262	TR	BF		60		9-08	0-10	31	3/10	L	S90	1-002	S135					260	#3 LINK
263	MT	MARK: SW-4- 1'-2" THK																	
264	TR	BF		60		9-06	1-00	2	5/16	S	9-08	2-00						268	#5 @12" V EF
265	TR	BF		60		9-08	0-10	2	5/16	S	9-06							258	#5 @10" H EF
266	TR	BF		60		9-08	0-10	2	5/16	H	2-05	1-002	2-05					159	#5 @10" U ES
267	TR	BF		60		9-08	0-10	9	3/10	L	S90	1-002	S135					75	#3 LINK
268	TR	BF		60		9-06	1-00	2	5/16	S	9-08	2-00						268	#5 @12" V EF
269	TR	BF		60		9-08	0-10	2	4/13	S	9-06							165	#4 @10" H EF
270	TR	BF		60		9-08	0-10	2	4/13	H	2-00	1-002	2-00					88	#4 @10" U ES
271	TR	BF		60		9-08	0-10	9	3/10	L	S90	1-002	S135					75	#3 LINK
272	TR	BF		60	2			2*2	5/16	S	9-08	2-00						97	2 #5 ES @OP
273	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
274	GI	Segment: 8TH FLOOR Sub-Segment: SHEAR WALL																	
275	MT	8TH FLOOR																	
276	MT	MARK: SW-1- 1'-2" THK																	
277	TR	BF		60		32-00	1-00	2	5/16	S	9-08	2-00						803	#5 @12" V EF
278	TR	LS		60		9-08	0-10	2	5/16	S	32-00				0	2-05	30-00	933	#5 @10" H EF
279	TR	BF		60		9-08	0-10	2	5/16	H	2-05	1-002	2-05					159	#5 @10" U ES
280	TR	BF		60		9-08	0-10	31	3/10	L	S90	1-002	S135					260	#3 LINK
281	MT	MARK: SW-2- 1'-2" THK																	
282	TR	BF		60		9-06	1-00	2	5/16	S	9-08	2-00						268	#5 @12" V EF
283	TR	BF		60		9-08	0-10	2	5/16	S	9-06							258	#5 @10" H EF
284	TR	BF		60		9-08	0-10	2	5/16	H	2-05	1-002	2-05					159	#5 @10" U ES
285	TR	BF		60		9-08	0-10	9	3/10	L	S90	1-002	S135					75	#3 LINK
286	TR	BF		60		9-06	1-00	2	5/16	S	9-08	2-00						268	#5 @12" V EF
287	TR	BF		60		9-08	0-10	2	4/13	S	9-06							165	#4 @10" H EF
288	TR	BF		60		9-08	0-10	2	4/13	H	2-00	1-002	2-00					88	#4 @10" U ES
289	TR	BF		60		9-08	0-10	9	3/10	L	S90	1-002	S135					75	#3 LINK
290	MT	MARK: SW-3- 1'-2" THK																	
291	TR	BF		60		32-00	1-00	2	5/16	S	9-08	2-00						803	#5 @12" V EF
292	TR	LS		60		9-08	0-10	2	4/13	S	32-00				0	2-00	30-00	591	#4 @10" H EF
293	TR	BF		60		9-08	0-10	2	4/13	H	2-00	1-002	2-00					88	#4 @10" U ES
294	TR	BF		60		9-08	0-10	31	3/10	L	S90	1-002	S135					260	#3 LINK
295	MT	MARK: SW-4- 1'-2" THK																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
296	TR	BF		60		9-06	1-00	2	5/16	S	9-08	2-00						268	#5 @12" V EF
297	TR	BF		60		9-08	0-10	2	5/16	S	9-06							258	#5 @10" H EF
298	TR	BF		60		9-08	0-10	2	5/16	H	2-05	1-002	2-05					159	#5 @10" U ES
299	TR	BF		60		9-08	0-10	9	3/10	L	S90	1-002	S135					75	#3 LINK
300	TR	BF		60		9-06	1-00	2	5/16	S	9-08	2-00						268	#5 @12" V EF
301	TR	BF		60		9-08	0-10	2	4/13	S	9-06							165	#4 @10" H EF
302	TR	BF		60		9-08	0-10	2	4/13	H	2-00	1-002	2-00					88	#4 @10" U ES
303	TR	BF		60		9-08	0-10	9	3/10	L	S90	1-002	S135					75	#3 LINK
304	TR	BF		60	2			2*2	5/16	S	9-08	2-00						97	2 #5 ES @OP
305	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
306	GI	Segment: 9TH FLOOR Sub-Segment: SHEAR WALL																	
307	MT	9TH FLOOR																	
308	MT	MARK: SW-1- 1'-2" THK																	
309	TR	BF		60		32-00	1-00	2	5/16	S	12-00	2-00						964	#5 @12" V EF
310	TR	LS		60		12-00	0-10	2	5/16	S	32-00				0	2-05	30-00	1,149	#5 @10" H EF
311	TR	BF		60		12-00	0-10	2	5/16	H	2-05	1-002	2-05					196	#5 @10" U ES
312	TR	BF		60		12-00	0-10	31	3/10	L	S90	1-002	S135					319	#3 LINK
313	MT	MARK: SW-2- 1'-2" THK																	
314	TR	BF		60		9-06	1-00	2	5/16	S	12-00	2-00						321	#5 @12" V EF
315	TR	BF		60		12-00	0-10	2	5/16	S	9-06							317	#5 @10" H EF
316	TR	BF		60		12-00	0-10	2	5/16	H	2-05	1-002	2-05					196	#5 @10" U ES
317	TR	BF		60		12-00	0-10	9	3/10	L	S90	1-002	S135					93	#3 LINK
318	TR	BF		60		9-06	1-00	2	5/16	S	12-00	2-00						321	#5 @12" V EF
319	TR	BF		60		12-00	0-10	2	4/13	S	9-06							203	#4 @10" H EF
320	TR	BF		60		12-00	0-10	2	4/13	H	2-00	1-002	2-00					108	#4 @10" U ES
321	TR	BF		60		12-00	0-10	9	3/10	L	S90	1-002	S135					93	#3 LINK
322	MT	MARK: SW-3- 1'-2" THK																	
323	TR	BF		60		32-00	1-00	2	5/16	S	12-00	2-00						964	#5 @12" V EF
324	TR	LS		60		12-00	0-10	2	4/13	S	32-00				0	2-00	30-00	727	#4 @10" H EF
325	TR	BF		60		12-00	0-10	2	4/13	H	2-00	1-002	2-00					108	#4 @10" U ES
326	TR	BF		60		12-00	0-10	31	3/10	L	S90	1-002	S135					319	#3 LINK
327	MT	MARK: SW-4- 1'-2" THK																	
328	TR	BF		60		9-06	1-00	2	5/16	S	12-00	2-00						321	#5 @12" V EF
329	TR	BF		60		12-00	0-10	2	5/16	S	9-06							317	#5 @10" H EF
330	TR	BF		60		12-00	0-10	2	5/16	H	2-05	1-002	2-05					196	#5 @10" U ES
331	TR	BF		60		12-00	0-10	9	3/10	L	S90	1-002	S135					93	#3 LINK
332	TR	BF		60		9-06	1-00	2	5/16	S	12-00	2-00						321	#5 @12" V EF
333	TR	BF		60		12-00	0-10	2	4/13	S	9-06							203	#4 @10" H EF
334	TR	BF		60		12-00	0-10	2	4/13	H	2-00	1-002	2-00					108	#4 @10" U ES
335	TR	BF		60		12-00	0-10	9	3/10	L	S90	1-002	S135					93	#3 LINK
336	TR	BF		60	2			2*2	5/16	S	12-00	2-00						117	2 #5 ES @OP
337	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
338	GI	Segment: 10TH FLOOR Sub-Segment: SHEAR WALL																	
339	MT	10TH FLOOR																	
340	MT	MARK: SW-1- 1'-2" THK																	
341	TR	BF		60		31-03	1-00	2	5/16	S	10-02	2-00						838	#5 @12" V EF
342	TR	LS		60		10-02	0-10	2	4/13	S	31-03				0	2-00	30-00	622	#4 @10" H EF
343	TR	BF		60		10-02	0-10	2	4/13	H	2-00	1-002	2-00					94	#4 @10" U ES
344	TR	BF		60		10-02	0-10	31	3/10	L	S90	1-002	S135					279	#3 LINK
345	MT	MARK: SW-2- 1'-2" THK																	
346	TR	BF		60		9-06	1-00	2	5/16	S	10-02	2-00						279	#5 @12" V EF
347	TR	BF		60		10-02	0-10	2	4/13	S	9-03							173	#4 @10" H EF
348	TR	BF		60		10-02	0-10	2	4/13	H	2-00	1-002	2-00					94	#4 @10" U ES
349	TR	BF		60		10-02	0-10	9	3/10	L	S90	1-002	S135					81	#3 LINK
350	TR	BF		60		9-06	1-00	2	5/16	S	10-02	2-00						279	#5 @12" V EF
351	TR	BF		60		10-02	0-10	2	4/13	S	9-03							173	#4 @10" H EF
352	TR	BF		60		10-02	0-10	2	4/13	H	2-00	1-002	2-00					94	#4 @10" U ES
353	TR	BF		60		10-02	0-10	9	3/10	L	S90	1-002	S135					81	#3 LINK
354	MT	MARK: SW-3- 1'-2" THK																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
355	TR	BF		60		31-03	1-00	2	5/16	S	10-02	2-00						838	#5 @12" V EF
356	TR	LS		60		10-02	0-10	2	4/13	S	31-03				0	2-00	30-00	622	#4 @10" H EF
357	TR	BF		60		10-02	0-10	2	4/13	H	2-00	1-002	2-00					94	#4 @10" U ES
358	TR	BF		60		10-02	0-10	31	3/10	L	S90	1-002	S135					279	#3 LINK
359	MT	MARK: SW-4- 1'-2" THK																	
360	TR	BF		60		9-06	1-00	2	5/16	S	10-02	2-00						279	#5 @12" V EF
361	TR	BF		60		10-02	0-10	2	4/13	S	9-03							173	#4 @10" H EF
362	TR	BF		60		10-02	0-10	2	4/13	H	2-00	1-002	2-00					94	#4 @10" U ES
363	TR	BF		60		10-02	0-10	9	3/10	L	S90	1-002	S135					81	#3 LINK
364	TR	BF		60		9-06	1-00	2	5/16	S	10-02	2-00						279	#5 @12" V EF
365	TR	BF		60		10-02	0-10	2	4/13	S	9-03							173	#4 @10" H EF
366	TR	BF		60		10-02	0-10	2	4/13	H	2-00	1-002	2-00					94	#4 @10" U ES
367	TR	BF		60		10-02	0-10	9	3/10	L	S90	1-002	S135					81	#3 LINK
368	TR	BF		60	2			2*2	5/16	S	10-02	2-00						102	2 #5 ES @OP
369	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
370	GI	Segment: 11TH FLOOR Sub-Segment: SHEAR WALL																	
371	MT	11TH FLOOR																	
372	MT	MARK: SW-1 & SW-3- 1'-2" THK																	
373	TR	BF		60		31-03	1-00	2*2	5/16	S	9-08	2-00						1,606	#5 @12" V EF
374	TR	LS		60		9-08	0-10	2*2	4/13	S	31-03				0	2-00	30-00	1,155	#4 @10" H EF
375	TR	BF		60		9-08	0-10	2*2	4/13	H	2-00	1-002	2-00					175	#4 @10" U ES
376	TR	BF		60		9-08	0-10	2*31	3/10	L	S90	1-002	S135					519	#3 LINK
377	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
378	TR	BF		60		9-03	1-00	4*2	5/16	S	9-08	2-00						1,071	#5 @12" V EF
379	TR	BF		60		9-08	0-10	4*2	4/13	S	9-03							643	#4 @10" H EF
380	TR	BF		60		9-08	0-10	4*2	4/13	H	2-00	1-002	2-00					351	#4 @10" U ES
381	TR	BF		60		9-08	0-10	4*9	3/10	L	S90	1-002	S135					301	#3 LINK
382	GI	Segment: 12TH FLOOR Sub-Segment: SHEAR WALL																	
383	MT	12TH FLOOR																	
384	MT	MARK: SW-1 & SW-3- 1'-2" THK																	
385	TR	BF		60		31-03	1-00	2*2	5/16	S	9-08	2-00						1,606	#5 @12" V EF
386	TR	LS		60		9-08	0-10	2*2	4/13	S	31-03				0	2-00	30-00	1,155	#4 @10" H EF
387	TR	BF		60		9-08	0-10	2*2	4/13	H	2-00	1-002	2-00					175	#4 @10" U ES
388	TR	BF		60		9-08	0-10	2*31	3/10	L	S90	1-002	S135					519	#3 LINK
389	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
390	TR	BF		60		9-03	1-00	4*2	5/16	S	9-08	2-00						1,071	#5 @12" V EF
391	TR	BF		60		9-08	0-10	4*2	4/13	S	9-03							643	#4 @10" H EF
392	TR	BF		60		9-08	0-10	4*2	4/13	H	2-00	1-002	2-00					351	#4 @10" U ES
393	TR	BF		60		9-08	0-10	4*9	3/10	L	S90	1-002	S135					301	#3 LINK
394	TR	BF		60	2			2*2	5/16	S	9-08	2-00						97	2 #5 ES @OP
395	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
396	GI	Segment: 13TH FLOOR Sub-Segment: SHEAR WALL																	
397	MT	13TH FLOOR																	
398	MT	MARK: SW-1 & SW-3- 1'-2" THK																	
399	TR	BF		60		31-03	1-00	2*2	5/16	S	9-08	2-00						1,606	#5 @12" V EF
400	TR	LS		60		9-08	0-10	2*2	4/13	S	31-03				0	2-00	30-00	1,155	#4 @10" H EF
401	TR	BF		60		9-08	0-10	2*2	4/13	H	2-00	1-002	2-00					175	#4 @10" U ES
402	TR	BF		60		9-08	0-10	2*31	3/10	L	S90	1-002	S135					519	#3 LINK
403	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
404	TR	BF		60		9-03	1-00	4*2	5/16	S	9-08	2-00						1,071	#5 @12" V EF
405	TR	BF		60		9-08	0-10	4*2	4/13	S	9-03							643	#4 @10" H EF
406	TR	BF		60		9-08	0-10	4*2	4/13	H	2-00	1-002	2-00					351	#4 @10" U ES
407	TR	BF		60		9-08	0-10	4*9	3/10	L	S90	1-002	S135					301	#3 LINK
408	TR	BF		60	2			2*2	5/16	S	9-08	2-00						97	2 #5 ES @OP
409	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
410	GI	Segment: 14TH FLOOR Sub-Segment: SHEAR WALL																	
411	MT	14TH FLOOR																	
412	MT	MARK: SW-1 & SW-3- 1'-2" THK																	
413	TR	BF		60		31-03	1-00	2*2	5/16	S	9-08	2-00						1,606	#5 @12" V EF

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
414	TR	LS		60		9-08	0-10	2*2	4/13	S	31-03				0	2-00	30-00	1,155	#4 @10" H EF
415	TR	BF		60		9-08	0-10	2*2	4/13	H	2-00	1-002	2-00					175	#4 @10" U ES
416	TR	BF		60		9-08	0-10	2*31	3/10	L	S90	1-002	S135					519	#3 LINK
417	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
418	TR	BF		60		9-03	1-00	4*2	5/16	S	9-08	2-00						1,071	#5 @12" V EF
419	TR	BF		60		9-08	0-10	4*2	4/13	S	9-03							643	#4 @10" H EF
420	TR	BF		60		9-08	0-10	4*2	4/13	H	2-00	1-002	2-00					351	#4 @10" U ES
421	TR	BF		60		9-08	0-10	4*9	3/10	L	S90	1-002	S135					301	#3 LINK
422	TR	BF		60	2			2*2	5/16	S	9-08	2-00						97	2 #5 ES @OP
423	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
424	GI	Segment: 15TH FLOOR Sub-Segment: SHEAR WALL																	
425	MT	15TH FLOOR																	
426	MT	MARK: SW-1 & SW-3- 1'-2" THK																	
427	TR	BF		60		31-03	1-00	2*2	5/16	S	12-00	2-00						1,928	#5 @12" V EF
428	TR	LS		60		12-00	0-10	2*2	4/13	S	31-03				0	2-00	30-00	1,422	#4 @10" H EF
429	TR	BF		60		12-00	0-10	2*2	4/13	H	2-00	1-002	2-00					216	#4 @10" U ES
430	TR	BF		60		12-00	0-10	2*31	3/10	L	S90	1-002	S135					639	#3 LINK
431	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
432	TR	BF		60		9-03	1-00	4*2	5/16	S	12-00	2-00						1,285	#5 @12" V EF
433	TR	BF		60		12-00	0-10	4*2	4/13	S	9-03							791	#4 @10" H EF
434	TR	BF		60		12-00	0-10	4*2	4/13	H	2-00	1-002	2-00					431	#4 @10" U ES
435	TR	BF		60		12-00	0-10	4*9	3/10	L	S90	1-002	S135					371	#3 LINK
436	TR	BF		60	2			2*2	5/16	S	12-00	2-00						117	2 #5 ES @OP
437	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
438	GI	Segment: 16TH FLOOR Sub-Segment: SHEAR WALL																	
439	MT	16TH FLOOR																	
440	MT	MARK: SW-1 & SW-3- 1'-2" THK																	
441	TR	BF		60		31-03	1-00	2*2	5/16	S	10-02	2-00						1,675	#5 @12" V EF
442	TR	LS		60		10-02	0-10	2*2	4/13	S	31-03				0	2-00	30-00	1,244	#4 @10" H EF
443	TR	BF		60		10-02	0-10	2*2	4/13	H	2-00	1-002	2-00					189	#4 @10" U ES
444	TR	BF		60		10-02	0-10	2*31	3/10	L	S90	1-002	S135					559	#3 LINK
445	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
446	TR	BF		60		9-03	1-00	4*2	5/16	S	10-02	2-00						1,117	#5 @12" V EF
447	TR	BF		60		10-02	0-10	4*2	4/13	S	9-03							692	#4 @10" H EF
448	TR	BF		60		10-02	0-10	4*2	4/13	H	2-00	1-002	2-00					378	#4 @10" U ES
449	TR	BF		60		10-02	0-10	4*9	3/10	L	S90	1-002	S135					325	#3 LINK
450	TR	BF		60	2			2*2	5/16	S	10-02	2-00						102	2 #5 ES @OP
451	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
452	GI	Segment: 17TH FLOOR Sub-Segment: SHEAR WALL																	
453	MT	17TH FLOOR																	
454	MT	MARK: SW-1 & SW-3- 1'-2" THK																	
455	TR	BF		60		31-03	1-00	2*2	5/16	S	9-08	2-00						1,606	#5 @12" V EF
456	TR	LS		60		9-08	0-10	2*2	4/13	S	31-03				0	2-00	30-00	1,155	#4 @10" H EF
457	TR	BF		60		9-08	0-10	2*2	4/13	H	2-00	1-002	2-00					175	#4 @10" U ES
458	TR	BF		60		9-08	0-10	2*31	3/10	L	S90	1-002	S135					519	#3 LINK
459	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
460	TR	BF		60		9-03	1-00	4*2	5/16	S	9-08	2-00						1,071	#5 @12" V EF
461	TR	BF		60		9-08	0-10	4*2	4/13	S	9-03							643	#4 @10" H EF
462	TR	BF		60		9-08	0-10	4*2	4/13	H	2-00	1-002	2-00					351	#4 @10" U ES
463	TR	BF		60		9-08	0-10	4*9	3/10	L	S90	1-002	S135					301	#3 LINK
464	TR	BF		60	2			2*2	5/16	S	9-08	2-00						97	2 #5 ES @OP
465	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
466	GI	Segment: 18TH FLOOR Sub-Segment: SHEAR WALL																	
467	MT	18TH FLOOR																	
468	MT	MARK: SW-1 & SW-3- 1'-2" THK																	
469	TR	BF		60		31-03	1-00	2*2	5/16	S	9-08	2-02						1,629	#5 @12" V EF
470	TR	LS		60		9-08	0-10	2*2	4/13	S	31-03				0	2-03	30-00	1,164	#4 @10" H EF
471	TR	BF		60		9-08	0-10	2*2	4/13	H	2-03	1-002	2-03					193	#4 @10" U ES
472	TR	BF		60		9-08	0-10	2*31	3/10	L	S90	1-002	S135					519	#3 LINK

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
473	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
474	TR	BF		60		9-03	1-00	4*2	5/16	S	9-08	2-02						1,086	#5 @12" V EF
475	TR	BF		60		9-08	0-10	4*2	4/13	S	9-03							643	#4 @10" H EF
476	TR	BF		60		9-08	0-10	4*2	4/13	H	2-03	1-002	2-03					385	#4 @10" U ES
477	TR	BF		60		9-08	0-10	4*9	3/10	L	S90	1-002	S135					301	#3 LINK
478	TR	BF		60	2			2*2	5/16	S	9-08	2-02						99	2 #5 ES @OP
479	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
480	GI	Segment: 19TH FLOOR Sub-Segment: SHEAR WALL																	
481	MT	19TH FLOOR																	
482	MT	MARK: SW-1 & SW-3- 1'-2" THK																	
483	TR	BF		60		31-03	1-00	2*2	5/16	S	9-08	2-02						1,629	#5 @12" V EF
484	TR	LS		60		9-08	0-10	2*2	4/13	S	31-03				0	2-03	30-00	1,164	#4 @10" H EF
485	TR	BF		60		9-08	0-10	2*2	4/13	H	2-03	1-002	2-03					193	#4 @10" U ES
486	TR	BF		60		9-08	0-10	2*31	3/10	L	S90	1-002	S135					519	#3 LINK
487	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
488	TR	BF		60		9-03	1-00	4*2	5/16	S	9-08	2-02						1,086	#5 @12" V EF
489	TR	BF		60		9-08	0-10	4*2	4/13	S	9-03							643	#4 @10" H EF
490	TR	BF		60		9-08	0-10	4*2	4/13	H	2-03	1-002	2-03					385	#4 @10" U ES
491	TR	BF		60		9-08	0-10	4*9	3/10	L	S90	1-002	S135					301	#3 LINK
492	TR	BF		60	2			2*2	5/16	S	9-08	2-02						99	2 #5 ES @OP
493	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
494	GI	Segment: 20TH FLOOR Sub-Segment: SHEAR WALL																	
495	MT	20TH FLOOR																	
496	MT	MARK: SW-1 & SW-3- 1'-2" THK																	
497	TR	BF		60		31-03	1-00	2*2	5/16	S	9-08	2-02						1,629	#5 @12" V EF
498	TR	LS		60		9-08	0-10	2*2	4/13	S	31-03				0	2-03	30-00	1,164	#4 @10" H EF
499	TR	BF		60		9-08	0-10	2*2	4/13	H	2-03	1-002	2-03					193	#4 @10" U ES
500	TR	BF		60		9-08	0-10	2*31	3/10	L	S90	1-002	S135					519	#3 LINK
501	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
502	TR	BF		60		9-03	1-00	4*2	5/16	S	9-08	2-02						1,086	#5 @12" V EF
503	TR	BF		60		9-08	0-10	4*2	4/13	S	9-03							643	#4 @10" H EF
504	TR	BF		60		9-08	0-10	4*2	4/13	H	2-03	1-002	2-03					385	#4 @10" U ES
505	TR	BF		60		9-08	0-10	4*9	3/10	L	S90	1-002	S135					301	#3 LINK
506	TR	BF		60	2			2*2	5/16	S	9-08	2-02						99	2 #5 ES @OP
507	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
508	GI	Segment: 21ST FLOOR Sub-Segment: SHEAR WALL																	
509	MT	21ST FLOOR																	
510	MT	MARK: SW-1 & SW-3- 1'-2" THK																	
511	TR	BF		60		31-03	1-00	2*2	5/16	S	12-00	2-02						1,950	#5 @12" V EF
512	TR	LS		60		12-00	0-10	2*2	4/13	S	31-03				0	2-03	30-00	1,432	#4 @10" H EF
513	TR	BF		60		12-00	0-10	2*2	4/13	H	2-03	1-002	2-03					237	#4 @10" U ES
514	TR	BF		60		12-00	0-10	2*31	3/10	L	S90	1-002	S135					639	#3 LINK
515	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
516	TR	BF		60		9-03	1-00	4*2	5/16	S	12-00	2-02						1,300	#5 @12" V EF
517	TR	BF		60		12-00	0-10	4*2	4/13	S	9-03							791	#4 @10" H EF
518	TR	BF		60		12-00	0-10	4*2	4/13	H	2-03	1-002	2-03					474	#4 @10" U ES
519	TR	BF		60		12-00	0-10	4*9	3/10	L	S90	1-002	S135					371	#3 LINK
520	TR	BF		60	2			2*2	5/16	S	12-00	2-02						118	2 #5 ES @OP
521	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
522	GI	Segment: 22ND FLOOR Sub-Segment: SHEAR WALL																	
523	MT	22ND FLOOR																	
524	MT	MARK: SW-1 & SW-3- 1'-2" THK																	
525	TR	BF		60		31-03	1-00	2*2	5/16	S	10-02	2-02						1,698	#5 @12" V EF
526	TR	LS		60		10-02	0-10	2*2	4/13	S	31-03				0	2-03	30-00	1,253	#4 @10" H EF
527	TR	BF		60		10-02	0-10	2*2	4/13	H	2-03	1-002	2-03					207	#4 @10" U ES
528	TR	BF		60		10-02	0-10	2*31	3/10	L	S90	1-002	S135					559	#3 LINK
529	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
530	TR	BF		60		9-03	1-00	4*2	5/16	S	10-02	2-02						1,132	#5 @12" V EF
531	TR	BF		60		10-02	0-10	4*2	4/13	S	9-03							692	#4 @10" H EF

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
532	TR	BF		60		10-02	0-10	4*2	4/13	H	2-03	1-002	2-03					415	#4 @10" U ES
533	TR	BF		60		10-02	0-10	4*9	3/10	L	S90	1-002	S135					325	#3 LINK
534	TR	BF		60	2			2*2	5/16	S	10-02	2-02						103	2 #5 ES @OP
535	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
536	GI	Segment: 23RD FLOOR Sub-Segment: SHEAR WALL																	
537	MT	23RD FLOOR																	
538	MT	MARK: SW-1 & SW-3- 1'-2" THK																	
539	TR	BF		60		31-03	1-00	2*2	5/16	S	9-08	2-02						1,629	#5 @12" V EF
540	TR	LS		60		9-08	0-10	2*2	4/13	S	31-03				0	2-03	30-00	1,164	#4 @10" H EF
541	TR	BF		60		9-08	0-10	2*2	4/13	H	2-03	1-002	2-03					193	#4 @10" U ES
542	TR	BF		60		9-08	0-10	2*31	3/10	L	S90	1-002	S135					519	#3 LINK
543	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
544	TR	BF		60		9-03	1-00	4*2	5/16	S	9-08	2-02						1,086	#5 @12" V EF
545	TR	BF		60		9-08	0-10	4*2	4/13	S	9-03							643	#4 @10" H EF
546	TR	BF		60		9-08	0-10	4*2	4/13	H	2-03	1-002	2-03					385	#4 @10" U ES
547	TR	BF		60		9-08	0-10	4*9	3/10	L	S90	1-002	S135					301	#3 LINK
548	TR	BF		60	2			2*2	5/16	S	9-08	2-02						99	2 #5 ES @OP
549	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
550	GI	Segment: 24TH FLOOR Sub-Segment: SHEAR WALL																	
551	MT	24TH FLOOR																	
552	MT	MARK: SW-1 & SW-2- 1'-2" THK																	
553	TR	BF		60		31-03	1-00	2*2	5/16	S	9-08	2-02						1,629	#5 @12" V EF
554	TR	LS		60		9-08	0-10	2	4/13	S	31-03				0	2-03	30-00	582	#4 @10" H EF
555	TR	BF		60		9-08	0-10	2	4/13	H	2-03	1-002	2-03					96	#4 @10" U ES
556	TR	BF		60		9-08	0-10	31	3/10	L	S90	1-002	S135					260	#3 LINK
557	TR	LS		60		9-08	1-00	2	4/13	S	31-03				0	2-03	30-00	492	#4 @12" H EF
558	TR	BF		60		9-08	1-00	2	4/13	H	2-03	1-002	2-03					81	#4 @12" U ES
559	TR	BF		60		9-08	1-00	31	3/10	L	S90	1-002	S135					220	#3 LINK
560	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
561	TR	BF		60		9-03	1-00	4*2	5/16	S	9-08	2-02						1,086	#5 @12" V EF
562	TR	BF		60		9-08	0-10	2*2	4/13	S	9-03							321	#4 @10" H EF
563	TR	BF		60		9-08	0-10	2*2	4/13	H	2-03	1-002	2-03					193	#4 @10" U ES
564	TR	BF		60		9-08	0-10	2*9	3/10	L	S90	1-002	S135					151	#3 LINK
565	TR	BF		60		9-08	1-00	2*2	4/13	S	9-03							272	#4 @12" H EF
566	TR	BF		60		9-08	1-00	2*2	4/13	H	2-03	1-002	2-03					163	#4 @12" U ES
567	TR	BF		60		9-08	1-00	2*9	3/10	L	S90	1-002	S135					127	#3 LINK
568	TR	BF		60	2			2*2	5/16	S	9-08	2-02						99	2 #5 ES @OP
569	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
570	GI	Segment: 25TH FLOOR Sub-Segment: SHEAR WALL																	
571	MT	25TH FLOOR																	
572	MT	MARK: SW-1 & SW-2- 1'-2" THK																	
573	TR	BF		60		31-03	1-00	2*2	5/16	S	9-08	2-02						1,629	#5 @12" V EF
574	TR	LS		60		9-08	0-10	2	4/13	S	31-03				0	2-03	30-00	582	#4 @10" H EF
575	TR	BF		60		9-08	0-10	2	4/13	H	2-03	1-002	2-03					96	#4 @10" U ES
576	TR	BF		60		9-08	0-10	31	3/10	L	S90	1-002	S135					260	#3 LINK
577	TR	LS		60		9-08	1-00	2	4/13	S	31-03				0	2-03	30-00	492	#4 @12" H EF
578	TR	BF		60		9-08	1-00	2	4/13	H	2-03	1-002	2-03					81	#4 @12" U ES
579	TR	BF		60		9-08	1-00	31	3/10	L	S90	1-002	S135					220	#3 LINK
580	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
581	TR	BF		60		9-03	1-00	4*2	5/16	S	9-08	2-02						1,086	#5 @12" V EF
582	TR	BF		60		9-08	0-10	2*2	4/13	S	9-03							321	#4 @10" H EF
583	TR	BF		60		9-08	0-10	2*2	4/13	H	2-03	1-002	2-03					193	#4 @10" U ES
584	TR	BF		60		9-08	0-10	2*9	3/10	L	S90	1-002	S135					151	#3 LINK
585	TR	BF		60		9-08	1-00	2*2	4/13	S	9-03							272	#4 @12" H EF
586	TR	BF		60		9-08	1-00	2*2	4/13	H	2-03	1-002	2-03					163	#4 @12" U ES
587	TR	BF		60		9-08	1-00	2*9	3/10	L	S90	1-002	S135					127	#3 LINK
588	TR	BF		60	2			2*2	5/16	S	9-08	2-02						99	2 #5 ES @OP
589	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
590	GI	Segment: 26TH FLOOR Sub-Segment: SHEAR WALL																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
591	MT	26TH FLOOR																	
592	MT	MARK: SW-1 & SW-2- 1'-2" THK																	
593	TR	BF		60		31-03	1-00	2*2	5/16	S	9-08	2-02						1,629	#5 @12" V EF
594	TR	LS		60		9-08	0-10	2	4/13	S	31-03				0	2-03	30-00	582	#4 @10" H EF
595	TR	BF		60		9-08	0-10	2	4/13	H	2-03	1-002	2-03					96	#4 @10" U ES
596	TR	BF		60		9-08	0-10	31	3/10	L	S90	1-002	S135					260	#3 LINK
597	TR	LS		60		9-08	1-00	2	4/13	S	31-03				0	2-03	30-00	492	#4 @12" H EF
598	TR	BF		60		9-08	1-00	2	4/13	H	2-03	1-002	2-03					81	#4 @12" U ES
599	TR	BF		60		9-08	1-00	31	3/10	L	S90	1-002	S135					220	#3 LINK
600	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
601	TR	BF		60		9-03	1-00	4*2	5/16	S	9-08	2-02						1,086	#5 @12" V EF
602	TR	BF		60		9-08	0-10	2*2	4/13	S	9-03							321	#4 @10" H EF
603	TR	BF		60		9-08	0-10	2*2	4/13	H	2-03	1-002	2-03					193	#4 @10" U ES
604	TR	BF		60		9-08	0-10	2*9	3/10	L	S90	1-002	S135					151	#3 LINK
605	TR	BF		60		9-08	1-00	2*2	4/13	S	9-03							272	#4 @12" H EF
606	TR	BF		60		9-08	1-00	2*2	4/13	H	2-03	1-002	2-03					163	#4 @12" U ES
607	TR	BF		60		9-08	1-00	2*9	3/10	L	S90	1-002	S135					127	#3 LINK
608	TR	BF		60	2			2*2	5/16	S	9-08	2-02						99	2 #5 ES @OP
609	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
610	GI	Segment: 27TH FLOOR Sub-Segment: SHEAR WALL																	
611	MT	27TH FLOOR																	
612	MT	MARK: SW-1 & SW-2- 1'-2" THK																	
613	TR	BF		60		31-03	1-00	2*2	5/16	S	12-00	2-02						1,950	#5 @12" V EF
614	TR	LS		60		12-00	0-10	2	4/13	S	31-03				0	2-03	30-00	716	#4 @10" H EF
615	TR	BF		60		12-00	0-10	2	4/13	H	2-03	1-002	2-03					119	#4 @10" U ES
616	TR	BF		60		12-00	0-10	31	3/10	L	S90	1-002	S135					319	#3 LINK
617	TR	LS		60		12-00	1-00	2	4/13	S	31-03				0	2-03	30-00	582	#4 @12" H EF
618	TR	BF		60		12-00	1-00	2	4/13	H	2-03	1-002	2-03					96	#4 @12" U ES
619	TR	BF		60		12-00	1-00	31	3/10	L	S90	1-002	S135					260	#3 LINK
620	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
621	TR	BF		60		9-03	1-00	4*2	5/16	S	12-00	2-02						1,300	#5 @12" V EF
622	TR	BF		60		12-00	0-10	2*2	4/13	S	9-03							395	#4 @10" H EF
623	TR	BF		60		12-00	0-10	2*2	4/13	H	2-03	1-002	2-03					237	#4 @10" U ES
624	TR	BF		60		12-00	0-10	2*9	3/10	L	S90	1-002	S135					185	#3 LINK
625	TR	BF		60		12-00	1-00	2*2	4/13	S	9-03							321	#4 @12" H EF
626	TR	BF		60		12-00	1-00	2*2	4/13	H	2-03	1-002	2-03					193	#4 @12" U ES
627	TR	BF		60		12-00	1-00	2*9	3/10	L	S90	1-002	S135					151	#3 LINK
628	TR	BF		60	2			2*2	5/16	S	12-00	2-02						118	2 #5 ES @OP
629	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
630	GI	Segment: 28TH FLOOR Sub-Segment: SHEAR WALL																	
631	MT	28TH FLOOR																	
632	MT	MARK: SW-1 & SW-2- 1'-2" THK																	
633	TR	BF		60		31-03	1-00	2*2	5/16	S	12-00	2-02						1,950	#5 @12" V EF
634	TR	LS		60		12-00	0-10	2	4/13	S	31-03				0	2-03	30-00	716	#4 @10" H EF
635	TR	BF		60		12-00	0-10	2	4/13	H	2-03	1-002	2-03					119	#4 @10" U ES
636	TR	BF		60		12-00	0-10	31	3/10	L	S90	1-002	S135					319	#3 LINK
637	TR	LS		60		12-00	1-00	2	4/13	S	31-03				0	2-03	30-00	582	#4 @12" H EF
638	TR	BF		60		12-00	1-00	2	4/13	H	2-03	1-002	2-03					96	#4 @12" U ES
639	TR	BF		60		12-00	1-00	31	3/10	L	S90	1-002	S135					260	#3 LINK
640	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
641	TR	BF		60		9-03	1-00	4*2	5/16	S	12-00	2-02						1,300	#5 @12" V EF
642	TR	BF		60		12-00	0-10	2*2	4/13	S	9-03							395	#4 @10" H EF
643	TR	BF		60		12-00	0-10	2*2	4/13	H	2-03	1-002	2-03					237	#4 @10" U ES
644	TR	BF		60		12-00	0-10	2*9	3/10	L	S90	1-002	S135					185	#3 LINK
645	TR	BF		60		12-00	1-00	2*2	4/13	S	9-03							321	#4 @12" H EF
646	TR	BF		60		12-00	1-00	2*2	4/13	H	2-03	1-002	2-03					193	#4 @12" U ES
647	TR	BF		60		12-00	1-00	2*9	3/10	L	S90	1-002	S135					151	#3 LINK
648	TR	BF		60	2			2*2	5/16	S	12-00	2-02						118	2 #5 ES @OP
649	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
650	GI	Segment: 29TH FLOOR Sub-Segment: SHEAR WALL																	
651	MT	29TH FLOOR																	
652	MT	MARK: SW-1 & SW-2- 1'-2" THK																	
653	TR	BF		60		31-03	1-00	2*2	5/16	S	9-08	2-02						1,629	#5 @12" V EF
654	TR	LS		60		9-08	0-10	2	4/13	S	31-03				0	2-03	30-00	582	#4 @10" H EF
655	TR	BF		60		9-08	0-10	2	4/13	H	2-03	1-002	2-03					96	#4 @10" U ES
656	TR	BF		60		9-08	0-10	31	3/10	L	S90	1-002	S135					260	#3 LINK
657	TR	LS		60		9-08	1-00	2	4/13	S	31-03				0	2-03	30-00	492	#4 @12" H EF
658	TR	BF		60		9-08	1-00	2	4/13	H	2-03	1-002	2-03					81	#4 @12" U ES
659	TR	BF		60		9-08	1-00	31	3/10	L	S90	1-002	S135					220	#3 LINK
660	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
661	TR	BF		60		9-03	1-00	4*2	5/16	S	9-08	2-02						1,086	#5 @12" V EF
662	TR	BF		60		9-08	0-10	2*2	4/13	S	9-03							321	#4 @10" H EF
663	TR	BF		60		9-08	0-10	2*2	4/13	H	2-03	1-002	2-03					193	#4 @10" U ES
664	TR	BF		60		9-08	0-10	2*9	3/10	L	S90	1-002	S135					151	#3 LINK
665	TR	BF		60		9-08	1-00	2*2	4/13	S	9-03							272	#4 @12" H EF
666	TR	BF		60		9-08	1-00	2*2	4/13	H	2-03	1-002	2-03					163	#4 @12" U ES
667	TR	BF		60		9-08	1-00	2*9	3/10	L	S90	1-002	S135					127	#3 LINK
668	TR	BF		60	2			2*2	5/16	S	9-08	2-02						99	2 #5 ES @OP
669	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
670	GI	Segment: 30TH FLOOR Sub-Segment: SHEAR WALL																	
671	MT	30TH FLOOR																	
672	MT	MARK: SW-1 & SW-2- 1'-2" THK																	
673	TR	BF		60		31-03	1-00	2*2	5/16	S	16-00	2-02						2,501	#5 @12" V EF
674	TR	LS		60		16-00	0-10	2	4/13	S	31-03				0	2-03	30-00	940	#4 @10" H EF
675	TR	BF		60		16-00	0-10	2	4/13	H	2-03	1-002	2-03					156	#4 @10" U ES
676	TR	BF		60		16-00	0-10	31	3/10	L	S90	1-002	S135					419	#3 LINK
677	TR	LS		60		16-00	1-00	2	4/13	S	31-03				0	2-03	30-00	761	#4 @12" H EF
678	TR	BF		60		16-00	1-00	2	4/13	H	2-03	1-002	2-03					126	#4 @12" U ES
679	TR	BF		60		16-00	1-00	31	3/10	L	S90	1-002	S135					339	#3 LINK
680	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
681	TR	BF		60		9-03	1-00	4*2	5/16	S	16-00	2-02						1,667	#5 @12" V EF
682	TR	BF		60		16-00	0-10	2*2	4/13	S	9-03							519	#4 @10" H EF
683	TR	BF		60		16-00	0-10	2*2	4/13	H	2-03	1-002	2-03					311	#4 @10" U ES
684	TR	BF		60		16-00	0-10	2*9	3/10	L	S90	1-002	S135					243	#3 LINK
685	TR	BF		60		16-00	1-00	2*2	4/13	S	9-03							420	#4 @12" H EF
686	TR	BF		60		16-00	1-00	2*2	4/13	H	2-03	1-002	2-03					252	#4 @12" U ES
687	TR	BF		60		16-00	1-00	2*9	3/10	L	S90	1-002	S135					197	#3 LINK
688	TR	BF		60	2			2*2	5/16	S	16-00	2-02						152	2 #5 ES @OP
689	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
690	GI	Segment: ROOF Sub-Segment: SHEAR WALL																	
691	MT	ROOF																	
692	MT	MARK: SW-1 & SW-2- 1'-2" THK																	
693	TR	BF		60		31-03	1-00	2*2	5/16	S	23-09	2-02						3,568	#5 @12" V EF
694	TR	LS		60		23-09	0-10	2	4/13	S	31-03				0	2-03	30-00	1,343	#4 @10" H EF
695	TR	BF		60		23-09	0-10	2	4/13	H	2-03	1-002	2-03					222	#4 @10" U ES
696	TR	BF		60		23-09	0-10	31	3/10	L	S90	1-002	S135					599	#3 LINK
697	TR	LS		60		23-09	1-00	2	4/13	S	31-03				0	2-03	30-00	1,119	#4 @12" H EF
698	TR	BF		60		23-09	1-00	2	4/13	H	2-03	1-002	2-03					185	#4 @12" U ES
699	TR	BF		60		23-09	1-00	31	3/10	L	S90	1-002	S135					499	#3 LINK
700	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
701	TR	BF		60		9-03	1-00	4*2	5/16	S	23-09	2-02						2,379	#5 @12" V EF
702	TR	BF		60		23-09	0-10	2*2	4/13	S	9-03							741	#4 @10" H EF
703	TR	BF		60		23-09	0-10	2*2	4/13	H	2-03	1-002	2-03					444	#4 @10" U ES
704	TR	BF		60		23-09	0-10	2*9	3/10	L	S90	1-002	S135					348	#3 LINK
705	TR	BF		60		23-09	1-00	2*2	4/13	S	9-03							618	#4 @12" H EF
706	TR	BF		60		23-09	1-00	2*2	4/13	H	2-03	1-002	2-03					370	#4 @12" U ES
707	TR	BF		60		23-09	1-00	2*9	3/10	L	S90	1-002	S135					290	#3 LINK
708	MT	SIZE:1'-2" THK WALL																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
709	TR	BF		60		61-00	1-00	2	5/16	S	23-09	2-02						3,352	#5 @12" V EF
710	TR	LS		60		23-09	0-10	2	4/13	S	61-00				0	2-03	30-00	2,625	#4 @10" H EF
711	TR	BF		60		23-09	0-10	6	4/13	H	2-03	1-002	2-03					667	#4 @10" U ES
712	TR	BF		60		23-09	0-10	56	3/10	L	S90	1-002	S135					1,082	#3 LINK
713	TR	BF		60	2			2*2	5/16	S	23-09	2-02						216	2 #5 ES @OP
714	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
715	GI	Segment: EMR LEVEL Sub-Segment: SHEAR WALL																	
716	MT	EMR FLOOR																	
717	MT	MARK: SW-1 & SW-2- 1'-2" THK																	
718	TR	BF		60		31-03	1-00	2*2	5/16	H	10-06	2-02						1,744	#5 @12" V EF
719	TR	LS		60		10-06	0-10	2	4/13	S	31-03				0	2-03	30-00	627	#4 @10" H EF
720	TR	BF		60		10-06	0-10	2	4/13	H	2-03	1-002	2-03					104	#4 @10" U ES
721	TR	BF		60		10-06	0-10	31	3/10	L	S90	1-002	S135					279	#3 LINK
722	TR	LS		60		10-06	1-00	2	4/13	S	31-03				0	2-03	30-00	537	#4 @12" H EF
723	TR	BF		60		10-06	1-00	2	4/13	H	2-03	1-002	2-03					89	#4 @12" U ES
724	TR	BF		60		10-06	1-00	31	3/10	L	S90	1-002	S135					240	#3 LINK
725	MT	MARK: SW-2 & SW-4- 1'-2" THK																	
726	TR	BF		60		9-03	1-00	4*2	5/16	H	10-06	2-02						1,162	#5 @12" V EF
727	TR	BF		60		10-06	0-10	2*2	4/13	S	9-03							346	#4 @10" H EF
728	TR	BF		60		10-06	0-10	2*2	4/13	H	2-03	1-002	2-03					207	#4 @10" U ES
729	TR	BF		60		10-06	0-10	2*9	3/10	L	S90	1-002	S135					162	#3 LINK
730	TR	BF		60		10-06	1-00	2*2	4/13	S	9-03							297	#4 @12" H EF
731	TR	BF		60		10-06	1-00	2*2	4/13	H	2-03	1-002	2-03					178	#4 @12" U ES
732	TR	BF		60		10-06	1-00	2*9	3/10	L	S90	1-002	S135					139	#3 LINK
733	TR	BF		60	2			2*2	5/16	H	10-06	2-02						106	2 #5 ES @OP
734	TR	BF		60	2			4*2*2	5/16	S	4-00							133	2 #5 DIAG.
735	GI	Segment: CELLAR Sub-Segment: SHEAR WALL																	
736	MT	SOUTH STAIR SHEAR WALL (REF: S-321 & S-351)																	
737	MT	CELLAR (REF: FO-101.00)																	
738	MT	MARK: SW-5- 1'-0" THK																	
739	TR	BF		60		24-09	1-00	2	8/25	S	13-00	3-09						2,325	#8 @12" V EF
740	TR	BF		60		13-00	1-00	2	5/16	S	24-09							723	#5 @12" H EF
741	TR	BF		60		13-00	1-00	2	5/16	H	2-05	0-102	2-05					167	#5 @12" U ES
742	TR	BF		60		13-00	1-00	24	3/10	L	S90	0-102	S135					195	#3 LINK
743	MT	MARK: SW-6- 1'-0" THK																	
744	TR	BF		60		11-09	1-00	2	8/25	S	13-00	3-09						1,163	#8 @12" V EF
745	TR	BF		60		13-00	1-00	2	7/22	S	11-09							672	#7 @12" H EF
746	TR	BF		60		13-00	1-00	2	7/22	H	4-02	0-102	4-02					527	#7 @12" U ES
747	TR	BF		60		13-00	1-00	11	3/10	L	S90	0-102	S135					89	#3 LINK
748	MT	MARK: SW-7- 1'-0" THK																	
749	TR	BF		60		11-09	1-00	2	8/25	S	13-00	3-09						1,163	#8 @12" V EF
750	TR	BF		60		13-00	1-00	2	5/16	S	11-09							343	#5 @12" H EF
751	TR	BF		60		13-00	1-00	2	5/16	H	2-05	1-042	2-05					181	#5 @12" U ES
752	TR	BF		60		13-00	1-00	11	3/10	L	S90	1-042	S135					118	#3 LINK
753	GI	Segment: 1ST FLOOR Sub-Segment: SHEAR WALL																	
754	MT	1ST FLOOR																	
755	MT	MARK: SW-5- 1'-0" THK																	
756	TR	BF		60		24-09	1-00	2	8/25	S	19-00	3-09						3,159	#8 @12" V EF
757	TR	BF		60		19-00	1-00	2	4/13	S	24-09							661	#4 @12" H EF
758	TR	BF		60		19-00	1-00	2	4/13	H	2-00	0-102	2-00					130	#4 @12" U ES
759	TR	BF		60		19-00	1-00	24	3/10	L	S90	0-102	S135					279	#3 LINK
760	MT	MARK: SW-6- 1'-0" THK																	
761	TR	BF		60		11-09	1-00	2	8/25	S	19-00	3-09						1,579	#8 @12" V EF
762	TR	BF		60		19-00	1-00	2	4/13	S	11-09							314	#4 @12" H EF
763	TR	BF		60		19-00	1-00	2	4/13	H	2-00	0-102	2-00					130	#4 @12" U ES
764	TR	BF		60		19-00	1-00	11	3/10	L	S90	0-102	S135					128	#3 LINK
765	MT	MARK: SW-7- 1'-0" THK																	
766	TR	BF		60		11-09	1-00	2	8/25	S	19-00	3-09						1,579	#8 @12" V EF
767	TR	BF		60		19-00	1-00	2	4/13	S	11-09							314	#4 @12" H EF

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
768	TR	BF		60		19-00	1-00	2	4/13	H	2-00	0-102	2-00					130	#4 @12" U ES
769	TR	BF		60		19-00	1-00	11	3/10	L	S90	0-102	S135					128	#3 LINK
770	GI	Segment: 2ND FLOOR Sub-Segment: SHEAR WALL																	
771	MT	2ND FLOOR																	
772	MT	MARK: SW-5- 1'-0" THK																	
773	TR	BF		60		24-09	1-00	2	5/16	S	15-00	2-00						922	#5 @12" V EF
774	TR	BF		60		15-00	1-00	2	4/13	S	24-09							529	#4 @12" H EF
775	TR	BF		60		15-00	1-00	2	4/13	H	2-00	0-102	2-00					104	#4 @12" U ES
776	TR	BF		60		15-00	1-00	24	3/10	L	S90	0-102	S135					223	#3 LINK
777	MT	MARK: SW-6- 1'-0" THK																	
778	TR	BF		60		11-09	1-00	2	5/16	S	15-00	2-00						461	#5 @12" V EF
779	TR	BF		60		15-00	1-00	2	4/13	S	11-09							251	#4 @12" H EF
780	TR	BF		60		15-00	1-00	2	4/13	H	2-00	0-102	2-00					104	#4 @12" U ES
781	TR	BF		60		15-00	1-00	11	3/10	L	S90	0-102	S135					102	#3 LINK
782	MT	MARK: SW-7- 1'-0" THK																	
783	TR	BF		60		11-09	1-00	2	5/16	S	15-00	2-00						461	#5 @12" V EF
784	TR	BF		60		15-00	1-00	2	4/13	S	11-09							251	#4 @12" H EF
785	TR	BF		60		15-00	1-00	2	4/13	H	2-00	0-102	2-00					104	#4 @12" U ES
786	TR	BF		60		15-00	1-00	11	3/10	L	S90	0-102	S135					102	#3 LINK
787	GI	Segment: 3RD FLOOR Sub-Segment: SHEAR WALL																	
788	MT	3RD FLOOR																	
789	MT	MARK: SW-5- 1'-0" THK																	
790	TR	BF		60		24-09	1-00	2	4/13	H	14-00	1-05						536	#4 @12" V EF
791	TR	BF		60		14-00	0-10	2	5/16	S	24-09							929	#5 @10" H EF
792	TR	BF		60		14-00	0-10	2	5/16	H	2-05	0-102	2-05					214	#5 @10" U ES
793	TR	BF		60		14-00	0-10	24	3/10	L	S90	0-102	S135					251	#3 LINK
794	MT	MARK: SW-6- 1'-0" THK																	
795	TR	BF		60		11-09	1-00	2	4/13	H	14-00	1-05						268	#4 @12" V EF
796	TR	BF		60		14-00	0-10	2	5/16	S	11-09							441	#5 @10" H EF
797	TR	BF		60		14-00	0-10	2	5/16	H	2-05	0-102	2-05					214	#5 @10" U ES
798	TR	BF		60		14-00	0-10	11	3/10	L	S90	0-102	S135					115	#3 LINK
799	MT	MARK: SW-7- 1'-0" THK																	
800	TR	BF		60		11-09	1-00	2	4/13	H	14-00	1-05						268	#4 @12" V EF
801	TR	BF		60		14-00	0-10	2	6/19	S	11-09							635	#6 @10" H EF
802	TR	BF		60		14-00	0-10	2	6/19	H	2-11	0-102	2-11					363	#6 @10" U ES
803	TR	BF		60		14-00	0-10	11	3/10	L	S90	0-102	S135					115	#3 LINK
804	GI	Segment: CELLAR Sub-Segment: SHEAR WALL																	
805	MT	NORTH STAIR SHEAR WALL (REF: S-321 & S-351)																	
806	MT	CELLAR (REF: FO-101.00)																	
807	MT	MARK: SW-8- 1'-0" THK																	
808	TR	BF		60		7-03	1-00	2	8/25	S	13-00	3-09						805	#8 @12" V EF
809	TR	BF		60		13-00	0-08	2	6/19	S	7-03							457	#6 @8" H EF
810	TR	BF		60		13-00	0-08	2	6/19	H	2-11	0-102	2-11					423	#6 @8" U ES
811	TR	BF		60		13-00	0-08	7	3/10	L	S90	0-102	S135					85	#3 LINK
812	MT	MARK: SW-9- 1'-0" THK																	
813	TR	BF		60		22-09	1-00	2	8/25	S	13-00	3-09						2,147	#8 @12" V EF
814	TR	BF		60		13-00	1-00	2	5/16	S	22-09							664	#5 @12" H EF
815	TR	BF		60		13-00	1-00	2	5/16	H	2-05	1-042	2-05					181	#5 @12" U ES
816	TR	BF		60		13-00	1-00	22	3/10	L	S90	1-042	S135					237	#3 LINK
817	MT	MARK: SW-10- 1'-0" THK																	
818	TR	BF		60		7-03	1-00	2	8/25	S	13-00	3-09						805	#8 @12" V EF
819	TR	BF		60		13-00	1-00	2	5/16	S	7-03							212	#5 @12" H EF
820	TR	BF		60		13-00	1-00	2	5/16	H	2-05	1-042	2-05					181	#5 @12" U ES
821	TR	BF		60		13-00	1-00	7	3/10	L	S90	1-042	S135					75	#3 LINK
822	GI	Segment: 1ST FLOOR Sub-Segment: SHEAR WALL																	
823	MT	1ST FLOOR																	
824	MT	MARK: SW-8- 1'-0" THK																	
825	TR	BF		60		7-03	1-00	2	8/25	S	19-00	3-09						1,093	#8 @12" V EF
826	TR	BF		60		19-00	0-10	2	4/13	S	7-03							232	#4 @10" H EF

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
827	TR	BF		60		19-00	0-10	2	4/13	H	2-00	0-102	2-00					156	#4 @10" U ES
828	TR	BF		60		19-00	0-10	7	3/10	L	S90	0-102	S135					98	#3 LINK
829	MT	MARK: SW-9- 1'-0" THK																	
830	TR	BF		60		22-09	1-00	2	8/25	S	19-00	3-09						2,916	#8 @12" V EF
831	TR	BF		60		19-00	0-10	2	4/13	S	22-09							729	#4 @10" H EF
832	TR	BF		60		19-00	0-10	2	4/13	H	2-00	0-102	2-00					156	#4 @10" U ES
833	TR	BF		60		19-00	0-10	22	3/10	L	S90	0-102	S135					307	#3 LINK
834	MT	MARK: SW-10- 1'-0" THK																	
835	TR	BF		60		7-03	1-00	2	8/25	S	19-00	3-09						1,093	#8 @12" V EF
836	TR	BF		60		19-00	0-10	2	4/13	S	7-03							232	#4 @10" H EF
837	TR	BF		60		19-00	0-10	2	4/13	H	2-00	0-102	2-00					156	#4 @10" U ES
838	TR	BF		60		19-00	0-10	7	3/10	L	S90	0-102	S135					98	#3 LINK
839	GI	Segment: 2ND FLOOR Sub-Segment: SHEAR WALL																	
840	MT	2ND FLOOR																	
841	MT	MARK: SW-8- 1'-0" THK																	
842	TR	BF		60		7-03	1-00	2	6/19	H	19-00	2-03						575	#6 @12" V EF
843	TR	BF		60		19-00	0-10	2	4/13	S	7-03							232	#4 @10" H EF
844	TR	BF		60		19-00	0-10	2	4/13	H	2-00	0-102	2-00					156	#4 @10" U ES
845	TR	BF		60		19-00	0-10	7	3/10	L	S90	0-102	S135					98	#3 LINK
846	MT	MARK: SW-9- 1'-0" THK																	
847	TR	BF		60		22-09	1-00	2	6/19	H	19-00	2-03						1,532	#6 @12" V EF
848	TR	BF		60		19-00	0-10	2	5/16	S	22-09							1,139	#5 @10" H EF
849	TR	BF		60		19-00	0-10	2	5/16	H	2-05	0-102	2-05					286	#5 @10" U ES
850	TR	BF		60		19-00	0-10	22	3/10	L	S90	0-102	S135					307	#3 LINK
851	MT	MARK: SW-10- 1'-0" THK																	
852	TR	BF		60		7-03	1-00	2	6/19	H	19-00	2-03						575	#6 @12" V EF
853	TR	BF		60		19-00	0-10	2	4/13	S	7-03							232	#4 @10" H EF
854	TR	BF		60		19-00	0-10	2	4/13	H	2-00	0-102	2-00					156	#4 @10" U ES
855	TR	BF		60		19-00	0-10	7	3/10	L	S90	0-102	S135					98	#3 LINK
856	GI	Segment: 2ND FLOOR Sub-Segment: BEAM																	
857	MT	LEVEL-2																	
858	MT	BEAM																	
859	MT	(SIZE:24x30)																	
860	TR	LS		60	6				7/22	H	60-00	2S90			0	7-02	30-00	940	6 #7 T
861	TR	LS		60	6				7/22	H	60-00	2S90			0	5-06	30-00	899	6 #7 B
862	TR	BF		60		60-00	1-00		4/13	L	2S135	1-09	2-03	1-09	2-03			357	#4 @12"STRP
863	TI	lf			120				BB 1.5									0	
864	GI	Segment: 3RD FLOOR Sub-Segment: BEAM																	
865	MT	LEVEL-3																	
866	MT	(SIZE:24x30)																	
867	TR	LS		60	6				7/22	H	59-08	2S90			0	7-02	30-00	936	6 #7 T
868	TR	LS		60	6				7/22	H	59-08	2S90			0	5-06	30-00	895	6 #7 B
869	TR	BF		60		59-08	1-00		4/13	L	2S135	1-09	2-03	1-09	2-03			357	#4 @12"STRP
870	MT	(SIZE:34x30)																	
871	TR	LS		60	8				7/22	H	41-05	2S90			0	7-02	30-00	833	8 #7 T
872	TR	LS		60	8				7/22	H	41-05	2S90			0	5-06	30-00	805	8 #7 B
873	TR	BF		60		41-05	1-00		4/13	L	2S135	2-07	2-03	2-07	2-03			299	#4 @12"STRP
874	TI	lf			204				BB 1.5									0	
875	GI	Segment: 4TH FLOOR Sub-Segment: BEAM																	
876	MT	LEVEL-4																	
877	MT	(SIZE:24x30)																	
878	TR	LS		60	6				7/22	H	345-03	2S90			0	7-02	30-00	5,493	6 #7 T
879	TR	LS		60	6				7/22	H	345-03	2S90			0	5-06	30-00	5,140	6 #7 B
880	TR	BF		60		345-03	1-00		4/13	L	2S135	1-09	2-03	1-09	2-03			2,028	#4 @12"STRP
881	MT	(SIZE:36x26)																	
882	TR	LS		60	8				7/22	H	47-00	2S90			0	7-02	30-00	924	8 #7 T
883	TR	LS		60	8				7/22	H	47-00	2S90			0	5-06	30-00	897	8 #7 B
884	TR	BF		60		47-00	1-00		4/13	L	2S135	2-07	2-03	2-07	2-03			334	#4 @12"STRP
885	TI	lf			786				BB 1.5									0	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
886	GI	Segment: CELLAR Sub-Segment: STAIR																	
887	MT	CELLAR - STAIR																	
888	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
889	TI	lf			150				SB 0.75									0	
890	GI	Segment: 1ST FLOOR Sub-Segment: STAIR																	
891	MT	1ST FLOOR - STAIR																	
892	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
893	TI	lf			150				SB 0.75									0	
894	GI	Segment: 2ND FLOOR Sub-Segment: STAIR																	
895	MT	2ND FLOOR - STAIR																	
896	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
897	TI	lf			150				SB 0.75									0	
898	GI	Segment: 3RD FLOOR Sub-Segment: STAIR																	
899	MT	3RD FLOOR - STAIR																	
900	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
901	TI	lf			150				SB 0.75									0	
902	GI	Segment: 4TH FLOOR Sub-Segment: STAIR																	
903	MT	4TH FLOOR - STAIR																	
904	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
905	TI	lf			150				SB 0.75									0	
906	GI	Segment: 5TH FLOOR Sub-Segment: STAIR																	
907	MT	5TH FLOOR - STAIR																	
908	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
909	TI	lf			150				SB 0.75									0	
910	GI	Segment: 6TH FLOOR Sub-Segment: STAIR																	
911	MT	6TH FLOOR - STAIR																	
912	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
913	TI	lf			150				SB 0.75									0	
914	GI	Segment: 7TH FLOOR Sub-Segment: STAIR																	
915	MT	7TH FLOOR - STAIR																	
916	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
917	TI	lf			150				SB 0.75									0	
918	GI	Segment: 8TH FLOOR Sub-Segment: STAIR																	
919	MT	8TH FLOOR - STAIR																	
920	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
921	TI	lf			150				SB 0.75									0	
922	GI	Segment: 9TH FLOOR Sub-Segment: STAIR																	
923	MT	9TH FLOOR - STAIR																	
924	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
925	TI	lf			150				SB 0.75									0	
926	GI	Segment: 10TH FLOOR Sub-Segment: STAIR																	
927	MT	10TH FLOOR - STAIR																	
928	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
929	TI	lf			150				SB 0.75									0	
930	GI	Segment: 11TH FLOOR Sub-Segment: STAIR																	
931	MT	11TH FLOOR - STAIR																	
932	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
933	TI	lf			150				SB 0.75									0	
934	GI	Segment: 12TH FLOOR Sub-Segment: STAIR																	
935	MT	12TH FLOOR - STAIR																	
936	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
937	TI	lf			150				SB 0.75									0	
938	GI	Segment: 13TH FLOOR Sub-Segment: STAIR																	
939	MT	13TH FLOOR - STAIR																	
940	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
941	TI	lf			150				SB 0.75									0	
942	GI	Segment: 14TH FLOOR Sub-Segment: STAIR																	
943	MT	14TH FLOOR - STAIR																	
944	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
945	TI	If			150				SB 0.75									0	
946	GI	Segment: 15TH FLOOR Sub-Segment: STAIR																	
947	MT	15TH FLOOR - STAIR																	
948	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
949	TI	If			150				SB 0.75									0	
950	GI	Segment: 16TH FLOOR Sub-Segment: STAIR																	
951	MT	16TH FLOOR - STAIR																	
952	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
953	TI	If			150				SB 0.75									0	
954	GI	Segment: 17TH FLOOR Sub-Segment: STAIR																	
955	MT	17TH FLOOR - STAIR																	
956	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
957	TI	If			150				SB 0.75									0	
958	GI	Segment: 18TH FLOOR Sub-Segment: STAIR																	
959	MT	18TH FLOOR - STAIR																	
960	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
961	TI	If			150				SB 0.75									0	
962	GI	Segment: 19TH FLOOR Sub-Segment: STAIR																	
963	MT	19TH FLOOR - STAIR																	
964	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
965	TI	If			150				SB 0.75									0	
966	GI	Segment: 20TH FLOOR Sub-Segment: STAIR																	
967	MT	20TH FLOOR - STAIR																	
968	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
969	TI	If			150				SB 0.75									0	
970	GI	Segment: 21ST FLOOR Sub-Segment: STAIR																	
971	MT	21ST FLOOR - STAIR																	
972	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
973	TI	If			150				SB 0.75									0	
974	GI	Segment: 22ND FLOOR Sub-Segment: STAIR																	
975	MT	22ND FLOOR - STAIR																	
976	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
977	TI	If			150				SB 0.75									0	
978	GI	Segment: 23RD FLOOR Sub-Segment: STAIR																	
979	MT	23RD FLOOR - STAIR																	
980	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
981	TI	If			150				SB 0.75									0	
982	GI	Segment: 24TH FLOOR Sub-Segment: STAIR																	
983	MT	24TH FLOOR - STAIR																	
984	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
985	TI	If			150				SB 0.75									0	
986	GI	Segment: 25TH FLOOR Sub-Segment: STAIR																	
987	MT	25TH FLOOR - STAIR																	
988	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
989	TI	If			150				SB 0.75									0	
990	GI	Segment: 26TH FLOOR Sub-Segment: STAIR																	
991	MT	26TH FLOOR - STAIR																	
992	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
993	TI	If			150				SB 0.75									0	
994	GI	Segment: 27TH FLOOR Sub-Segment: STAIR																	
995	MT	27TH FLOOR - STAIR																	
996	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
997	TI	If			150				SB 0.75									0	
998	GI	Segment: 28TH FLOOR Sub-Segment: STAIR																	
999	MT	28TH FLOOR - STAIR																	
1000	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
1001	TI	If			150				SB 0.75									0	
1002	GI	Segment: 29TH FLOOR Sub-Segment: STAIR																	
1003	MT	29TH FLOOR - STAIR																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1004	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
1005	TI	lf			150				SB 0.75									0	
1006	GI	Segment: 30TH FLOOR Sub-Segment: STAIR																	
1007	MT	30TH FLOOR - STAIR																	
1008	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
1009	TI	lf			150				SB 0.75									0	
1010	GI	Segment: ROOF Sub-Segment: STAIR																	
1011	MT	ROOF - STAIR																	
1012	TR	ST		60	2000				5/16	S	30-00							2,003	#5 LONG
1013	TI	lf			150				SB 0.75									0	
1014	GI	Segment: CELLAR Sub-Segment: WALL																	
1015	MT	CELLAR - WALL																	
1016	MT	SIZE: 12" THK WALL (REF: 1/FO-115.00)																	
1017	TR	BF		60		62-00	1-00	2	5/16	S	13-00							1,708	#5 @12" V EF
1018	TR	BF		60		62-00	1-00	2	5/16	H	S90	2-00						373	#5 @12" DWL @T
1019	TR	LS		60		13-00	1-00	2	4/13	S	62-00				0	2-00	30-00	1,234	#4 @12" H EF
1020	TR	BF		60		13-00	1-00	2*2	4/13	H	2-00	2-00						150	#4 @12" COR. EF
1021	MT	SIZE: 14" THK WALL (REF: 1/FO-115.00)																	
1022	TR	BF		60		63-00	1-00	2	5/16	S	13-00							1,735	#5 @12" V EF
1023	TR	BF		60		63-00	1-00	2	5/16	H	S90	2-00						378	#5 @12" DWL @T
1024	TR	LS		60		13-00	1-00	2	4/13	S	63-00				0	2-00	30-00	1,253	#4 @12" H EF
1025	TR	BF		60		13-00	1-00	2	4/13	H	2-00	2-00						75	#4 @12" COR. EF
1026	GI	Segment: 1ST FLOOR Sub-Segment: SLAB																	
1027	MT	SLAB																	
1028	MT	GROUND FLOOR																	
1029	MT	12" THICK SLAB																	
1030	TR	LS		60		143-00	1-00	2	5/16	S	143-00				0	2-02	30-00	46,209	#5 @12" B EW
1031	TR	BF		60	1156				4/13	H	1-06	0-08	1-06	0-08	1-06			4,502	#4 STANDEES
1032	MT	10" THICK SLAB																	
1033	TR	BF		60		29-00	1-00	2	5/16	S	29-00							1,815	#5 @12"B EW
1034	TI	lf			4890				SB 0.75									0	
1035	TR	BF		60	576				4/13	H	1-06	0-08	1-06	0-08	1-06			2,243	#4 STANDEES
1036	MT	SLAB DROP (REF:5/S-401.00)																	
1037	TR	LS		60	2			2	5/16	S	174-02				0	2-02	30-00	781	2 #5 ADD'L T&B
1038	TR	LS		60	2			2	5/16	S	174-02				0	2-02	30-00	781	2 #5 @12" V
1039	TR	BF		60		174-02	1-00	2	4/13	H	3-00	S90						862	#4 @12" X3'-0" ADDL
1040	TR	BF		60		174-00	1-00		4/13	L	2S135	0-09	3-09	0-09	3-09			1,140	#4 @12"STRP
1041	MT	REF:2/S-401.00)																	
1042	TR	BF		60	1			2*8	4/13	S	1-08	2-04	1-08					61	1 #4 H ES
1043	TR	BF		60	1			2*8	4/13	S	1-08	5-04	1-08					93	1 #4 V ES
1044	TR	BF		60	1			2*2	4/13	S	1-08	13-02	1-08					44	1 #4 H ES
1045	TR	BF		60	1			2*2	4/13	S	1-08	20-10	1-08					65	1 #4 V ES
1046	MT	REF:(2/S-405)																	
1047	TR	LS		60	2			11	4/13	S	168-00				0	1-08	30-00	2,591	2 #4 B
1048	TR	LS		60	1			9	4/13	S	287-00				0	1-08	30-00	1,826	1 #4 B
1049	TR	LS		60	4				5/16	S	950-00				0	2-02	30-00	4,271	4 #5 B
1050	MT	COLUMN STRIP																	
1051	TR	BF		60		9-00	1-00		5/16	S	8-00							83	#5 @12"
1052	TR	BF		60		8-00	1-00		5/16	H	8-00	S90						83	#5 @12"
1053	TR	BF		60		6-00	1-00		5/16	S	9-00							66	#5 @12"
1054	TR	BF		60		9-00	1-00		5/16	H	S90	6-00						71	#5 @12"
1055	TR	BF		60		9-00	1-00		5/16	S	7-00							73	#5 @12"
1056	TR	BF		60		7-00	1-00		5/16	H	S90	9-00						82	#5 @12"
1057	TR	BF		60		9-00	1-00		5/16	S	9-00							94	#5 @12"
1058	TR	BF		60		9-00	1-00		5/16	H	S90	9-00						103	#5 @12"
1059	TR	BF		60		7-00	1-00		5/16	H	S90	9-00						82	#5 @12"
1060	TR	BF		60		9-00	1-00		5/16	H	S90	7-00						82	#5 @12"
1061	TR	BF		60		8-00	1-00		5/16	H	S90	9-00						92	#5 @12"
1062	TR	BF		60		9-00	1-00		5/16	S	8-00							83	#5 @12"

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1063	TR	BF		60		9-00	1-00		5/16	S	10-00							104	#5 @12"
1064	TR	BF		60		10-00	1-00		5/16	S	9-00							103	#5 @12"
1065	TR	BF		60		9-00	1-00		5/16	S	7-00							73	#5 @12"
1066	TR	BF		60		7-00	1-00		5/16	S	9-00							75	#5 @12"
1067	TR	BF		60		9-00	1-00		5/16	S	9-00							94	#5 @12"
1068	TR	BF		60		9-00	1-00		5/16	S	9-00							94	#5 @12"
1069	TR	BF		60		10-00	1-00		5/16	S	9-00							103	#5 @12"
1070	TR	BF		60		9-00	1-00		5/16	H	10-00	S90						113	#5 @12"
1071	TR	BF		60		10-00	1-00		5/16	H	8-00	S90						101	#5 @12"
1072	TR	BF		60		8-00	1-00		5/16	S	10-00							94	#5 @12"
1073	TR	BF		60		10-00	1-00		5/16	S	9-00							103	#5 @12"
1074	TR	BF		60		10-00	1-00		5/16	S	8-06							98	#5 @12"
1075	TR	BF		60		8-06	1-00		5/16	S	10-00							104	#5 @12"
1076	TR	BF		60		10-00	1-00		5/16	S	9-00							103	#5 @12"
1077	TR	BF		60		8-06	1-00		5/16	S	10-00							104	#5 @12"
1078	TR	BF		60		10-00	1-00		5/16	S	8-00							92	#5 @12"
1079	TR	BF		60		8-00	1-00		5/16	S	10-00							94	#5 @12"
1080	TR	BF		60		11-00	1-00		5/16	H	8-00	S90						111	#5 @12"
1081	TR	BF		60		8-00	1-00		5/16	S	11-00							103	#5 @12"
1082	TR	BF		60		8-08	1-00		5/16	H	8-00	S90						92	#5 @12"
1083	TR	BF		60		8-08	1-00		5/16	S	8-00							83	#5 @12"
1084	TR	BF		60		8-00	1-00		5/16	S	8-00							75	#5 @12"
1085	TR	BF		60		8-00	1-00		5/16	S	8-00							75	#5 @12"
1086	TR	BF		60		9-00	1-00		5/16	S	9-00							94	#5 @12"
1087	TR	BF		60		9-00	1-00		5/16	S	9-00							94	#5 @12"
1088	TR	BF		60		7-00	1-00		5/16	S	8-00							67	#5 @12"
1089	TR	BF		60		8-00	1-00		5/16	S	7-00							66	#5 @12"
1090	TR	BF		60		9-00	1-00		5/16	H	8-06	S90						97	#5 @12"
1091	TR	BF		60		8-06	1-00		5/16	S	9-00							94	#5 @12"
1092	TR	BF		60		7-07	1-00		5/16	H	8-00	S90						83	#5 @12"
1093	TR	BF		60		8-00	1-00		5/16	S	7-07							71	#5 @12"
1094	TR	BF		60		7-07	1-00		5/16	S	9-00							84	#5 @12"
1095	TR	BF		60		9-00	1-00		5/16	S	7-07							79	#5 @12"
1096	TR	BF		60		7-00	1-00		5/16	S	7-05							62	#5 @12"
1097	TR	BF		60		7-05	1-00		5/16	S	7-00							66	#5 @12"
1098	TR	BF		60		7-06	1-00		5/16	H	S90	6-06						69	#5 @12"
1099	TR	BF		60		6-06	1-00		5/16	S	7-06							63	#5 @12"
1100	TR	BF		60		6-06	1-00		5/16	H	S90	9-00						82	#5 @12"
1101	TR	BF		60		9-00	1-00		5/16	S	6-06							68	#5 @12"
1102	TR	BF		60		7-06	1-00		5/16	S	9-06							89	#5 @12"
1103	TR	BF		60		9-06	1-00		5/16	S	7-06							86	#5 @12"
1104	TR	BF		60		8-00	1-00		5/16	S	8-06							80	#5 @12"
1105	TR	BF		60		8-06	1-00		5/16	S	8-00							83	#5 @12"
1106	TR	BF		60		8-00	1-00		5/16	S	6-06							61	#5 @12"
1107	TR	BF		60		6-06	1-00		5/16	S	8-00							67	#5 @12"
1108	TR	BF		60		4-06	1-00		5/16	S	9-00							56	#5 @12"
1109	TR	BF		60		9-00	1-00		5/16	S	4-06							47	#5 @12"
1110	TR	BF		60		7-00	1-00		5/16	H	9-00	S90						82	#5 @12"
1111	TR	BF		60		9-00	1-00		5/16	S	7-00							73	#5 @12"
1112	TR	BF		60		7-06	1-00		5/16	H	8-06	S90						88	#5 @12"
1113	TR	BF		60		9-00	1-00		5/16	S	7-00							73	#5 @12"
1114	TR	BF		60		9-00	1-00		5/16	H	13-00	S90						144	#5 @12"
1115	TR	BF		60		13-00	1-00		5/16	S	9-00							131	#5 @12"
1116	TR	BF		60		9-00	1-00		5/16	H	13-00	S90						144	#5 @12"
1117	TR	BF		60		13-00	1-00		5/16	S	9-00							131	#5 @12"
1118	TR	BF		60		8-00	1-00		5/16	H	13-00	S90						130	#5 @12"
1119	TR	BF		60		13-00	1-00		5/16	S	8-00							117	#5 @12"
1120	TR	BF		60		13-00	1-00		5/16	S	9-00							131	#5 @12"
1121	TR	BF		60		9-00	1-00		5/16	H	13-00	S90						144	#5 @12"

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1122	TR	BF		60		10-00	1-00		5/16	H	9-00	S90						113	#5 @12"
1123	TR	BF		60		9-00	1-00		5/16	S	10-00							104	#5 @12"
1124	TR	BF		60		6-00	1-00		5/16	S	7-00							51	#5 @12"
1125	TR	BF		60		11-00	1-00		5/16	S	13-00							163	#5 @12"
1126	TR	BF		60		10-00	1-00		5/16	S	6-03							72	#5 @12"
1127	TR	BF		60		7-00	1-00		5/16	S	6-06							54	#5 @12"
1128	TR	BF		60		8-00	1-00		5/16	S	6-00							56	#5 @12"
1129	TR	BF		60		7-00	1-00		5/16	S	6-06							54	#5 @12"
1130	TR	BF		60		8-00	1-00		5/16	H	15-00	S90						149	#5 @12"
1131	TR	BF		60		15-00	1-00		5/16	S	8-00							133	#5 @12"
1132	TR	BF		60		6-06	1-00		5/16	H	15-00	S90						132	#5 @12"
1133	TR	BF		60		15-00	1-00		5/16	S	6-06							108	#5 @12"
1134	TR	BF		60		9-00	1-00		5/16	S	12-00							125	#5 @12"
1135	TR	BF		60		8-00	1-00		5/16	S	7-00							66	#5 @12"
1136	TR	BF		60		7-00	1-00		5/16	S	8-00							67	#5 @12"
1137	TR	BF		60		6-06	1-00		5/16	S	8-00							67	#5 @12"
1138	TR	BF		60		8-00	1-00		5/16	S	6-06							61	#5 @12"
1139	TR	BF		60		9-00	1-00		5/16	S	8-00							83	#5 @12"
1140	TR	BF		60		8-00	1-00		5/16	S	9-00							84	#5 @12"
1141	TR	BF		60		7-06	1-00		5/16	H	15-00	S90						149	#5 @12"
1142	TR	BF		60		15-00	1-00		5/16	S	7-06							125	#5 @12"
1143	TR	BF		60		7-00	1-00		5/16	S	12-00							100	#5 @12"
1144	TR	BF		60		12-00	1-00		5/16	S	7-00							95	#5 @12"
1145	TR	BF		60		7-00	1-00		5/16	S	12-00							100	#5 @12"
1146	TR	BF		60		12-00	1-00		5/16	S	7-00							95	#5 @12"
1147	TR	BF		60		7-00	1-00		5/16	S	12-00							100	#5 @12"
1148	TR	BF		60		12-00	1-00		5/16	S	7-00							95	#5 @12"
1149	TR	BF		60		10-00	1-00		5/16	S	6-00							69	#5 @12"
1150	TR	BF		60		6-00	1-00		5/16	S	10-00							73	#5 @12"
1151	TR	BF		60		8-00	1-00		5/16	H	15-00	S90						149	#5 @12"
1152	TR	BF		60		15-00	1-00		5/16	S	8-00							133	#5 @12"
1153	TR	BF		60		6-06	1-00		5/16	H	15-00	S90						132	#5 @12"
1154	TR	BF		60		15-00	1-00		5/16	S	6-06							108	#5 @12"
1155	TR	BF		60		9-00	1-00		5/16	S	12-00							125	#5 @12"
1156	TR	BF		60		12-00	1-00		5/16	S	9-00							122	#5 @12"
1157	TR	BF		60		9-00	1-00		5/16	S	12-00							125	#5 @12"
1158	TR	BF		60		6-00	1-00		5/16	S	12-00							88	#5 @12"
1159	TR	BF		60		12-00	1-00		5/16	S	6-00							81	#5 @12"
1160	TR	BF		60		4-00	1-00		5/16	H	7-06	S90						43	#5 @12"
1161	TR	BF		60		7-00	1-00		5/16	H	4-00	S90						40	#5 @12"
1162	TR	BF		60		8-00	1-00		5/16	H	S90	7-00						74	#5 @12"
1163	TR	BF		60		7-00	1-00		5/16	S	8-00							67	#5 @12"
1164	TR	BF		60		9-00	1-00		5/16	S	8-00							83	#5 @12"
1165	TR	BF		60		8-00	1-00		5/16	S	9-00							84	#5 @12"
1166	TR	BF		60		10-00	1-00		5/16	S	8-00							92	#5 @12"
1167	TR	BF		60		8-00	1-00		5/16	H	10-00	S90						102	#5@12"
1168	TR	BF		60		6-00	1-00		5/16	S	8-00							58	#5 @12"
1169	TR	BF		60		8-00	1-00		5/16	H	6-00	S90						64	#5 @12"
1170	MT	MIDDLE STRIP																	
1171	TR	BF		60		123-00	1-00		5/16	H	6-06	S90						948	#5 @12"
1172	TR	BF		60		130-00	1-00		5/16	S	12-00							1,640	#5 @12"
1173	TR	BF		60		63-00	1-00		5/16	S	11-02							745	#5 @12"
1174	TR	BF		60		41-03	1-00		5/16	S	11-08							523	#5 @12"
1175	TR	BF		60		40-00	1-00		5/16	S	10-06							449	#5 @12"
1176	TR	BF		60		38-00	1-00		5/16	S	7-00							285	#5 @12"
1177	TR	BF		60		36-00	1-00		5/16	S	22-00							849	#5 @12"
1178	TR	BF		60		49-00	1-00		5/16	S	20-00							1,043	#5 @12"
1179	TR	BF		60		46-00	1-00		5/16	S	20-00							980	#5 @12"
1180	TR	BF		60		50-09	1-00		5/16	S	10-00							542	#5 @12"

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1181	TR	BF		60		62-07	1-00		5/16	H	S90	6-06						489	#5 @12"
1182	TR	BF		60		56-03	1-00		5/16	S	13-06							817	#5 @12"
1183	TR	BF		60		54-04	1-00		5/16	S	11-06							672	#5 @12"
1184	TR	BF		60		19-10	1-00		5/16	S	11-06							252	#5 @12"
1185	TR	BF		60		198-00	1-00		5/16	S	11-06							2,387	#5 @12"
1186	TR	BF		60		38-08	1-00		5/16	S	10-00							417	#5 @12"
1187	TR	BF		60		13-03	1-00		5/16	H	6-06	S90						115	#5 @12"
1188	TR	BF		60		116-00	1-00		5/16	S	11-06							1,403	#5 @12"
1189	TR	BF		60		19-07	1-00		5/16	H	5-06	S90						139	#5 @12"
1190	TR	BF		60		86-05	1-00		5/16	S	11-06							1,055	#5 @12"
1191	TR	BF		60		91-00	1-00		5/16	S	11-06							1,103	#5 @12"
1192	TR	BF		60		92-00	1-00		5/16	S	11-06							1,115	#5 @12"
1193	TR	BF		60		62-00	1-00		5/16	S	11-06							756	#5 @12"
1194	TR	BF		60		55-08	1-00		5/16	H	6-00	S90						406	#5 @12"
1195	TR	BF		60		17-00	1-00		5/16	H	6-00	S90						128	#5 @12"
1196	GI	Segment: 2ND FLOOR Sub-Segment: SLAB																	
1197	MT	LEVEL-2																	
1198	MT	8" THICK SLAB																	
1199	TR	LS		60		133-00	1-00	2	5/16	S	133-00				0	2-02	30-00	39,599	#5 @12"B EW
1200	TR	BF		60	1024				4/13	H	1-06	0-04	1-06	0-04	1-06			3,535	#4 STANDEES
1201	MT	14" THICK SLAB																	
1202	TR	LS		60		109-00	1-00	2	5/16	S	109-00				0	2-02	30-00	26,502	#5 @12"B EW
1203	TI	lf			6590				SB 0.75									0	
1204	TR	BF		60	625				4/13	H	1-06	0-10	1-06	0-10	1-06			2,574	#4 STANDEES
1205	MT	SLAB DROP (REF:5/S-401.00)																	
1206	TR	LS		60	2				4/13	S	71-07				0	1-08	30-00	100	2 #4 ADDL
1207	TR	BF		60		71-07	1-00		5/16	S	2-02	1-08	2-02					457	#5 @12" B Z-BAR
1208	MT	REF:2/S-401.00)																	
1209	TR	BF		60	1			2*8	4/13	S	1-08	4-04	1-08					82	1 #4 H ES
1210	TR	BF		60	1			2*8	4/13	S	1-08	4-07	1-08					85	1 #4 V ES
1211	TR	BF		60	1			2*2	4/13	S	1-08	13-02	1-08					44	1 #4 H ES
1212	TR	BF		60	1			2*2	4/13	S	1-08	20-10	1-08					65	1 #4 V ES
1213	MT	DROP PANEL(REF:S-203.00)																	
1214	TR	BF		80		8-00	1-00	3	8/25	S	16-00							1,153	#8 @12" LW
1215	TR	BF		80		16-00	1-00	3	8/25	S	8-00							1,089	#8 @12" SW
1216	TR	BF		80		48-00	1-00	3	8/25	H	4-10	2-06	6-03					5,331	#8 @12" Z-BAR
1217	TR	BF		60	9			3	4/13	H	1-06	2-002	1-06	2-002	1-06			155	#4 STANDEES
1218	MT	REF:(2/S-405)																	
1219	TR	LS		60	2			11	4/13	S	165-00				0	1-08	30-00	2,547	2 #4 B
1220	TR	LS		60	1			9	4/13	S	214-06				0	1-08	30-00	1,360	1 #4 B
1221	TR	LS		60	4				5/16	S	819-00				0	2-02	30-00	3,679	4 #5 B
1222	MT	COLUMN STRIP																	
1223	TR	BF		60		9-00	1-00		5/16	S	8-00							83	#5 @12"
1224	TR	BF		60		8-00	1-00		5/16	H	8-00	S90						83	#5 @12"
1225	TR	BF		60		6-00	1-00		5/16	S	9-00							66	#5 @12"
1226	TR	BF		60		9-00	1-00		5/16	H	S90	6-00						71	#5 @12"
1227	TR	BF		60		9-00	1-00		5/16	S	7-00							73	#5 @12"
1228	TR	BF		60		7-00	1-00		5/16	H	S90	9-00						82	#5 @12"
1229	TR	BF		60		9-00	1-00		5/16	S	9-00							94	#5 @12"
1230	TR	BF		60		9-00	1-00		5/16	H	S90	9-00						103	#5 @12"
1231	TR	BF		60		7-00	1-00		5/16	H	S90	9-00						82	#5 @12"
1232	TR	BF		60		9-00	1-00		5/16	H	S90	7-00						82	#5 @12"
1233	TR	BF		60		8-00	1-00		5/16	H	S90	9-00						92	#5 @12"
1234	TR	BF		60		9-00	1-00		5/16	S	8-00							83	#5 @12"
1235	TR	BF		60		9-00	1-00		5/16	S	10-00							104	#5 @12"
1236	TR	BF		60		10-00	1-00		5/16	S	9-00							103	#5 @12"
1237	TR	BF		60		9-00	1-00		5/16	S	7-00							73	#5 @12"
1238	TR	BF		60		7-00	1-00		5/16	S	9-00							75	#5 @12"
1239	TR	BF		60		9-00	1-00		5/16	S	9-00							94	#5 @12"

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1240	TR	BF		60		9-00	1-00		5/16	S	9-00							94	#5 @12"
1241	TR	BF		60		10-00	1-00		5/16	S	9-00							103	#5 @12"
1242	TR	BF		60		9-00	1-00		5/16	H	10-00	S90						113	#5 @12"
1243	TR	BF		60		10-00	1-00		5/16	H	8-00	S90						101	#5 @12"
1244	TR	BF		60		8-00	1-00		5/16	S	10-00							94	#5 @12"
1245	TR	BF		60		8-06	1-00		5/16	S	10-00							104	#5 @12"
1246	TR	BF		60		10-00	1-00		5/16	S	9-00							103	#5 @12"
1247	TR	BF		60		8-06	1-00		5/16	S	10-00							104	#5 @12"
1248	TR	BF		60		10-00	1-00		5/16	S	8-00							92	#5 @12"
1249	TR	BF		60		8-00	1-00		5/16	S	10-00							94	#5 @12"
1250	TR	BF		60		11-00	1-00		5/16	H	8-00	S90						111	#5 @12"
1251	TR	BF		60		8-00	1-00		5/16	S	11-00							103	#5 @12"
1252	TR	BF		60		8-08	1-00		5/16	H	8-00	S90						92	#5 @12"
1253	TR	BF		60		8-08	1-00		5/16	S	8-00							83	#5 @12"
1254	TR	BF		60		8-00	1-00		5/16	S	8-00							75	#5 @12"
1255	TR	BF		60		8-00	1-00		5/16	S	8-00							75	#5 @12"
1256	TR	BF		60		9-00	1-00		5/16	S	9-00							94	#5 @12"
1257	TR	BF		60		8-00	1-00		5/16	S	8-00							75	#5 @12"
1258	TR	BF		60		9-00	1-00		5/16	S	9-00							94	#5 @12"
1259	TR	BF		60		9-00	1-00		5/16	S	9-00							94	#5 @12"
1260	TR	BF		60		7-00	1-00		5/16	S	8-00							67	#5 @12"
1261	TR	BF		60		8-00	1-00		5/16	S	7-00							66	#5 @12"
1262	TR	BF		60		9-00	1-00		5/16	H	8-06	S90						97	#5 @12"
1263	TR	BF		60		8-06	1-00		5/16	S	10-00							104	#5 @12"
1264	TR	BF		60		10-00	1-00		5/16	S	9-00							103	#5 @12"
1265	TR	BF		60		8-06	1-00		5/16	S	10-00							104	#5 @12"
1266	TR	BF		60		10-00	1-00		5/16	S	8-00							92	#5 @12"
1267	TR	BF		60		8-00	1-00		5/16	S	10-00							94	#5 @12"
1268	TR	BF		60		11-00	1-00		5/16	H	8-00	S90						111	#5 @12"
1269	TR	BF		60		8-06	1-00		5/16	S	9-00							94	#5 @12"
1270	TR	BF		60		7-07	1-00		5/16	H	8-00	S90						83	#5 @12"
1271	TR	BF		60		8-00	1-00		5/16	S	7-07							71	#5 @12"
1272	TR	BF		60		7-07	1-00		5/16	S	9-00							84	#5 @12"
1273	TR	BF		60		9-00	1-00		5/16	S	7-07							79	#5 @12"
1274	TR	BF		60		7-00	1-00		5/16	S	7-05							62	#5 @12"
1275	TR	BF		60		7-05	1-00		5/16	S	7-00							66	#5 @12"
1276	TR	BF		60		7-06	1-00		5/16	H	S90	6-06						69	#5 @12"
1277	TR	BF		60		6-06	1-00		5/16	S	7-06							63	#5 @12"
1278	TR	BF		60		6-06	1-00		5/16	H	S90	9-00						82	#5 @12"
1279	TR	BF		60		9-00	1-00		5/16	S	6-06							68	#5 @12"
1280	TR	BF		60		7-06	1-00		5/16	S	9-06							89	#5 @12"
1281	TR	BF		60		9-06	1-00		5/16	S	7-06							86	#5 @12"
1282	TR	BF		60		8-00	1-00		5/16	S	8-06							80	#5 @12"
1283	TR	BF		60		8-06	1-00		5/16	S	8-00							83	#5 @12"
1284	TR	BF		60		8-00	1-00		5/16	S	6-06							61	#5 @12"
1285	TR	BF		60		6-06	1-00		5/16	S	8-00							67	#5 @12"
1286	TR	BF		60		4-06	1-00		5/16	S	9-00							56	#5 @12"
1287	TR	BF		60		9-00	1-00		5/16	S	4-06							47	#5 @12"
1288	TR	BF		60		7-00	1-00		5/16	H	9-00	S90						82	#5 @12"
1289	TR	BF		60		9-00	1-00		5/16	S	7-00							73	#5 @12"
1290	TR	BF		60		7-06	1-00		5/16	H	8-06	S90						88	#5 @12"
1291	TR	BF		60		9-00	1-00		5/16	S	7-00							73	#5 @12"
1292	TR	BF		60		9-00	1-00		5/16	H	13-00	S90						144	#5 @12"
1293	TR	BF		60		13-00	1-00		5/16	S	9-00							131	#5 @12"
1294	TR	BF		60		9-00	1-00		5/16	H	13-00	S90						144	#5 @12"
1295	TR	BF		60		13-00	1-00		5/16	S	9-00							131	#5 @12"
1296	TR	BF		60		8-00	1-00		5/16	H	13-00	S90						130	#5 @12"
1297	TR	BF		60		13-00	1-00		5/16	S	8-00							117	#5 @12"
1298	TR	BF		60		13-00	1-00		5/16	S	9-00							131	#5 @12"

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1299	TR	BF		60		9-00	1-00		5/16	H	13-00	S90						144	#5 @12"
1300	TR	BF		60		10-00	1-00		5/16	H	9-00	S90						113	#5 @12"
1301	TR	BF		60		9-00	1-00		5/16	S	10-00							104	#5 @12"
1302	TR	BF		60		6-00	1-00		5/16	S	7-00							51	#5 @12"
1303	TR	BF		60		11-00	1-00		5/16	S	13-00							163	#5 @12"
1304	TR	BF		60		10-00	1-00		5/16	S	6-03							72	#5 @12"
1305	TR	BF		60		7-00	1-00		5/16	S	6-06							54	#5 @12"
1306	TR	BF		60		8-00	1-00		5/16	S	6-00							56	#5 @12"
1307	TR	BF		60		7-00	1-00		5/16	S	6-06							54	#5 @12"
1308	TR	BF		60		8-00	1-00		5/16	S	7-00							66	#5 @12"
1309	TR	BF		60		7-00	1-00		5/16	S	8-00							67	#5 @12"
1310	TR	BF		60		9-00	1-00		5/16	S	8-00							83	#5 @12"
1311	TR	BF		60		8-00	1-00		5/16	S	9-00							84	#5 @12"
1312	TR	BF		60		10-00	1-00		5/16	S	8-00							92	#5 @12"
1313	TR	BF		60		8-00	1-00		5/16	H	10-00	S90						102	#5 @12"
1314	TR	BF		60		6-00	1-00		5/16	S	8-00							58	#5 @12"
1315	TR	BF		60		8-00	1-00		5/16	H	6-00	S90						64	#5 @12"
1316	TR	BF		60		11-00	1-00		5/16	S	13-00							163	#5 @12"
1317	TR	BF		60		10-00	1-00		5/16	S	6-03							72	#5 @12"
1318	TR	BF		60		7-00	1-00		5/16	S	6-06							54	#5 @12"
1319	TR	BF		60		8-00	1-00		5/16	S	6-00							56	#5 @12"
1320	TR	BF		60		7-00	1-00		5/16	S	6-06							54	#5 @12"
1321	TR	BF		60		8-00	1-00		5/16	S	7-00							66	#5 @12"
1322	TR	BF		60		7-00	1-00		5/16	S	8-00							67	#5 @12"
1323	TR	BF		60		6-06	1-00		5/16	S	8-00							67	#5 @12"
1324	TR	BF		60		8-00	1-00		5/16	S	6-06							61	#5 @12"
1325	TR	BF		60		9-00	1-00		5/16	S	8-00							83	#5 @12"
1326	TR	BF		60		8-00	1-00		5/16	S	9-00							84	#5 @12"
1327	TR	BF		60		7-06	1-00		5/16	H	15-00	S90						149	#5 @12"
1328	TR	BF		60		15-00	1-00		5/16	S	7-06							125	#5 @12"
1329	TR	BF		60		7-00	1-00		5/16	S	12-00							100	#5 @12"
1330	TR	BF		60		12-00	1-00		5/16	S	7-00							95	#5 @12"
1331	TR	BF		60		7-00	1-00		5/16	S	12-00							100	#5 @12"
1332	TR	BF		60		12-00	1-00		5/16	S	7-00							95	#5 @12"
1333	TR	BF		60		7-00	1-00		5/16	S	12-00							100	#5 @12"
1334	TR	BF		60		12-00	1-00		5/16	S	7-00							95	#5 @12"
1335	TR	BF		60		10-00	1-00		5/16	S	6-00							69	#5 @12"
1336	TR	BF		60		6-00	1-00		5/16	S	10-00							73	#5 @12"
1337	TR	BF		60		8-00	1-00		5/16	H	15-00	S90						149	#5 @12"
1338	TR	BF		60		15-00	1-00		5/16	S	8-00							133	#5 @12"
1339	TR	BF		60		6-06	1-00		5/16	H	15-00	S90						132	#5 @12"
1340	TR	BF		60		15-00	1-00		5/16	S	6-06							108	#5 @12"
1341	TR	BF		60		9-00	1-00		5/16	S	12-00							125	#5 @12"
1342	TR	BF		60		12-00	1-00		5/16	S	9-00							122	#5 @12"
1343	TR	BF		60		9-00	1-00		5/16	S	12-00							125	#5 @12"
1344	TR	BF		60		6-00	1-00		5/16	S	12-00							88	#5 @12"
1345	TR	BF		60		12-00	1-00		5/16	S	6-00							81	#5 @12"
1346	TR	BF		60		4-00	1-00		5/16	H	7-06	S90						43	#5 @12"
1347	TR	BF		60		7-00	1-00		5/16	H	4-00	S90						40	#5 @12"
1348	TR	BF		60		8-00	1-00		5/16	H	S90	7-00						74	#5 @12"
1349	TR	BF		60		7-00	1-00		5/16	S	8-00							67	#5 @12"
1350	MT	MIDDLE STRIP																	
1351	TR	BF		60		44-09	1-00		5/16	H	7-00	S90						376	#5 @12"
1352	TR	BF		60		130-00	1-00		5/16	S	12-00							1,640	#5 @12"
1353	TR	BF		60		63-00	1-00		5/16	S	11-02							745	#5 @12"
1354	TR	BF		60		41-03	1-00		5/16	S	11-08							523	#5 @12"
1355	TR	BF		60		40-00	1-00		5/16	S	10-06							449	#5 @12"
1356	TR	BF		60		38-00	1-00		5/16	S	7-00							285	#5 @12"
1357	TR	BF		60		49-00	1-00		5/16	S	20-00							1,043	#5 @12"

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1358	TR	BF		60		46-00	1-00		5/16	S	20-00							980	#5 @12"
1359	TR	BF		60		50-09	1-00		5/16	S	10-00							542	#5 @12"
1360	TR	BF		60		62-07	1-00		5/16	H	S90	6-06						489	#5 @12"
1361	TR	BF		60		198-00	1-00		5/16	S	11-06							2,387	#5 @12"
1362	TR	BF		60		62-07	1-00		5/16	H	S90	6-06						489	#5 @12"
1363	TR	BF		60		56-03	1-00		5/16	S	13-06							817	#5 @12"
1364	TR	BF		60		54-04	1-00		5/16	S	11-06							672	#5 @12"
1365	TR	BF		60		19-10	1-00		5/16	S	11-06							252	#5 @12"
1366	TR	BF		60		112-00	1-00		5/16	S	11-06							1,355	#5 @12"
1367	TR	BF		60		38-08	1-00		5/16	S	10-00							417	#5 @12"
1368	TR	BF		60		13-03	1-00		5/16	H	6-06	S90						115	#5 @12"
1369	TR	BF		60		19-07	1-00		5/16	H	5-06	S90						139	#5 @12"
1370	TR	BF		60		86-05	1-00		5/16	S	11-06							1,055	#5 @12"
1371	TR	BF		60		91-00	1-00		5/16	S	11-06							1,103	#5 @12"
1372	TR	BF		60		44-00	1-00		5/16	H	12-00	S90						602	#5 @12"
1373	TR	BF		60		47-00	1-00		5/16	S	12-00							601	#5 @12"
1374	TR	BF		60		25-00	1-00		5/16	S	10-00							271	#5 @12"
1375	TR	BF		60		48-00	1-00		5/16	H	10-00	S90						554	#5 @12"
1376	Gl	Segment: 3RD FLOOR Sub-Segment: SLAB																	
1377	MT	LEVEL-3																	
1378	MT	8" THICK SLAB																	
1379	TR	LS		60		105-00	1-00	2	5/16	S	105-00				0	2-02	30-00	24,654	#5 @12"B EW
1380	TR	BF		60	625				4/13	H	1-06	0-04	1-06	0-04	1-05			2,123	#4 STANDEES
1381	MT	10" THICK SLAB																	
1382	TR	LS		60		76-00	1-00	2	5/16	S	76-00				0	2-02	30-00	12,904	#5 @12"B EW
1383	TR	BF		60	290				4/13	H	1-06	0-06	1-06	0-06	1-05			1,049	#4 STANDEES
1384	MT	14" THICK SLAB																	
1385	TR	LS		60		111-00	1-00	2	5/16	S	111-00				0	2-02	30-00	27,452	#5 @12"B EW
1386	TR	BF		60	676				4/13	H	1-06	0-10	1-06	0-10	1-05			2,747	#4 STANDEES
1387	MT	18" THICK SLAB																	
1388	TR	BF		60		14-00	1-00	2	5/16	S	14-00							438	#5 @12"B EW
1389	TI	lf			6430				SB 0.75									0	
1390	TR	BF		60	9				4/13	H	1-06	1-02	1-06	1-02	1-05			41	#4 STANDEES
1391	MT	REF:2/S-401.00)																	
1392	TR	BF		60	1			2*8	4/13	S	1-08	4-04	1-08					82	1 #4 H ES
1393	TR	BF		60	1			2*8	4/13	S	1-08	4-07	1-08					85	1 #4 V ES
1394	MT	DROP PANEL(REF:S-203.00)																	
1395	TR	BF		80		8-00	1-00	2	8/25	S	16-00							769	#8 @12" LW
1396	TR	BF		80		16-00	1-00	2	8/25	S	8-00							726	#8 @12" SW
1397	TR	BF		80		48-00	1-00	2	8/25	H	4-10	2-06	6-03					3,554	#8 @12" Z-BAR
1398	TR	BF		60	9				4/13	H	1-06	2-002	1-06	2-002	1-06			52	#4 STANDEES
1399	MT	REF:(2/S-405)																	
1400	TR	LS		60	2			9	4/13	S	198-00				0	1-08	30-00	2,501	2 #4 B
1401	TR	LS		60	1			9	4/13	S	173-00				0	1-08	30-00	1,100	1 #4 B
1402	TR	LS		60	4				5/16	S	890-00				0	2-02	30-00	3,993	4 #5 B
1403	MT	COLUMN STRIP																	
1404	TR	BF		60		8-06	1-00		5/16	S	10-00							104	#5 @12"
1405	TR	BF		60		10-00	1-00		5/16	S	9-00							103	#5 @12"
1406	TR	BF		60		8-06	1-00		5/16	S	10-00							104	#5 @12"
1407	TR	BF		60		10-00	1-00		5/16	S	8-00							92	#5 @12"
1408	TR	BF		60		8-00	1-00		5/16	S	10-00							94	#5 @12"
1409	TR	BF		60		11-00	1-00		5/16	H	8-00	S90						111	#5 @12"
1410	TR	BF		60		8-00	1-00		5/16	S	11-00							103	#5 @12"
1411	TR	BF		60		8-08	1-00		5/16	H	8-00	S90						92	#5 @12"
1412	TR	BF		60		8-08	1-00		5/16	S	8-00							83	#5 @12"
1413	TR	BF		60		8-00	1-00		5/16	S	8-00							75	#5 @12"
1414	TR	BF		60		8-00	1-00		5/16	S	8-00							75	#5 @12"
1415	TR	BF		60		9-00	1-00		5/16	S	9-00							94	#5 @12"
1416	TR	BF		60		8-00	1-00		5/16	S	8-00							75	#5 @12"

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1417	TR	BF		60		9-00	1-00		5/16	S	9-00							94	#5 @12"
1418	TR	BF		60		9-00	1-00		5/16	S	9-00							94	#5 @12"
1419	TR	BF		60		7-00	1-00		5/16	S	8-00							67	#5 @12"
1420	TR	BF		60		8-00	1-00		5/16	S	7-00							66	#5 @12"
1421	TR	BF		60		9-00	1-00		5/16	H	8-06	S90						97	#5 @12"
1422	TR	BF		60		8-06	1-00		5/16	S	9-00							94	#5 @12"
1423	TR	BF		60		7-07	1-00		5/16	H	8-00	S90						83	#5 @12"
1424	TR	BF		60		8-00	1-00		5/16	S	7-07							71	#5 @12"
1425	TR	BF		60		7-07	1-00		5/16	S	9-00							84	#5 @12"
1426	TR	BF		60		9-00	1-00		5/16	S	7-07							79	#5 @12"
1427	TR	BF		60		7-00	1-00		5/16	S	7-05							62	#5 @12"
1428	TR	BF		60		7-05	1-00		5/16	S	7-00							66	#5 @12"
1429	TR	BF		60		7-06	1-00		5/16	H	S90	6-06						69	#5 @12"
1430	TR	BF		60		6-06	1-00		5/16	S	7-06							63	#5 @12"
1431	TR	BF		60		6-06	1-00		5/16	H	S90	9-00						82	#5 @12"
1432	TR	BF		60		9-00	1-00		5/16	S	6-06							68	#5 @12"
1433	TR	BF		60		7-06	1-00		5/16	S	9-06							89	#5 @12"
1434	TR	BF		60		9-06	1-00		5/16	S	7-06							86	#5 @12"
1435	TR	BF		60		8-00	1-00		5/16	S	8-06							80	#5 @12"
1436	TR	BF		60		8-06	1-00		5/16	S	8-00							83	#5 @12"
1437	TR	BF		60		8-00	1-00		5/16	S	6-06							61	#5 @12"
1438	TR	BF		60		6-06	1-00		5/16	S	8-00							67	#5 @12"
1439	TR	BF		60		4-06	1-00		5/16	S	9-00							56	#5 @12"
1440	TR	BF		60		9-00	1-00		5/16	S	4-06							47	#5 @12"
1441	TR	BF		60		7-00	1-00		5/16	H	9-00	S90						82	#5 @12"
1442	TR	BF		60		9-00	1-00		5/16	S	7-00							73	#5 @12"
1443	TR	BF		60		7-06	1-00		5/16	H	8-06	S90						88	#5 @12"
1444	TR	BF		60		9-00	1-00		5/16	S	7-00							73	#5 @12"
1445	TR	BF		60		9-00	1-00		5/16	H	13-00	S90						144	#5 @12"
1446	TR	BF		60		13-00	1-00		5/16	S	9-00							131	#5 @12"
1447	TR	BF		60		9-00	1-00		5/16	H	13-00	S90						144	#5 @12"
1448	TR	BF		60		13-00	1-00		5/16	S	9-00							131	#5 @12"
1449	TR	BF		60		8-00	1-00		5/16	H	13-00	S90						130	#5 @12"
1450	TR	BF		60		13-00	1-00		5/16	S	8-00							117	#5 @12"
1451	TR	BF		60		13-00	1-00		5/16	S	9-00							131	#5 @12"
1452	TR	BF		60		9-00	1-00		5/16	H	13-00	S90						144	#5 @12"
1453	TR	BF		60		10-00	1-00		5/16	H	9-00	S90						113	#5 @12"
1454	TR	BF		60		9-00	1-00		5/16	S	10-00							104	#5 @12"
1455	TR	BF		60		6-00	1-00		5/16	S	7-00							51	#5 @12"
1456	TR	BF		60		11-00	1-00		5/16	S	13-00							163	#5 @12"
1457	TR	BF		60		10-00	1-00		5/16	S	6-03							72	#5 @12"
1458	TR	BF		60		7-00	1-00		5/16	S	6-06							54	#5 @12"
1459	TR	BF		60		8-00	1-00		5/16	S	6-00							56	#5 @12"
1460	TR	BF		60		7-00	1-00		5/16	S	6-06							54	#5 @12"
1461	TR	BF		60		8-00	1-00		5/16	S	7-00							66	#5 @12"
1462	TR	BF		60		11-00	1-00		5/16	S	13-00							163	#5 @12"
1463	TR	BF		60		7-06	1-00		5/16	H	15-00	S90						149	#5 @12"
1464	TR	BF		60		15-00	1-00		5/16	S	7-06							125	#5 @12"
1465	TR	BF		60		7-00	1-00		5/16	S	12-00							100	#5 @12"
1466	TR	BF		60		12-00	1-00		5/16	S	7-00							95	#5 @12"
1467	TR	BF		60		7-00	1-00		5/16	S	12-00							100	#5 @12"
1468	TR	BF		60		10-00	1-00		5/16	S	6-03							72	#5 @12"
1469	TR	BF		60		7-00	1-00		5/16	S	6-06							54	#5 @12"
1470	TR	BF		60		8-00	1-00		5/16	S	6-00							56	#5 @12"
1471	TR	BF		60		7-00	1-00		5/16	S	6-06							54	#5 @12"
1472	TR	BF		60		8-00	1-00		5/16	S	7-00							66	#5 @12"
1473	TR	BF		60		7-00	1-00		5/16	S	8-00							67	#5 @12"
1474	TR	BF		60		6-06	1-00		5/16	S	8-00							67	#5 @12"
1475	TR	BF		60		8-00	1-00		5/16	S	6-06							61	#5 @12"

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1476	TR	BF		60		9-00	1-00		5/16	S	8-00							83	#5 @12"
1477	TR	BF		60		8-00	1-00		5/16	S	9-00							84	#5 @12"
1478	TR	BF		60		7-06	1-00		5/16	H	15-00	S90						149	#5 @12"
1479	TR	BF		60		15-00	1-00		5/16	S	7-06							125	#5 @12"
1480	TR	BF		60		7-00	1-00		5/16	S	12-00							100	#5 @12"
1481	TR	BF		60		12-00	1-00		5/16	S	7-00							95	#5 @12"
1482	TR	BF		60		7-00	1-00		5/16	S	12-00							100	#5 @12"
1483	TR	BF		60		12-00	1-00		5/16	S	7-00							95	#5 @12"
1484	TR	BF		60		7-00	1-00		5/16	S	12-00							100	#5 @12"
1485	TR	BF		60		12-00	1-00		5/16	S	7-00							95	#5 @12"
1486	TR	BF		60		10-00	1-00		5/16	S	6-00							69	#5 @12"
1487	TR	BF		60		6-00	1-00		5/16	S	10-00							73	#5 @12"
1488	TR	BF		60		8-00	1-00		5/16	H	15-00	S90						149	#5 @12"
1489	TR	BF		60		15-00	1-00		5/16	S	8-00							133	#5 @12"
1490	TR	BF		60		6-06	1-00		5/16	H	15-00	S90						132	#5 @12"
1491	MT	MIDDLE STRIP																	
1492	TR	BF		60		20-04	1-00		5/16	H	7-00	S90						180	#5 @12"
1493	TR	BF		60		81-05	1-00		5/16	S	12-00							1,039	#5 @12"
1494	TR	BF		60		27-06	1-00		5/16	S	11-02							338	#5 @12"
1495	TR	BF		60		20-03	1-00		5/16	S	11-08							268	#5 @12"
1496	TR	BF		60		14-00	1-00		5/16	S	10-06							164	#5 @12"
1497	TR	BF		60		35-00	1-00		5/16	H	10-00	S90						407	#5 @12"
1498	TR	BF		60		28-00	1-00		5/16	H	S90	6-06						222	#5 @12"
1499	TR	BF		60		56-03	1-00		5/16	H	13-06	S90						867	#5 @12"
1500	TR	BF		60		20-08	1-00		5/16	S	11-06							264	#5 @12"
1501	TR	BF		60		68-00	1-00		5/16	S	11-06							828	#5 @12"
1502	TR	BF		60		25-00	1-00		5/16	S	10-00							271	#5 @12"
1503	TR	BF		60		98-00	1-00		5/16	S	10-00							1,033	#5 @12"
1504	TR	BF		60		56-03	1-00		5/16	H	13-06	S90						867	#5 @12"
1505	TR	BF		60		20-08	1-00		5/16	S	11-06							264	#5 @12"
1506	TR	BF		60		54-04	1-00		5/16	S	11-06							672	#5 @12"
1507	TR	BF		60		19-10	1-00		5/16	S	11-06							252	#5 @12"
1508	TR	BF		60		60-08	1-00		5/16	S	11-06							744	#5 @12"
1509	TR	BF		60		38-08	1-00		5/16	S	10-00							417	#5 @12"
1510	TR	BF		60		13-03	1-00		5/16	H	6-06	S90						115	#5 @12"
1511	TR	BF		60		13-03	1-00		5/16	H	6-06	S90						115	#5 @12"
1512	TR	BF		60		19-07	1-00		5/16	H	5-06	S90						139	#5 @12"
1513	GI	Segment: 4TH FLOOR Sub-Segment: SLAB																	
1514	MT	LEVEL-4																	
1515	MT	8" THICK SLAB																	
1516	TR	LS		60		118-00	1-00	2	5/16	S	118-00				0	2-02	30-00	31,443	#5 @12"B EW
1517	TR	BF		60	730				4/13	H	1-06	0-04	1-06	0-04	1-05			2,480	#4 STANDEES
1518	MT	14" THICK SLAB																	
1519	TR	LS		60		86-00	1-00	2	5/16	S	86-00				0	2-02	30-00	16,787	#5 @12"B EW
1520	TR	BF		60	380				4/13	H	1-06	0-10	1-06	0-10	1-05			1,544	#4 STANDEES
1521	MT	18" THICK SLAB																	
1522	TR	BF		60		16-00	1-00	2	5/16	S	16-00							567	#5 @12"B EW
1523	TR	BF		60	16				4/13	H	1-06	1-02	1-06	1-02	1-06			73	#4 STANDEES
1524	TI	lf			4615				SB 0.75									0	
1525	MT	SLAB DROP (REF:5/S-401.00)																	
1526	TR	LS		60	2				4/13	S	186-00				0	1-08	30-00	262	2 #4 ADDL
1527	TR	BF		60		186-00	1-00		5/16	S	2-02	1-08	2-02					1,170	#5 @12" B Z-BAR
1528	MT	REF:2/S-401.00)																	
1529	TR	BF		60	1			2*16	4/13	S	1-08	5-00	1-08					178	1 #4 H ES
1530	TR	BF		60	1			2*16	4/13	S	1-08	2-00	1-08					114	1 #4 V ES
1531	MT	DROP PANEL(REF:S-203.00)																	
1532	TR	BF		80		8-00	1-00	2	8/25	S	16-00							769	#8 @12" LW
1533	TR	BF		80		16-00	1-00	2	8/25	S	8-00							726	#8 @12" SW
1534	TR	BF		80		48-00	1-00	2	8/25	H	4-10	2-06	6-03					3,554	#8 @12" Z-BAR

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1535	TR	BF		60	9				4/13	H	1-06	2-002	1-06	2-002	1-06			52	#4 STANDEES
1536	MT	REF:(2/S-405)																	
1537	TR	LS		60	2			9	4/13	S	182-00				0	1-08	30-00	2,309	2 #4 B
1538	TR	LS		60	1			9	4/13	S	198-00				0	1-08	30-00	1,250	1 #4 B
1539	TR	LS		60	4				5/16	S	793-00				0	2-02	30-00	3,562	4 #5 B
1540	MT	COLUMN STRIP																	
1541	TR	BF		60		8-06	1-00		5/16	S	10-00							104	#5 @12"
1542	TR	BF		60		10-00	1-00		5/16	S	9-00							103	#5 @12"
1543	TR	BF		60		8-06	1-00		5/16	S	10-00							104	#5 @12"
1544	TR	BF		60		10-00	1-00		5/16	S	8-00							92	#5 @12"
1545	TR	BF		60		8-00	1-00		5/16	S	10-00							94	#5 @12"
1546	TR	BF		60		11-00	1-00		5/16	H	8-00	S90						111	#5 @12"
1547	TR	BF		60		8-00	1-00		5/16	S	11-00							103	#5 @12"
1548	TR	BF		60		8-08	1-00		5/16	H	8-00	S90						92	#5 @12"
1549	TR	BF		60		8-08	1-00		5/16	S	8-00							83	#5 @12"
1550	TR	BF		60		8-00	1-00		5/16	S	8-00							75	#5 @12"
1551	TR	BF		60		8-00	1-00		5/16	S	8-00							75	#5 @12"
1552	TR	BF		60		9-00	1-00		5/16	S	9-00							94	#5 @12"
1553	TR	BF		60		8-00	1-00		5/16	S	8-00							75	#5 @12"
1554	TR	BF		60		9-00	1-00		5/16	S	9-00							94	#5 @12"
1555	TR	BF		60		9-00	1-00		5/16	S	9-00							94	#5 @12"
1556	TR	BF		60		7-00	1-00		5/16	S	8-00							67	#5 @12"
1557	TR	BF		60		8-00	1-00		5/16	S	7-00							66	#5 @12"
1558	TR	BF		60		9-00	1-00		5/16	H	8-06	S90						97	#5 @12"
1559	TR	BF		60		8-06	1-00		5/16	S	9-00							94	#5 @12"
1560	TR	BF		60		7-07	1-00		5/16	H	8-00	S90						83	#5 @12"
1561	TR	BF		60		8-00	1-00		5/16	S	7-07							71	#5 @12"
1562	TR	BF		60		7-07	1-00		5/16	S	9-00							84	#5 @12"
1563	TR	BF		60		9-00	1-00		5/16	S	7-07							79	#5 @12"
1564	TR	BF		60		7-00	1-00		5/16	S	7-05							62	#5 @12"
1565	TR	BF		60		7-05	1-00		5/16	S	7-00							66	#5 @12"
1566	TR	BF		60		7-06	1-00		5/16	H	S90	6-06						69	#5 @12"
1567	TR	BF		60		6-06	1-00		5/16	S	7-06							63	#5 @12"
1568	TR	BF		60		6-06	1-00		5/16	H	S90	9-00						82	#5 @12"
1569	TR	BF		60		9-00	1-00		5/16	S	6-06							68	#5 @12"
1570	TR	BF		60		7-06	1-00		5/16	S	9-06							89	#5 @12"
1571	TR	BF		60		9-06	1-00		5/16	S	7-06							86	#5 @12"
1572	TR	BF		60		8-00	1-00		5/16	S	8-06							80	#5 @12"
1573	TR	BF		60		8-06	1-00		5/16	S	8-00							83	#5 @12"
1574	TR	BF		60		8-00	1-00		5/16	S	6-06							61	#5 @12"
1575	TR	BF		60		6-06	1-00		5/16	S	8-00							67	#5 @12"
1576	TR	BF		60		4-06	1-00		5/16	S	9-00							56	#5 @12"
1577	TR	BF		60		9-00	1-00		5/16	S	4-06							47	#5 @12"
1578	TR	BF		60		7-00	1-00		5/16	H	9-00	S90						82	#5 @12"
1579	TR	BF		60		9-00	1-00		5/16	S	7-00							73	#5 @12"
1580	TR	BF		60		7-06	1-00		5/16	H	8-06	S90						88	#5 @12"
1581	TR	BF		60		9-00	1-00		5/16	S	7-00							73	#5 @12"
1582	TR	BF		60		9-00	1-00		5/16	H	13-00	S90						144	#5 @12"
1583	TR	BF		60		13-00	1-00		5/16	S	9-00							131	#5 @12"
1584	TR	BF		60		9-00	1-00		5/16	H	13-00	S90						144	#5 @12"
1585	TR	BF		60		13-00	1-00		5/16	S	9-00							131	#5 @12"
1586	TR	BF		60		8-00	1-00		5/16	H	13-00	S90						130	#5 @12"
1587	TR	BF		60		13-00	1-00		5/16	S	8-00							117	#5 @12"
1588	TR	BF		60		13-00	1-00		5/16	S	9-00							131	#5 @12"
1589	TR	BF		60		9-00	1-00		5/16	H	13-00	S90						144	#5 @12"
1590	TR	BF		60		10-00	1-00		5/16	H	9-00	S90						113	#5 @12"
1591	TR	BF		60		9-00	1-00		5/16	S	10-00							104	#5 @12"
1592	TR	BF		60		6-00	1-00		5/16	S	7-00							51	#5 @12"
1593	TR	BF		60		11-00	1-00		5/16	S	13-00							163	#5 @12"

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1594	TR	BF		60		10-00	1-00		5/16	S	6-03							72	#5 @12"
1595	TR	BF		60		7-00	1-00		5/16	S	6-06							54	#5 @12"
1596	TR	BF		60		8-00	1-00		5/16	S	6-00							56	#5 @12"
1597	TR	BF		60		7-00	1-00		5/16	S	6-06							54	#5 @12"
1598	TR	BF		60		8-00	1-00		5/16	S	7-00							66	#5 @12"
1599	TR	BF		60		11-00	1-00		5/16	S	13-00							163	#5 @12"
1600	TR	BF		60		10-00	1-00		5/16	S	6-03							72	#5 @12"
1601	TR	BF		60		7-00	1-00		5/16	S	6-06							54	#5 @12"
1602	TR	BF		60		8-00	1-00		5/16	S	6-00							56	#5 @12"
1603	TR	BF		60		7-00	1-00		5/16	S	6-06							54	#5 @12"
1604	TR	BF		60		8-00	1-00		5/16	S	7-00							66	#5 @12"
1605	TR	BF		60		7-00	1-00		5/16	S	8-00							67	#5 @12"
1606	TR	BF		60		6-06	1-00		5/16	S	8-00							67	#5 @12"
1607	TR	BF		60		8-00	1-00		5/16	S	6-06							61	#5 @12"
1608	TR	BF		60		9-00	1-00		5/16	S	8-00							83	#5 @12"
1609	TR	BF		60		8-00	1-00		5/16	S	9-00							84	#5 @12"
1610	TR	BF		60		7-06	1-00		5/16	H	15-00	S90						149	#5 @12"
1611	TR	BF		60		15-00	1-00		5/16	S	7-06							125	#5 @12"
1612	TR	BF		60		7-00	1-00		5/16	S	12-00							100	#5 @12"
1613	MT	MIDDLE STRIP																	
1614	TR	BF		60		20-04	1-00		5/16	H	7-00	S90						180	#5 @12"
1615	TR	BF		60		81-05	1-00		5/16	S	12-00							1,039	#5 @12"
1616	TR	BF		60		27-06	1-00		5/16	S	11-02							338	#5 @12"
1617	TR	BF		60		20-03	1-00		5/16	S	11-08							268	#5 @12"
1618	TR	BF		60		74-00	1-00		5/16	S	10-06							821	#5 @12"
1619	TR	BF		60		35-00	1-00		5/16	H	10-00	S90						407	#5 @12"
1620	TR	BF		60		63-00	1-00		5/16	S	10-06							701	#5 @12"
1621	TR	BF		60		28-00	1-00		5/16	H	S90	6-06						222	#5 @12"
1622	TR	BF		60		54-04	1-00		5/16	S	11-06							672	#5 @12"
1623	TR	BF		60		79-10	1-00		5/16	S	11-06							971	#5 @12"
1624	TR	BF		60		78-09	1-00		5/16	S	10-00							834	#5 @12"
1625	TR	BF		60		13-03	1-00		5/16	H	6-06	S90						115	#5 @12"
1626	TR	BF		60		13-03	1-00		5/16	H	6-06	S90						115	#5 @12"
1627	TR	BF		60		19-07	1-00		5/16	H	5-06	S90						139	#5 @12"
1628	GI	Segment: 5TH FLOOR Sub-Segment: SLAB																	
1629	MT	5TH FLOOR FRAMING PLAN (REF:S-205.00)																	
1630	MT	8" THIK SLAB (12540 SQFT)																	
1631	TR	LS		60		119-00	1-00	2	5/16	H	119-00	2S90			0	2-02	30-00	32,375	#5 @12" BOT EW
1632	TI	lf			3107				SB 0.75									0	
1633	TR	BF		60	586				4/13	H	1-06	0-041	1-06	0-041	1-06			2,038	#4 STANDEES
1634	MT	10" THIK SLAB (1390 SQFT)																	
1635	TR	LS		60		43-00	1-00	2	5/16	H	43-00	2S90			0	2-02	30-00	4,299	#5 @12" BOT EW
1636	TI	lf			344				SB 0.75									0	
1637	TR	BF		60	86				4/13	H	1-06	0-061	1-06	0-061	1-06			318	#4 STANDEES
1638	MT	TYPICAL SLAB DROP DETAILS (REF:5/S-401.00)																	
1639	TR	LS		60	2			2	5/16	S	60-06				0	2-02	30-00	270	2 #5 CONT T&B
1640	TR	LS		60	2				5/16	S	60-06				0	2-02	30-00	135	2 #5 CONT
1641	TR	BF		60		60-06	1-00	2	4/13	H	1-00	3-00						331	#4 @12" T&B ADDL
1642	TR	BF		60		60-06	1-00		4/13	H	2S90	0-102	1-062	0-102	1-062			255	#4 @12" STIRRUPS
1643	MT	SLAB OPENING (REF:2/S-401.00)																	
1644	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
1645	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
1646	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
1647	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
1648	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
1649	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
1650	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
1651	TR	LS		60	2				4/13	S	503-06				0	1-08	30-00	711	2 #4 PERIMETER
1652	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1653	TR	LS		60	1				4/13	S	804-00				0	1-08	30-00	568	1 #4 CONT
1654	TR	LS		60	2				4/13	S	579-00				0	1-08	30-00	818	2 #4 CONT
1655	TR	LS		60	3				7/22	S	170-00				0	5-06	30-00	1,245	3 #7 PERIMETER
1656	TR	BF		60	3			6	7/22	H	5-06	5-06						405	3 #7 OR
1657	TR	LS		60	1				7/22	S	148-00				0	5-06	30-00	359	1 #7 CONT
1658	TR	BF		60	3			9	7/22	H	5-06	5-06						607	3 #7 OR
1659	TR	LS		60	1				7/22	S	348-00				0	5-06	30-00	857	1 #7 CONT
1660	MT	5TH FLOOR TOP ADDL (REF:S-205.00)																	
1661	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
1662	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
1663	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
1664	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
1665	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
1666	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
1667	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
1668	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
1669	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
1670	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
1671	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
1672	TR	BF		60	1			2	6/19	H	S90	8-00						27	1 #6 TOP ADDL
1673	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
1674	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
1675	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
1676	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
1677	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
1678	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
1679	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
1680	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
1681	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
1682	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
1683	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
1684	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
1685	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
1686	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
1687	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
1688	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
1689	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
1690	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
1691	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
1692	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
1693	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
1694	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
1695	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
1696	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
1697	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
1698	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
1699	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
1700	TR	BF		60	7				4/13	S	16-03							76	7 #4 TOP ADDL
1701	TR	BF		60	7				4/13	S	16-03							76	7 #4 TOP ADDL
1702	TR	BF		60	7				4/13	H	S90	10-03						51	7 #4 TOP ADDL
1703	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
1704	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
1705	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
1706	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
1707	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
1708	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
1709	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
1710	TR	BF		60	12				4/13	H	S90	6-07						58	12 #4 TOP ADDL
1711	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1712	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
1713	TR	BF		60	12				4/13	H	S90	6-04						56	12 #4 TOP ADDL
1714	TR	BF		60	12				4/13	H	S90	8-08						75	12 #4 TOP ADDL
1715	TR	BF		60	12				4/13	S	14-04							115	12 #4 TOP ADDL
1716	TR	BF		60	12				4/13	S	14-04							115	12 #4 TOP ADDL
1717	TR	BF		60	12				4/13	H	S90	6-08						59	12 #4 TOP ADDL
1718	TR	BF		60	12				4/13	H	S90	6-08						59	12 #4 TOP ADDL
1719	TR	BF		60	12				4/13	S	15-04							123	12 #4 TOP ADDL
1720	TR	BF		60	12				4/13	S	15-04							123	12 #4 TOP ADDL
1721	TR	BF		60	12				4/13	H	S90	6-08						59	12 #4 TOP ADDL
1722	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
1723	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
1724	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
1725	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
1726	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
1727	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
1728	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
1729	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
1730	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
1731	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
1732	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
1733	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
1734	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
1735	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
1736	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
1737	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
1738	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
1739	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
1740	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
1741	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
1742	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
1743	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
1744	TR	BF		60	1			3	6/19	S	14-03							64	1 #6 TOP ADDL
1745	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
1746	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
1747	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
1748	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
1749	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
1750	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
1751	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
1752	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
1753	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
1754	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
1755	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
1756	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
1757	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
1758	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
1759	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
1760	TR	BF		60	10				4/13	S	15-03							102	10 #4 TOP ADDL
1761	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
1762	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
1763	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
1764	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
1765	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
1766	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
1767	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
1768	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
1769	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
1770	TR	BF		60	9				4/13	S	14-00							84	9 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1771	TR	BF		60	9				4/13	H	S90	9-11						64	9 #4 TOP ADDL
1772	TR	BF		60	9				4/13	H	S90	10-07						68	9 #4 TOP ADDL
1773	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
1774	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
1775	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
1776	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
1777	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
1778	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
1779	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
1780	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
1781	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
1782	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
1783	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
1784	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
1785	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
1786	TR	BF		60	1			6	6/19	S	15-04							138	1 #6 TOP ADDL
1787	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
1788	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
1789	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
1790	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
1791	TR	BF		60	1			5	6/19	S	14-00							105	1 #6 TOP ADDL
1792	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
1793	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL
1794	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL
1795	TR	BF		60	6				4/13	S	15-10							63	6 #4 TOP ADDL
1796	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
1797	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
1798	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
1799	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
1800	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
1801	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
1802	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
1803	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
1804	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
1805	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
1806	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
1807	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
1808	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
1809	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
1810	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
1811	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
1812	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
1813	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
1814	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
1815	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
1816	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
1817	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
1818	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
1819	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
1820	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
1821	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
1822	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
1823	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
1824	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
1825	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
1826	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
1827	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
1828	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
1829	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1830	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
1831	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
1832	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
1833	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
1834	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
1835	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
1836	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
1837	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
1838	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
1839	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
1840	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
1841	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
1842	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
1843	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
1844	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
1845	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
1846	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
1847	TR	BF		60		10-00	1-00		4/13	S	10-00							73	#4 @12" MIDL ADDL
1848	TR	BF		60		7-02	1-00		4/13	S	9-11							60	#4 @12" MIDL ADDL
1849	TR	BF		60		6-08	1-00		4/13	S	8-04							45	#4 @12" MIDL ADDL
1850	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
1851	TR	BF		60		12-00	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
1852	TR	BF		60		7-06	1-00		4/13	S	10-02							61	#4 @12" MIDL ADDL
1853	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
1854	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
1855	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
1856	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
1857	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
1858	TR	BF		60		6-06	1-00		6/19	S	36-06	2-06						469	#6 @12" TOP
1859	GI	Segment: 6TH FLOOR Sub-Segment: SLAB																	
1860	MT	6TH FLOOR FRAMING PLAN (REF:S-206.00)																	
1861	MT	8" THIK SLAB (11173 SQFT)																	
1862	TR	LS		60		109-00	1-00	2	5/16	H	109-00	2S90			0	2-02	30-00	26,885	#5 @12" BOT EW
1863	TI	lf			2795				SB 0.75									0	
1864	TR	BF		60	523				4/13	H	1-06	0-041	1-06	0-041	1-06			1,819	#4 STANDEES
1865	MT	SLAB OPENING (REF:2/S-401.00)																	
1866	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
1867	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
1868	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
1869	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
1870	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
1871	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
1872	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
1873	TR	LS		60	2				4/13	S	503-06				0	1-08	30-00	711	2 #4 PERIMETER
1874	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
1875	TR	LS		60	1				4/13	S	895-00				0	1-08	30-00	632	1 #4 CONT
1876	TR	LS		60	2				4/13	S	796-00				0	1-08	30-00	1,126	2 #4 CONT
1877	MT	6TH FLOOR TOP ADDL (REF:S-206.00)																	
1878	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
1879	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
1880	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
1881	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
1882	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
1883	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
1884	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
1885	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
1886	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
1887	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
1888	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1889	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
1890	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
1891	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
1892	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
1893	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
1894	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
1895	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
1896	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
1897	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
1898	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
1899	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
1900	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
1901	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
1902	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
1903	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
1904	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
1905	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
1906	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
1907	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
1908	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
1909	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
1910	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
1911	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
1912	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
1913	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
1914	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
1915	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
1916	TR	BF		60	7				4/13	S	16-03							76	7 #4 TOP ADDL
1917	TR	BF		60	7				4/13	H	S90	10-03						51	7 #4 TOP ADDL
1918	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
1919	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
1920	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
1921	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
1922	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
1923	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
1924	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
1925	TR	BF		60	12				4/13	H	S90	6-07						58	12 #4 TOP ADDL
1926	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
1927	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
1928	TR	BF		60	12				4/13	H	S90	6-04						56	12 #4 TOP ADDL
1929	TR	BF		60	12				4/13	H	S90	8-08						75	12 #4 TOP ADDL
1930	TR	BF		60	12				4/13	S	14-04							115	12 #4 TOP ADDL
1931	TR	BF		60	12				4/13	S	14-04							115	12 #4 TOP ADDL
1932	TR	BF		60	12				4/13	H	S90	6-08						59	12 #4 TOP ADDL
1933	TR	BF		60	12				4/13	H	S90	6-08						59	12 #4 TOP ADDL
1934	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
1935	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
1936	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
1937	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
1938	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
1939	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
1940	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
1941	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
1942	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
1943	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
1944	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
1945	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
1946	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
1947	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
1948	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
1949	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
1950	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
1951	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
1952	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
1953	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
1954	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
1955	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
1956	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
1957	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
1958	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
1959	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
1960	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
1961	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
1962	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
1963	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
1964	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
1965	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
1966	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
1967	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
1968	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
1969	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
1970	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
1971	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
1972	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
1973	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
1974	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
1975	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
1976	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
1977	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
1978	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
1979	TR	BF		60	9				4/13	S	14-00							84	9 #4 TOP ADDL
1980	TR	BF		60	9				4/13	H	S90	9-11						64	9 #4 TOP ADDL
1981	TR	BF		60	9				4/13	H	S90	10-07						68	9 #4 TOP ADDL
1982	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
1983	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
1984	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
1985	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
1986	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
1987	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
1988	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
1989	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
1990	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
1991	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
1992	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
1993	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
1994	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
1995	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
1996	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
1997	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
1998	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
1999	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL
2000	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL
2001	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
2002	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
2003	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
2004	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
2005	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
2006	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2007	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
2008	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
2009	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
2010	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
2011	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
2012	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
2013	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
2014	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
2015	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
2016	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
2017	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
2018	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
2019	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
2020	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
2021	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
2022	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
2023	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
2024	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
2025	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
2026	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
2027	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
2028	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
2029	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
2030	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
2031	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
2032	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
2033	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
2034	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
2035	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
2036	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
2037	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
2038	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
2039	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
2040	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
2041	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
2042	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
2043	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
2044	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
2045	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
2046	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
2047	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
2048	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
2049	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
2050	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
2051	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
2052	TR	BF		60		10-00	1-00		4/13	S	10-00							73	#4 @12" MIDL ADDL
2053	TR	BF		60		7-02	1-00		4/13	S	9-11							60	#4 @12" MIDL ADDL
2054	TR	BF		60		6-08	1-00		4/13	S	8-04							45	#4 @12" MIDL ADDL
2055	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
2056	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
2057	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
2058	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
2059	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
2060	TR	BF		60		6-06	1-00		6/19	S	36-06	2-06						469	#6 @12" TOP
2061	GI	Segment: 7TH FLOOR Sub-Segment: SLAB																	
2062	MT	7TH FLOOR FRAMING PLAN (REF:S-207.00)																	
2063	MT	8" THIK SLAB (11168 SQFT)																	
2064	TR	LS		60		116-00	1-00	2	5/16	H	116-00	2S90			0	2-02	30-00	30,833	#5 @12" BOT EW
2065	TI	lf			2790				SB 0.75									0	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2066	TR	BF		60	523				4/13	H	1-06	0-041	1-06	0-041	1-06			1,819	#4 STANDEES
2067	MT	SLAB OPENING (REF:2/S-401.00)																	
2068	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
2069	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
2070	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
2071	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
2072	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
2073	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
2074	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
2075	TR	LS		60	2				4/13	S	503-06				0	1-08	30-00	711	2 #4 PERIMETER
2076	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
2077	TR	LS		60	1				4/13	S	804-00				0	1-08	30-00	568	1 #4 CONT
2078	TR	LS		60	2				4/13	S	579-00				0	1-08	30-00	818	2 #4 CONT
2079	MT	7TH FLOOR TOP ADDL (REF:S-207.00)																	
2080	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
2081	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
2082	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
2083	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
2084	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
2085	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
2086	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
2087	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
2088	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
2089	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
2090	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
2091	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
2092	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
2093	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
2094	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
2095	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
2096	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
2097	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
2098	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
2099	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
2100	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
2101	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
2102	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
2103	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
2104	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
2105	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
2106	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
2107	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
2108	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
2109	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
2110	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
2111	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
2112	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
2113	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
2114	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
2115	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
2116	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
2117	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
2118	TR	BF		60	7				4/13	S	16-03							76	7 #4 TOP ADDL
2119	TR	BF		60	7				4/13	H	S90	10-03						51	7 #4 TOP ADDL
2120	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
2121	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
2122	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
2123	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
2124	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2125	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
2126	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
2127	TR	BF		60	12				4/13	H	S90	6-07						58	12 #4 TOP ADDL
2128	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
2129	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
2130	TR	BF		60	12				4/13	H	S90	6-04						56	12 #4 TOP ADDL
2131	TR	BF		60	12				4/13	H	S90	8-08						75	12 #4 TOP ADDL
2132	TR	BF		60	12				4/13	S	14-04							115	12 #4 TOP ADDL
2133	TR	BF		60	12				4/13	S	14-04							115	12 #4 TOP ADDL
2134	TR	BF		60	12				4/13	H	S90	6-08						59	12 #4 TOP ADDL
2135	TR	BF		60	12				4/13	H	S90	6-08						59	12 #4 TOP ADDL
2136	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
2137	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
2138	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
2139	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
2140	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
2141	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
2142	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
2143	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
2144	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
2145	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
2146	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
2147	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
2148	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
2149	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
2150	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
2151	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
2152	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
2153	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
2154	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
2155	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
2156	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
2157	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
2158	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
2159	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
2160	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
2161	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
2162	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
2163	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
2164	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
2165	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
2166	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
2167	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
2168	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
2169	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
2170	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
2171	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
2172	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
2173	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
2174	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
2175	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
2176	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
2177	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
2178	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
2179	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
2180	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
2181	TR	BF		60	9				4/13	S	14-00							84	9 #4 TOP ADDL
2182	TR	BF		60	9				4/13	H	S90	9-11						64	9 #4 TOP ADDL
2183	TR	BF		60	9				4/13	H	S90	10-07						68	9 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2184	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
2185	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
2186	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
2187	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
2188	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
2189	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
2190	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
2191	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
2192	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
2193	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
2194	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
2195	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
2196	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
2197	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
2198	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
2199	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
2200	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
2201	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL
2202	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL
2203	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
2204	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
2205	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
2206	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
2207	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
2208	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
2209	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
2210	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
2211	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
2212	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
2213	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
2214	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
2215	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
2216	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
2217	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
2218	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
2219	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
2220	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
2221	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
2222	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
2223	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
2224	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
2225	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
2226	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
2227	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
2228	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
2229	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
2230	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
2231	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
2232	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
2233	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
2234	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
2235	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
2236	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
2237	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
2238	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
2239	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
2240	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
2241	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
2242	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2243	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
2244	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
2245	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
2246	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
2247	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
2248	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
2249	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
2250	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
2251	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
2252	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
2253	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
2254	TR	BF		60		10-00	1-00		4/13	S	10-00							73	#4 @12" MIDL ADDL
2255	TR	BF		60		7-02	1-00		4/13	S	9-11							60	#4 @12" MIDL ADDL
2256	TR	BF		60		6-08	1-00		4/13	S	8-04							45	#4 @12" MIDL ADDL
2257	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
2258	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
2259	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
2260	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
2261	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
2262	TR	BF		60		6-06	1-00		6/19	S	36-06	2-06						469	#6 @12" TOP
2263	GI	Segment: 8TH FLOOR Sub-Segment: SLAB																	
2264	MT	8TH FLOOR FRAMING PLAN (REF:S-207.00)																	
2265	MT	8" THIK SLAB (11168 SQFT)																	
2266	TR	LS		60		116-00	1-00	2	5/16	H	116-00	2S90			0	2-02	30-00	30,833	#5 @12" BOT EW
2267	TI	lf			2790				SB 0.75									0	
2268	TR	BF		60	523				4/13	H	1-06	0-041	1-06	0-041	1-06			1,819	#4 STANDEES
2269	MT	SLAB OPENING (REF:2/S-401.00)																	
2270	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
2271	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
2272	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
2273	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
2274	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
2275	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
2276	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
2277	TR	LS		60	2				4/13	S	503-06				0	1-08	30-00	711	2 #4 PERIMETER
2278	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
2279	TR	LS		60	1				4/13	S	804-00				0	1-08	30-00	568	1 #4 CONT
2280	TR	LS		60	2				4/13	S	579-00				0	1-08	30-00	818	2 #4 CONT
2281	MT	8TH FLOOR TOP ADDL (REF:S-207.00)																	
2282	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
2283	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
2284	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
2285	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
2286	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
2287	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
2288	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
2289	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
2290	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
2291	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
2292	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
2293	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
2294	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
2295	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
2296	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
2297	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
2298	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
2299	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
2300	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
2301	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2302	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
2303	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
2304	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
2305	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
2306	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
2307	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
2308	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
2309	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
2310	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
2311	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
2312	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
2313	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
2314	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
2315	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
2316	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
2317	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
2318	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
2319	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
2320	TR	BF		60	7				4/13	S	16-03							76	7 #4 TOP ADDL
2321	TR	BF		60	7				4/13	H	S90	10-03						51	7 #4 TOP ADDL
2322	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
2323	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
2324	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
2325	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
2326	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
2327	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
2328	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
2329	TR	BF		60	12				4/13	H	S90	6-07						58	12 #4 TOP ADDL
2330	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
2331	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
2332	TR	BF		60	12				4/13	H	S90	6-04						56	12 #4 TOP ADDL
2333	TR	BF		60	12				4/13	H	S90	8-08						75	12 #4 TOP ADDL
2334	TR	BF		60	12				4/13	S	14-04							115	12 #4 TOP ADDL
2335	TR	BF		60	12				4/13	S	14-04							115	12 #4 TOP ADDL
2336	TR	BF		60	12				4/13	H	S90	6-08						59	12 #4 TOP ADDL
2337	TR	BF		60	12				4/13	H	S90	6-08						59	12 #4 TOP ADDL
2338	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
2339	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
2340	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
2341	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
2342	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
2343	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
2344	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
2345	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
2346	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
2347	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
2348	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
2349	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
2350	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
2351	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
2352	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
2353	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
2354	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
2355	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
2356	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
2357	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
2358	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
2359	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
2360	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2361	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
2362	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
2363	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
2364	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
2365	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
2366	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
2367	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
2368	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
2369	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
2370	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
2371	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
2372	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
2373	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
2374	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
2375	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
2376	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
2377	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
2378	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
2379	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
2380	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
2381	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
2382	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
2383	TR	BF		60	9				4/13	S	14-00							84	9 #4 TOP ADDL
2384	TR	BF		60	9				4/13	H	S90	9-11						64	9 #4 TOP ADDL
2385	TR	BF		60	9				4/13	H	S90	10-07						68	9 #4 TOP ADDL
2386	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
2387	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
2388	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
2389	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
2390	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
2391	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
2392	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
2393	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
2394	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
2395	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
2396	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
2397	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
2398	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
2399	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
2400	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
2401	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
2402	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
2403	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL
2404	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL
2405	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
2406	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
2407	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
2408	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
2409	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
2410	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
2411	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
2412	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
2413	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
2414	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
2415	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
2416	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
2417	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
2418	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
2419	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2420	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
2421	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
2422	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
2423	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
2424	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
2425	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
2426	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
2427	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
2428	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
2429	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
2430	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
2431	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
2432	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
2433	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
2434	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
2435	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
2436	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
2437	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
2438	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
2439	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
2440	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
2441	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
2442	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
2443	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
2444	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
2445	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
2446	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
2447	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
2448	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
2449	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
2450	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
2451	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
2452	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
2453	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
2454	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
2455	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
2456	TR	BF		60		10-00	1-00		4/13	S	10-00							73	#4 @12" MIDL ADDL
2457	TR	BF		60		7-02	1-00		4/13	S	9-11							60	#4 @12" MIDL ADDL
2458	TR	BF		60		6-08	1-00		4/13	S	8-04							45	#4 @12" MIDL ADDL
2459	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
2460	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
2461	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
2462	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
2463	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
2464	TR	BF		60		6-06	1-00		6/19	S	36-06	2-06						469	#6 @12" TOP
2465	GI	Segment: 9TH FLOOR Sub-Segment: SLAB																	
2466	MT	9TH FLOOR FRAMING PLAN (REF:S-207.00)																	
2467	MT	8" THIK SLAB (11168 SQFT)																	
2468	TR	LS		60		116-00	1-00	2	5/16	H	116-00	2S90			0	2-02	30-00	30,833	#5 @12" BOT EW
2469	TI	lf			2790				SB 0.75									0	
2470	TR	BF		60	523				4/13	H	1-06	0-041	1-06	0-041	1-06			1,819	#4 STANDEES
2471	MT	SLAB OPENING (REF:2/S-401.00)																	
2472	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
2473	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
2474	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
2475	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
2476	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
2477	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
2478	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2479	TR	LS		60	2				4/13	S	503-06				0	1-08	30-00	711	2 #4 PERIMETER
2480	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
2481	TR	LS		60	1				4/13	S	804-00				0	1-08	30-00	568	1 #4 CONT
2482	TR	LS		60	2				4/13	S	579-00				0	1-08	30-00	818	2 #4 CONT
2483	MT	9TH FLOOR TOP ADDL (REF:S-207.00)																	
2484	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
2485	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
2486	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
2487	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
2488	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
2489	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
2490	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
2491	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
2492	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
2493	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
2494	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
2495	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
2496	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
2497	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
2498	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
2499	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
2500	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
2501	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
2502	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
2503	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
2504	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
2505	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
2506	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
2507	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
2508	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
2509	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
2510	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
2511	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
2512	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
2513	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
2514	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
2515	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
2516	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
2517	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
2518	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
2519	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
2520	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
2521	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
2522	TR	BF		60	7				4/13	S	16-03							76	7 #4 TOP ADDL
2523	TR	BF		60	7				4/13	H	S90	10-03						51	7 #4 TOP ADDL
2524	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
2525	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
2526	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
2527	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
2528	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
2529	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
2530	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
2531	TR	BF		60	12				4/13	H	S90	6-07						58	12 #4 TOP ADDL
2532	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
2533	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
2534	TR	BF		60	12				4/13	H	S90	6-04						56	12 #4 TOP ADDL
2535	TR	BF		60	12				4/13	H	S90	8-08						75	12 #4 TOP ADDL
2536	TR	BF		60	12				4/13	S	14-04							115	12 #4 TOP ADDL
2537	TR	BF		60	12				4/13	S	14-04							115	12 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2538	TR	BF		60	12				4/13	H	S90	6-08						59	12 #4 TOP ADDL
2539	TR	BF		60	12				4/13	H	S90	6-08						59	12 #4 TOP ADDL
2540	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
2541	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
2542	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
2543	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
2544	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
2545	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
2546	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
2547	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
2548	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
2549	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
2550	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
2551	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
2552	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
2553	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
2554	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
2555	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
2556	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
2557	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
2558	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
2559	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
2560	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
2561	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
2562	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
2563	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
2564	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
2565	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
2566	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
2567	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
2568	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
2569	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
2570	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
2571	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
2572	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
2573	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
2574	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
2575	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
2576	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
2577	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
2578	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
2579	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
2580	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
2581	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
2582	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
2583	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
2584	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
2585	TR	BF		60	9				4/13	S	14-00							84	9 #4 TOP ADDL
2586	TR	BF		60	9				4/13	H	S90	9-11						64	9 #4 TOP ADDL
2587	TR	BF		60	9				4/13	H	S90	10-07						68	9 #4 TOP ADDL
2588	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
2589	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
2590	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
2591	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
2592	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
2593	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
2594	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
2595	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
2596	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2597	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
2598	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
2599	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
2600	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
2601	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
2602	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
2603	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
2604	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
2605	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL
2606	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL
2607	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
2608	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
2609	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
2610	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
2611	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
2612	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
2613	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
2614	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
2615	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
2616	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
2617	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
2618	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
2619	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
2620	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
2621	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
2622	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
2623	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
2624	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
2625	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
2626	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
2627	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
2628	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
2629	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
2630	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
2631	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
2632	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
2633	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
2634	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
2635	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
2636	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
2637	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
2638	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
2639	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
2640	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
2641	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
2642	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
2643	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
2644	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
2645	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
2646	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
2647	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
2648	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
2649	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
2650	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
2651	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
2652	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
2653	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
2654	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
2655	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2656	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
2657	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
2658	TR	BF		60		10-00	1-00		4/13	S	10-00							73	#4 @12" MIDL ADDL
2659	TR	BF		60		7-02	1-00		4/13	S	9-11							60	#4 @12" MIDL ADDL
2660	TR	BF		60		6-08	1-00		4/13	S	8-04							45	#4 @12" MIDL ADDL
2661	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
2662	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
2663	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
2664	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
2665	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
2666	TR	BF		60		6-06	1-00		6/19	S	36-06	2-06						469	#6 @12" TOP
2667	GI	Segment: 10TH FLOOR Sub-Segment: SLAB																	
2668	MT	10TH FLOOR FRAMING PLAN (REF:S-2010.00)																	
2669	MT	8" THIK SLAB (11144 SQFT)																	
2670	TR	LS		60		116-00	1-00	2	5/16	H	116-00	2S90			0	2-02	30-00	30,833	#5 @12" BOT EW
2671	TI	lf			2790				SB 0.75									0	
2672	TR	BF		60	523				4/13	H	1-06	0-041	1-06	0-041	1-06			1,819	#4 STANDEES
2673	MT	TYPICAL SLAB DROP DETAILS (REF:5/S-401.00)																	
2674	TR	LS		60	2			2	5/16	S	60-06				0	2-02	30-00	270	2 #5 CONT T&B
2675	TR	LS		60	2				5/16	S	60-06				0	2-02	30-00	135	2 #5 CONT
2676	TR	BF		60		60-06	1-00	2	4/13	H	1-00	3-00						331	#4 @12" T&B ADDL
2677	TR	BF		60		60-06	1-00		4/13	H	2S90	0-102	1-062	0-102	1-062			255	#4 @12" STIRRUPS
2678	MT	SLAB OPENING (REF:2/S-401.00)																	
2679	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
2680	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
2681	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
2682	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
2683	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
2684	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
2685	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
2686	TR	LS		60	2				4/13	S	503-06				0	1-08	30-00	711	2 #4 PERIMETER
2687	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
2688	TR	LS		60	1				4/13	S	804-00				0	1-08	30-00	568	1 #4 CONT
2689	TR	LS		60	2				4/13	S	579-00				0	1-08	30-00	818	2 #4 CONT
2690	MT	10TH FLOOR TOP ADDL (REF:S-2010.00)																	
2691	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
2692	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
2693	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
2694	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
2695	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
2696	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
2697	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
2698	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
2699	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
2700	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
2701	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
2702	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
2703	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
2704	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
2705	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
2706	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
2707	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
2708	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
2709	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
2710	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
2711	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
2712	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
2713	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
2714	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2715	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
2716	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
2717	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
2718	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
2719	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
2720	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
2721	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
2722	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
2723	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
2724	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
2725	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
2726	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
2727	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
2728	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
2729	TR	BF		60	7				4/13	S	16-03							76	7 #4 TOP ADDL
2730	TR	BF		60	7				4/13	H	S90	10-03						51	7 #4 TOP ADDL
2731	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
2732	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
2733	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
2734	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
2735	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
2736	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
2737	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
2738	TR	BF		60	12				4/13	H	S90	6-07						58	12 #4 TOP ADDL
2739	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
2740	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
2741	TR	BF		60	12				4/13	H	S90	6-04						56	12 #4 TOP ADDL
2742	TR	BF		60	12				4/13	H	S90	8-08						75	12 #4 TOP ADDL
2743	TR	BF		60	12				4/13	S	14-04							115	12 #4 TOP ADDL
2744	TR	BF		60	12				4/13	S	14-04							115	12 #4 TOP ADDL
2745	TR	BF		60	12				4/13	H	S90	6-08						59	12 #4 TOP ADDL
2746	TR	BF		60	12				4/13	H	S90	6-08						59	12 #4 TOP ADDL
2747	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
2748	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
2749	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
2750	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
2751	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
2752	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
2753	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
2754	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
2755	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
2756	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
2757	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
2758	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
2759	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
2760	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
2761	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
2762	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
2763	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
2764	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
2765	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
2766	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
2767	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
2768	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
2769	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
2770	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
2771	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
2772	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
2773	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2774	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
2775	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
2776	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
2777	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
2778	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
2779	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
2780	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
2781	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
2782	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
2783	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
2784	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
2785	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
2786	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
2787	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
2788	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
2789	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
2790	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
2791	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
2792	TR	BF		60	9				4/13	S	14-00							84	9 #4 TOP ADDL
2793	TR	BF		60	9				4/13	H	S90	9-11						64	9 #4 TOP ADDL
2794	TR	BF		60	9				4/13	H	S90	10-07						68	9 #4 TOP ADDL
2795	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
2796	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
2797	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
2798	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
2799	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
2800	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
2801	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
2802	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
2803	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
2804	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
2805	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
2806	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
2807	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
2808	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
2809	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
2810	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
2811	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
2812	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL
2813	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL
2814	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
2815	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
2816	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
2817	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
2818	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
2819	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
2820	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
2821	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
2822	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
2823	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
2824	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
2825	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
2826	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
2827	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
2828	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
2829	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
2830	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
2831	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
2832	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2833	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
2834	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
2835	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
2836	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
2837	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
2838	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
2839	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
2840	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
2841	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
2842	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
2843	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
2844	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
2845	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
2846	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
2847	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
2848	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
2849	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
2850	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
2851	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
2852	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
2853	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
2854	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
2855	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
2856	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
2857	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
2858	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
2859	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
2860	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
2861	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
2862	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
2863	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
2864	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
2865	TR	BF		60		10-00	1-00		4/13	S	10-00							73	#4 @12" MIDL ADDL
2866	TR	BF		60		7-02	1-00		4/13	S	9-11							60	#4 @12" MIDL ADDL
2867	TR	BF		60		6-08	1-00		4/13	S	8-04							45	#4 @12" MIDL ADDL
2868	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
2869	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
2870	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
2871	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
2872	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
2873	TR	BF		60		6-06	1-00		6/19	S	36-06	2-06						469	#6 @12" TOP
2874	GI	Segment: 11TH FLOOR Sub-Segment: SLAB																	
2875	MT	11TH FLOOR FRAMING PLAN (REF:S-2011.00)																	
2876	MT	8" THIK SLAB (9903 SQFT)																	
2877	TR	LS		60		109-00	1-00	2	5/16	H	109-00	2S90			0	2-02	30-00	26,885	#5 @12" BOT EW
2878	TI	lf			2477				SB 0.75									0	
2879	TR	BF		60	464				4/13	H	1-06	0-041	1-06	0-041	1-06			1,614	#4 STANDEES
2880	MT	SLAB OPENING (REF:2/S-401.00)																	
2881	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
2882	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
2883	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
2884	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
2885	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
2886	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
2887	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
2888	TR	LS		60	2				4/13	S	634-00				0	1-08	30-00	896	2 #4 PERIMETER
2889	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
2890	TR	LS		60	1				4/13	S	875-00				0	1-08	30-00	618	1 #4 CONT
2891	TR	LS		60	2				4/13	S	579-00				0	1-08	30-00	818	2 #4 CONT

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2892	MT	11TH FLOOR TOP ADDL (REF:S-2011.00)																	
2893	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
2894	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
2895	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
2896	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
2897	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
2898	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
2899	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
2900	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
2901	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
2902	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
2903	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
2904	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
2905	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
2906	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
2907	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
2908	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
2909	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
2910	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
2911	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
2912	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
2913	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
2914	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
2915	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
2916	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
2917	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
2918	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
2919	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
2920	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
2921	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
2922	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
2923	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
2924	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
2925	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
2926	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
2927	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
2928	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
2929	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
2930	TR	BF		60	7				4/13	S	16-03							76	7 #4 TOP ADDL
2931	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
2932	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
2933	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
2934	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
2935	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
2936	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
2937	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
2938	TR	BF		60	12				4/13	H	S90	6-07						58	12 #4 TOP ADDL
2939	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
2940	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
2941	TR	BF		60	12				4/13	H	S90	6-04						56	12 #4 TOP ADDL
2942	TR	BF		60	12				4/13	H	S90	8-08						75	12 #4 TOP ADDL
2943	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
2944	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
2945	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
2946	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
2947	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
2948	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
2949	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
2950	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
2951	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
2952	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
2953	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
2954	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
2955	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
2956	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
2957	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
2958	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
2959	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
2960	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
2961	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
2962	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
2963	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
2964	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
2965	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
2966	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
2967	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
2968	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
2969	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
2970	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
2971	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
2972	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
2973	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
2974	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
2975	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
2976	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
2977	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
2978	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
2979	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
2980	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
2981	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
2982	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
2983	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
2984	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
2985	TR	BF		60	9				4/13	S	14-00							84	9 #4 TOP ADDL
2986	TR	BF		60	9				4/13	H	S90	9-11						64	9 #4 TOP ADDL
2987	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
2988	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
2989	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
2990	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
2991	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
2992	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
2993	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
2994	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
2995	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
2996	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
2997	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
2998	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
2999	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
3000	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
3001	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL
3002	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
3003	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
3004	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
3005	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
3006	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
3007	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
3008	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
3009	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
3010	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
3011	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
3012	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
3013	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
3014	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
3015	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
3016	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
3017	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
3018	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
3019	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
3020	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
3021	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
3022	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
3023	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
3024	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
3025	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
3026	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
3027	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
3028	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
3029	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
3030	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
3031	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
3032	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
3033	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
3034	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
3035	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
3036	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
3037	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
3038	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
3039	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
3040	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
3041	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
3042	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
3043	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
3044	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
3045	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
3046	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
3047	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
3048	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
3049	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
3050	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
3051	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
3052	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
3053	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
3054	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
3055	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
3056	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
3057	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
3058	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
3059	GI	Segment: 12TH FLOOR Sub-Segment: SLAB																	
3060	MT	12TH FLOOR FRAMING PLAN (REF:S-2012.00)																	
3061	MT	8" THIK SLAB (9899 SQFT)																	
3062	TR	LS		60		109-00	1-00	2	5/16	H	109-00	2S90			0	2-02	30-00	26,885	#5 @12" BOT EW
3063	TI	lf			2476				SB 0.75									0	
3064	TR	BF		60	463				4/13	H	1-06	0-041	1-06	0-041	1-06			1,610	#4 STANDEES
3065	MT	SLAB OPENING (REF:2/S-401.00)																	
3066	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
3067	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
3068	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
3069	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
3070	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
3071	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
3072	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
3073	TR	LS		60	2				4/13	S	634-00				0	1-08	30-00	896	2 #4 PERIMETER
3074	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
3075	TR	LS		60	1				4/13	S	875-00				0	1-08	30-00	618	1 #4 CONT
3076	TR	LS		60	2				4/13	S	579-00				0	1-08	30-00	818	2 #4 CONT
3077	MT	12TH FLOOR TOP ADDL (REF:S-2012.00)																	
3078	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
3079	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
3080	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
3081	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
3082	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
3083	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
3084	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
3085	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
3086	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
3087	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
3088	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
3089	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
3090	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
3091	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
3092	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
3093	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
3094	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
3095	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
3096	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
3097	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
3098	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
3099	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
3100	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
3101	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
3102	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
3103	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
3104	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
3105	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
3106	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
3107	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
3108	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
3109	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
3110	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
3111	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
3112	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
3113	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
3114	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
3115	TR	BF		60	7				4/13	S	16-03							76	7 #4 TOP ADDL
3116	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
3117	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
3118	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
3119	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
3120	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
3121	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
3122	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
3123	TR	BF		60	12				4/13	H	S90	6-07						58	12 #4 TOP ADDL
3124	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
3125	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
3126	TR	BF		60	12				4/13	H	S90	6-04						56	12 #4 TOP ADDL
3127	TR	BF		60	12				4/13	H	S90	8-08						75	12 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
3128	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
3129	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
3130	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
3131	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
3132	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
3133	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
3134	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
3135	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
3136	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
3137	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
3138	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
3139	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
3140	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
3141	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
3142	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
3143	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
3144	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
3145	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
3146	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
3147	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
3148	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
3149	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
3150	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
3151	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
3152	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
3153	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
3154	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
3155	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
3156	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
3157	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
3158	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
3159	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
3160	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
3161	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
3162	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
3163	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
3164	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
3165	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
3166	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
3167	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
3168	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
3169	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
3170	TR	BF		60	9				4/13	S	14-00							84	9 #4 TOP ADDL
3171	TR	BF		60	9				4/13	H	S90	9-11						64	9 #4 TOP ADDL
3172	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
3173	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
3174	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
3175	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
3176	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
3177	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
3178	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
3179	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
3180	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
3181	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
3182	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
3183	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
3184	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
3185	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
3186	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
3187	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
3188	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
3189	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
3190	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
3191	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
3192	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
3193	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
3194	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
3195	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
3196	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
3197	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
3198	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
3199	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
3200	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
3201	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
3202	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
3203	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
3204	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
3205	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
3206	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
3207	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
3208	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
3209	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
3210	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
3211	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
3212	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
3213	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
3214	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
3215	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
3216	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
3217	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
3218	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
3219	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
3220	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
3221	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
3222	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
3223	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
3224	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
3225	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
3226	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
3227	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
3228	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
3229	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
3230	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
3231	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
3232	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
3233	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
3234	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
3235	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
3236	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
3237	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
3238	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
3239	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
3240	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
3241	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
3242	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
3243	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
3244	GI	Segment: 13TH FLOOR Sub-Segment: SLAB																	
3245	MT	13TH FLOOR FRAMING PLAN (REF:S-2012.00)																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
3246	MT	8" THIK SLAB (9899 SQFT)																	
3247	TR	LS		60		109-00	1-00	2	5/16	H	109-00	2S90			0	2-02	30-00	26,885	#5 @12" BOT EW
3248	TI	If			2476				SB 0.75									0	
3249	TR	BF		60	463				4/13	H	1-06	0-041	1-06	0-041	1-06			1,610	#4 STANDEES
3250	MT	SLAB OPENING (REF:2/S-401.00)																	
3251	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
3252	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
3253	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
3254	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
3255	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
3256	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
3257	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
3258	TR	LS		60	2				4/13	S	634-00				0	1-08	30-00	896	2 #4 PERIMETER
3259	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
3260	TR	LS		60	1				4/13	S	875-00				0	1-08	30-00	618	1 #4 CONT
3261	TR	LS		60	2				4/13	S	579-00				0	1-08	30-00	818	2 #4 CONT
3262	MT	13TH FLOOR TOP ADDL (REF:S-2012.00)																	
3263	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
3264	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
3265	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
3266	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
3267	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
3268	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
3269	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
3270	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
3271	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
3272	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
3273	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
3274	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
3275	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
3276	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
3277	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
3278	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
3279	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
3280	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
3281	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
3282	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
3283	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
3284	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
3285	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
3286	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
3287	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
3288	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
3289	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
3290	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
3291	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
3292	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
3293	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
3294	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
3295	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
3296	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
3297	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
3298	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
3299	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
3300	TR	BF		60	7				4/13	S	16-03							76	7 #4 TOP ADDL
3301	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
3302	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
3303	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
3304	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
3305	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
3306	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
3307	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
3308	TR	BF		60	12				4/13	H	S90	6-07						58	12 #4 TOP ADDL
3309	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
3310	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
3311	TR	BF		60	12				4/13	H	S90	6-04						56	12 #4 TOP ADDL
3312	TR	BF		60	12				4/13	H	S90	8-08						75	12 #4 TOP ADDL
3313	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
3314	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
3315	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
3316	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
3317	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
3318	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
3319	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
3320	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
3321	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
3322	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
3323	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
3324	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
3325	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
3326	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
3327	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
3328	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
3329	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
3330	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
3331	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
3332	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
3333	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
3334	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
3335	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
3336	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
3337	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
3338	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
3339	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
3340	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
3341	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
3342	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
3343	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
3344	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
3345	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
3346	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
3347	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
3348	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
3349	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
3350	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
3351	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
3352	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
3353	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
3354	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
3355	TR	BF		60	9				4/13	S	14-00							84	9 #4 TOP ADDL
3356	TR	BF		60	9				4/13	H	S90	9-11						64	9 #4 TOP ADDL
3357	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
3358	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
3359	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
3360	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
3361	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
3362	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
3363	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
3364	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
3365	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
3366	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
3367	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
3368	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
3369	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
3370	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
3371	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL
3372	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
3373	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
3374	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
3375	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
3376	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
3377	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
3378	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
3379	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
3380	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
3381	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
3382	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
3383	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
3384	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
3385	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
3386	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
3387	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
3388	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
3389	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
3390	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
3391	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
3392	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
3393	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
3394	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
3395	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
3396	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
3397	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
3398	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
3399	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
3400	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
3401	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
3402	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
3403	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
3404	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
3405	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
3406	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
3407	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
3408	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
3409	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
3410	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
3411	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
3412	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
3413	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
3414	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
3415	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
3416	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
3417	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
3418	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
3419	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
3420	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
3421	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
3422	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
3423	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
3424	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
3425	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
3426	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
3427	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
3428	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
3429	GI	Segment: 14TH FLOOR Sub-Segment: SLAB																	
3430	MT	14TH FLOOR FRAMING PLAN (REF:S-2012.00)																	
3431	MT	8" THIK SLAB (9899 SQFT)																	
3432	TR	LS		60		109-00	1-00	2	5/16	H	109-00	2S90			0	2-02	30-00	26,885	#5 @12" BOT EW
3433	TI	lf			2476				SB 0.75									0	
3434	TR	BF		60	463				4/13	H	1-06	0-041	1-06	0-041	1-06			1,610	#4 STANDEES
3435	MT	SLAB OPENING (REF:2/S-401.00)																	
3436	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
3437	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
3438	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
3439	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
3440	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
3441	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
3442	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
3443	TR	LS		60	2				4/13	S	634-00				0	1-08	30-00	896	2 #4 PERIMETER
3444	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
3445	TR	LS		60	1				4/13	S	875-00				0	1-08	30-00	618	1 #4 CONT
3446	TR	LS		60	2				4/13	S	579-00				0	1-08	30-00	818	2 #4 CONT
3447	MT	14TH FLOOR TOP ADDL (REF:S-2012.00)																	
3448	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
3449	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
3450	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
3451	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
3452	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
3453	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
3454	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
3455	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
3456	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
3457	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
3458	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
3459	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
3460	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
3461	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
3462	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
3463	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
3464	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
3465	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
3466	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
3467	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
3468	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
3469	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
3470	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
3471	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
3472	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
3473	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
3474	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
3475	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
3476	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
3477	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
3478	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
3479	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
3480	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
3481	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
3482	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
3483	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
3484	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
3485	TR	BF		60	7				4/13	S	16-03							76	7 #4 TOP ADDL
3486	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
3487	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
3488	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
3489	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
3490	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
3491	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
3492	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
3493	TR	BF		60	12				4/13	H	S90	6-07						58	12 #4 TOP ADDL
3494	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
3495	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
3496	TR	BF		60	12				4/13	H	S90	6-04						56	12 #4 TOP ADDL
3497	TR	BF		60	12				4/13	H	S90	8-08						75	12 #4 TOP ADDL
3498	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
3499	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
3500	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
3501	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
3502	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
3503	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
3504	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
3505	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
3506	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
3507	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
3508	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
3509	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
3510	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
3511	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
3512	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
3513	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
3514	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
3515	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
3516	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
3517	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
3518	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
3519	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
3520	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
3521	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
3522	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
3523	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
3524	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
3525	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
3526	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
3527	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
3528	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
3529	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
3530	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
3531	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
3532	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
3533	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
3534	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
3535	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
3536	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
3537	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
3538	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
3539	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
3540	TR	BF		60	9				4/13	S	14-00							84	9 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
3541	TR	BF		60	9				4/13	H	S90	9-11						64	9 #4 TOP ADDL
3542	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
3543	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
3544	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
3545	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
3546	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
3547	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
3548	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
3549	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
3550	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
3551	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
3552	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
3553	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
3554	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
3555	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
3556	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL
3557	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
3558	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
3559	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
3560	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
3561	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
3562	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
3563	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
3564	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
3565	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
3566	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
3567	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
3568	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
3569	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
3570	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
3571	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
3572	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
3573	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
3574	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
3575	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
3576	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
3577	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
3578	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
3579	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
3580	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
3581	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
3582	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
3583	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
3584	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
3585	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
3586	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
3587	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
3588	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
3589	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
3590	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
3591	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
3592	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
3593	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
3594	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
3595	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
3596	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
3597	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
3598	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
3599	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
3600	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
3601	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
3602	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
3603	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
3604	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
3605	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
3606	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
3607	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
3608	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
3609	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
3610	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
3611	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
3612	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
3613	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
3614	GI	Segment: 15TH FLOOR Sub-Segment: SLAB																	
3615	MT	15TH FLOOR FRAMING PLAN (REF:S-2012.00)																	
3616	MT	8" THIK SLAB (9899 SQFT)																	
3617	TR	LS		60		109-00	1-00	2	5/16	H	109-00	2S90			0	2-02	30-00	26,885	#5 @12" BOT EW
3618	TI	lf			2476				SB 0.75									0	
3619	TR	BF		60	463				4/13	H	1-06	0-041	1-06	0-041	1-06			1,610	#4 STANDEES
3620	MT	SLAB OPENING (REF:2/S-401.00)																	
3621	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
3622	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
3623	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
3624	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
3625	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
3626	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
3627	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
3628	TR	LS		60	2				4/13	S	634-00				0	1-08	30-00	896	2 #4 PERIMETER
3629	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
3630	TR	LS		60	1				4/13	S	875-00				0	1-08	30-00	618	1 #4 CONT
3631	TR	LS		60	2				4/13	S	579-00				0	1-08	30-00	818	2 #4 CONT
3632	MT	15TH FLOOR TOP ADDL (REF:S-2012.00)																	
3633	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
3634	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
3635	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
3636	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
3637	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
3638	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
3639	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
3640	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
3641	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
3642	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
3643	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
3644	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
3645	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
3646	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
3647	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
3648	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
3649	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
3650	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
3651	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
3652	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
3653	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
3654	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
3655	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
3656	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
3657	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
3658	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
3659	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
3660	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
3661	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
3662	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
3663	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
3664	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
3665	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
3666	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
3667	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
3668	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
3669	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
3670	TR	BF		60	7				4/13	S	16-03							76	7 #4 TOP ADDL
3671	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
3672	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
3673	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
3674	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
3675	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
3676	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
3677	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
3678	TR	BF		60	12				4/13	H	S90	6-07						58	12 #4 TOP ADDL
3679	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
3680	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
3681	TR	BF		60	12				4/13	H	S90	6-04						56	12 #4 TOP ADDL
3682	TR	BF		60	12				4/13	H	S90	8-08						75	12 #4 TOP ADDL
3683	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
3684	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
3685	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
3686	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
3687	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
3688	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
3689	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
3690	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
3691	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
3692	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
3693	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
3694	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
3695	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
3696	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
3697	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
3698	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
3699	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
3700	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
3701	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
3702	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
3703	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
3704	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
3705	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
3706	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
3707	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
3708	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
3709	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
3710	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
3711	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
3712	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
3713	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
3714	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
3715	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
3716	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
3717	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
3718	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
3719	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
3720	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
3721	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
3722	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
3723	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
3724	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
3725	TR	BF		60	9				4/13	S	14-00							84	9 #4 TOP ADDL
3726	TR	BF		60	9				4/13	H	S90	9-11						64	9 #4 TOP ADDL
3727	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
3728	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
3729	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
3730	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
3731	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
3732	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
3733	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
3734	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
3735	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
3736	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
3737	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
3738	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
3739	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
3740	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
3741	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL
3742	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
3743	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
3744	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
3745	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
3746	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
3747	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
3748	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
3749	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
3750	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
3751	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
3752	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
3753	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
3754	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
3755	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
3756	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
3757	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
3758	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
3759	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
3760	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
3761	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
3762	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
3763	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
3764	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
3765	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
3766	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
3767	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
3768	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
3769	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
3770	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
3771	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
3772	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
3773	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
3774	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
3775	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
3776	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
3777	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
3778	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
3779	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
3780	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
3781	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
3782	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
3783	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
3784	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
3785	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
3786	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
3787	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
3788	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
3789	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
3790	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
3791	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
3792	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
3793	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
3794	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
3795	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
3796	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
3797	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
3798	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
3799	GI	Segment: 16TH FLOOR Sub-Segment: SLAB																	
3800	MT	16TH FLOOR FRAMING PLAN (REF:S-2016.00)																	
3801	MT	8" THIK SLAB (9430 SQFT)																	
3802	TR	LS		60		99-00	1-00	2	5/16	H	99-00	2S90			0	2-02	30-00	22,355	#5 @12" BOT EW
3803	TI	lf			2107				SB 0.75									0	
3804	TR	BF		60	441				4/13	H	1-06	0-041	1-06	0-041	1-06			1,534	#4 STANDEES
3805	MT	10" THIK SLAB (1467 SQFT)																	
3806	TR	LS		60		38-04	1-00	2	5/16	H	38-04	2S90			0	2-02	30-00	3,518	#5 @12" BOT EW
3807	TI	lf			367				SB 0.75									0	
3808	TR	BF		60	68				4/13	H	1-06	0-061	1-06	0-061	1-06			252	#4 STANDEES
3809	MT	TYPICAL SLAB DROP DETAILS (REF:5/S-401.00)																	
3810	TR	LS		60	2			2	5/16	S	60-06				0	2-02	30-00	270	2 #5 CONT T&B
3811	TR	LS		60	2				5/16	S	60-06				0	2-02	30-00	135	2 #5 CONT
3812	TR	BF		60		60-06	1-00	2	4/13	H	1-00	3-00						331	#4 @12" T&B ADDL
3813	TR	BF		60		60-06	1-00		4/13	H	2S90	0-102	1-062	0-102	1-062			255	#4 @12" STIRRUPS
3814	MT	SLAB OPENING (REF:2/S-401.00)																	
3815	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
3816	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
3817	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
3818	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
3819	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
3820	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
3821	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
3822	TR	LS		60	2				4/13	S	634-00				0	1-08	30-00	896	2 #4 PERIMETER
3823	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
3824	TR	LS		60	1				4/13	S	875-00				0	1-08	30-00	618	1 #4 CONT
3825	TR	LS		60	2				4/13	S	579-00				0	1-08	30-00	818	2 #4 CONT
3826	TR	LS		60	3				7/22	S	170-00				0	5-06	30-00	1,245	3 #7 PERIMETER
3827	TR	BF		60	3			6	7/22	H	5-06	5-06						405	3 #7 OR
3828	TR	LS		60	1				7/22	S	148-00				0	5-06	30-00	359	1 #7 CONT
3829	MT	16TH FLOOR TOP ADDL (REF:S-2016.00)																	
3830	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
3831	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
3832	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
3833	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
3834	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
3835	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
3836	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
3837	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
3838	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
3839	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
3840	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
3841	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
3842	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
3843	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
3844	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
3845	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
3846	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
3847	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
3848	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
3849	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
3850	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
3851	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
3852	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
3853	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
3854	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
3855	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
3856	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
3857	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
3858	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
3859	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
3860	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
3861	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
3862	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
3863	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
3864	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
3865	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
3866	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
3867	TR	BF		60	7				4/13	S	16-03							76	7 #4 TOP ADDL
3868	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
3869	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
3870	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
3871	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
3872	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
3873	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
3874	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
3875	TR	BF		60	12				4/13	H	S90	6-07						58	12 #4 TOP ADDL
3876	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
3877	TR	BF		60	12				4/13	S	16-04							131	12 #4 TOP ADDL
3878	TR	BF		60	12				4/13	H	S90	6-04						56	12 #4 TOP ADDL
3879	TR	BF		60	12				4/13	H	S90	8-08						75	12 #4 TOP ADDL
3880	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
3881	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
3882	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
3883	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
3884	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
3885	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
3886	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
3887	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
3888	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
3889	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
3890	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
3891	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
3892	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
3893	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
3894	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
3895	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
3896	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
3897	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
3898	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
3899	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
3900	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
3901	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
3902	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
3903	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
3904	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
3905	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
3906	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
3907	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
3908	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
3909	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
3910	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
3911	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
3912	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
3913	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
3914	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
3915	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
3916	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
3917	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
3918	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
3919	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
3920	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
3921	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
3922	TR	BF		60	9				4/13	S	14-00							84	9 #4 TOP ADDL
3923	TR	BF		60	9				4/13	H	S90	9-11						64	9 #4 TOP ADDL
3924	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
3925	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
3926	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
3927	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
3928	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
3929	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
3930	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
3931	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
3932	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
3933	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
3934	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
3935	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
3936	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
3937	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
3938	TR	BF		60	6				4/13	S	16-03							65	6 #4 TOP ADDL
3939	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
3940	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
3941	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
3942	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
3943	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
3944	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
3945	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
3946	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
3947	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
3948	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
3949	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
3950	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
3951	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
3952	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
3953	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
3954	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
3955	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
3956	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
3957	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
3958	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
3959	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
3960	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
3961	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
3962	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
3963	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
3964	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
3965	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
3966	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
3967	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
3968	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
3969	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
3970	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
3971	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
3972	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
3973	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
3974	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
3975	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
3976	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
3977	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
3978	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
3979	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
3980	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
3981	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
3982	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
3983	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
3984	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
3985	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
3986	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
3987	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
3988	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
3989	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
3990	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
3991	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
3992	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
3993	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
3994	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
3995	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
3996	GI	Segment: 17TH FLOOR Sub-Segment: SLAB																	
3997	MT	17TH FLOOR FRAMING PLAN (REF:S-2017.00)																	
3998	MT	8" THIK SLAB (8460 SQFT)																	
3999	TR	LS		60		91-11	1-00	2	5/16	H	91-11	2S90			0	2-02	30-00	19,416	#5 @12" BOT EW
4000	TI	lf			2114				SB 0.75									0	
4001	TR	BF		60	396				4/13	H	1-06	0-041	1-06	0-041	1-06			1,377	#4 STANDEES
4002	MT	SLAB OPENING (REF:2/S-401.00)																	
4003	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
4004	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
4005	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
4006	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
4007	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
4008	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
4009	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
4010	TR	LS		60	2				4/13	S	590-00				0	1-08	30-00	833	2 #4 PERIMETER
4011	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
4012	TR	LS		60	1				4/13	S	815-00				0	1-08	30-00	576	1 #4 CONT

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
4013	TR	LS		60	2				4/13	S	519-00				0	1-08	30-00	733	2 #4 CONT
4014	MT	17TH FLOOR TOP ADDL (REF:S-2017.00)																	
4015	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
4016	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
4017	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
4018	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
4019	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
4020	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
4021	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
4022	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
4023	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
4024	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
4025	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
4026	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
4027	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
4028	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
4029	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
4030	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4031	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4032	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
4033	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
4034	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
4035	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
4036	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
4037	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
4038	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4039	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
4040	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
4041	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
4042	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
4043	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
4044	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
4045	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
4046	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
4047	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
4048	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
4049	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
4050	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
4051	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
4052	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
4053	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
4054	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
4055	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
4056	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
4057	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
4058	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
4059	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
4060	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
4061	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4062	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
4063	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4064	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4065	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
4066	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
4067	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
4068	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4069	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
4070	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
4071	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
4072	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
4073	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
4074	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
4075	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
4076	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
4077	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
4078	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
4079	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
4080	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
4081	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
4082	TR	BF		60	1			3	6/19	S	14-03							64	1 #6 TOP ADDL
4083	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
4084	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
4085	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
4086	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
4087	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
4088	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
4089	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
4090	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
4091	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
4092	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
4093	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
4094	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
4095	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
4096	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
4097	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
4098	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
4099	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
4100	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
4101	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
4102	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
4103	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
4104	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
4105	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
4106	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
4107	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
4108	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
4109	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
4110	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
4111	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
4112	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
4113	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
4114	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
4115	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
4116	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
4117	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
4118	TR	BF		60	1			6	6/19	S	15-04							138	1 #6 TOP ADDL
4119	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
4120	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
4121	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
4122	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
4123	TR	BF		60	1			5	6/19	S	14-00							105	1 #6 TOP ADDL
4124	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
4125	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
4126	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
4127	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
4128	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
4129	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
4130	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
4131	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
4132	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
4133	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
4134	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
4135	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
4136	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
4137	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
4138	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
4139	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
4140	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
4141	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
4142	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
4143	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
4144	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
4145	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
4146	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
4147	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
4148	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
4149	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
4150	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
4151	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
4152	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
4153	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
4154	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
4155	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
4156	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
4157	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
4158	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
4159	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
4160	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
4161	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
4162	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
4163	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
4164	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
4165	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
4166	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
4167	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
4168	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
4169	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
4170	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
4171	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
4172	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
4173	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
4174	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
4175	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
4176	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
4177	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
4178	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
4179	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
4180	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
4181	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
4182	GI	Segment: 18TH FLOOR Sub-Segment: SLAB																	
4183	MT	18TH FLOOR FRAMING PLAN (REF:S-2018.00)																	
4184	MT	8" THIK SLAB (8460 SQFT)																	
4185	TR	LS		60		91-11	1-00	2	5/16	H	91-11	2S90			0	2-02	30-00	19,416	#5 @12" BOT EW
4186	TI	lf			2114				SB 0.75									0	
4187	TR	BF		60	396				4/13	H	1-06	0-041	1-06	0-041	1-06			1,377	#4 STANDEES
4188	MT	SLAB OPENING (REF:2/S-401.00)																	
4189	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
4190	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
4191	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
4192	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
4193	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
4194	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
4195	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
4196	TR	LS		60	2				4/13	S	590-00				0	1-08	30-00	833	2 #4 PERIMETER
4197	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
4198	TR	LS		60	1				4/13	S	815-00				0	1-08	30-00	576	1 #4 CONT
4199	TR	LS		60	2				4/13	S	519-00				0	1-08	30-00	733	2 #4 CONT
4200	MT	18TH FLOOR TOP ADDL (REF:S-2018.00)																	
4201	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
4202	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
4203	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
4204	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
4205	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
4206	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
4207	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
4208	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
4209	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
4210	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
4211	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
4212	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
4213	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
4214	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
4215	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
4216	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4217	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4218	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
4219	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
4220	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
4221	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
4222	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
4223	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
4224	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4225	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
4226	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
4227	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
4228	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
4229	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
4230	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
4231	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
4232	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
4233	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
4234	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
4235	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
4236	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
4237	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
4238	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
4239	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
4240	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
4241	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
4242	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
4243	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
4244	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
4245	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
4246	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
4247	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4248	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
4249	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4250	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4251	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
4252	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
4253	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
4254	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4255	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
4256	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
4257	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
4258	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
4259	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
4260	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
4261	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
4262	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
4263	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
4264	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
4265	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
4266	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
4267	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
4268	TR	BF		60	1			3	6/19	S	14-03							64	1 #6 TOP ADDL
4269	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
4270	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
4271	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
4272	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
4273	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
4274	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
4275	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
4276	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
4277	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
4278	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
4279	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
4280	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
4281	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
4282	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
4283	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
4284	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
4285	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
4286	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
4287	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
4288	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
4289	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
4290	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
4291	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
4292	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
4293	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
4294	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
4295	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
4296	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
4297	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
4298	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
4299	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
4300	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
4301	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
4302	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
4303	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
4304	TR	BF		60	1			6	6/19	S	15-04							138	1 #6 TOP ADDL
4305	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
4306	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
4307	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
4308	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
4309	TR	BF		60	1			5	6/19	S	14-00							105	1 #6 TOP ADDL
4310	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
4311	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
4312	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
4313	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
4314	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
4315	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
4316	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
4317	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
4318	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
4319	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
4320	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
4321	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
4322	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
4323	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
4324	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
4325	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
4326	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
4327	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
4328	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
4329	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
4330	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
4331	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
4332	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
4333	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
4334	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
4335	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
4336	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
4337	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
4338	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
4339	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
4340	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
4341	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
4342	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
4343	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
4344	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
4345	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
4346	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
4347	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
4348	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
4349	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
4350	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
4351	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
4352	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
4353	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
4354	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
4355	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
4356	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
4357	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
4358	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
4359	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
4360	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
4361	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
4362	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
4363	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
4364	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
4365	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
4366	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
4367	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
4368	GI	Segment: 19TH FLOOR Sub-Segment: SLAB																	
4369	MT	19TH FLOOR FRAMING PLAN (REF:S-2018.00)																	
4370	MT	8" THIK SLAB (8460 SQFT)																	
4371	TR	LS		60		91-11	1-00	2	5/16	H	91-11	2S90			0	2-02	30-00	19,416	#5 @12" BOT EW
4372	TI	lf			2114				SB 0.75									0	
4373	TR	BF		60	396				4/13	H	1-06	0-041	1-06	0-041	1-06			1,377	#4 STANDEES
4374	MT	SLAB OPENING (REF:2/S-401.00)																	
4375	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
4376	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
4377	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
4378	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
4379	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
4380	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
4381	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
4382	TR	LS		60	2				4/13	S	590-00				0	1-08	30-00	833	2 #4 PERIMETER
4383	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
4384	TR	LS		60	1				4/13	S	815-00				0	1-08	30-00	576	1 #4 CONT
4385	TR	LS		60	2				4/13	S	519-00				0	1-08	30-00	733	2 #4 CONT
4386	MT	19TH FLOOR TOP ADDL (REF:S-2018.00)																	
4387	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
4388	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
4389	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
4390	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
4391	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
4392	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
4393	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
4394	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
4395	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
4396	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
4397	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
4398	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
4399	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
4400	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
4401	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
4402	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4403	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4404	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
4405	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
4406	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
4407	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
4408	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
4409	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
4410	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4411	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
4412	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
4413	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
4414	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
4415	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
4416	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
4417	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
4418	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
4419	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
4420	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
4421	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
4422	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
4423	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
4424	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
4425	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
4426	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
4427	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
4428	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
4429	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
4430	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
4431	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
4432	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
4433	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4434	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
4435	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4436	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4437	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
4438	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
4439	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
4440	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4441	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
4442	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
4443	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
4444	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
4445	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
4446	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
4447	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
4448	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
4449	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
4450	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
4451	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
4452	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
4453	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
4454	TR	BF		60	1			3	6/19	S	14-03							64	1 #6 TOP ADDL
4455	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
4456	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
4457	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
4458	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
4459	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
4460	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
4461	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
4462	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
4463	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
4464	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
4465	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
4466	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
4467	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
4468	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
4469	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
4470	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
4471	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
4472	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
4473	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
4474	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
4475	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
4476	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
4477	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
4478	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
4479	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
4480	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
4481	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
4482	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
4483	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
4484	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
4485	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
4486	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
4487	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
4488	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
4489	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
4490	TR	BF		60	1			6	6/19	S	15-04							138	1 #6 TOP ADDL
4491	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
4492	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
4493	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
4494	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
4495	TR	BF		60	1			5	6/19	S	14-00							105	1 #6 TOP ADDL
4496	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
4497	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
4498	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
4499	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
4500	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
4501	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
4502	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
4503	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
4504	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
4505	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
4506	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
4507	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
4508	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
4509	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
4510	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
4511	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
4512	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
4513	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
4514	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
4515	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
4516	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
4517	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
4518	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
4519	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
4520	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
4521	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
4522	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
4523	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
4524	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
4525	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
4526	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
4527	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
4528	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
4529	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
4530	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
4531	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
4532	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
4533	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
4534	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
4535	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
4536	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
4537	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
4538	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
4539	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
4540	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
4541	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
4542	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
4543	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
4544	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
4545	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
4546	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
4547	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
4548	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
4549	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
4550	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
4551	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
4552	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
4553	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
4554	GI	Segment: 20TH FLOOR Sub-Segment: SLAB																	
4555	MT	20TH FLOOR FRAMING PLAN (REF:S-2018.00)																	
4556	MT	8" THIK SLAB (8460 SQFT)																	
4557	TR	LS		60		91-11	1-00	2	5/16	H	91-11	2S90			0	2-02	30-00	19,416	#5 @12" BOT EW
4558	TI	lf			2114				SB 0.75									0	
4559	TR	BF		60	396				4/13	H	1-06	0-041	1-06	0-041	1-06			1,377	#4 STANDEES
4560	MT	SLAB OPENING (REF:2/S-401.00)																	
4561	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
4562	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
4563	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
4564	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
4565	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
4566	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
4567	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
4568	TR	LS		60	2				4/13	S	590-00				0	1-08	30-00	833	2 #4 PERIMETER
4569	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
4570	TR	LS		60	1				4/13	S	815-00				0	1-08	30-00	576	1 #4 CONT
4571	TR	LS		60	2				4/13	S	519-00				0	1-08	30-00	733	2 #4 CONT
4572	MT	20TH FLOOR TOP ADDL (REF:S-2018.00)																	
4573	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
4574	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
4575	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
4576	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
4577	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
4578	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
4579	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
4580	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
4581	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
4582	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
4583	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
4584	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
4585	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
4586	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
4587	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
4588	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4589	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4590	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
4591	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
4592	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
4593	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
4594	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
4595	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
4596	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4597	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
4598	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
4599	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
4600	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
4601	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
4602	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
4603	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
4604	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
4605	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
4606	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
4607	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
4608	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
4609	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
4610	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
4611	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
4612	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
4613	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
4614	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
4615	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
4616	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
4617	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
4618	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
4619	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4620	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
4621	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4622	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4623	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
4624	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
4625	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
4626	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4627	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
4628	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
4629	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
4630	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
4631	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
4632	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
4633	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
4634	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
4635	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
4636	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
4637	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
4638	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
4639	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
4640	TR	BF		60	1			3	6/19	S	14-03							64	1 #6 TOP ADDL
4641	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
4642	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
4643	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
4644	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
4645	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
4646	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
4647	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
4648	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
4649	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
4650	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
4651	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
4652	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
4653	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
4654	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
4655	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
4656	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
4657	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
4658	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
4659	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
4660	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
4661	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
4662	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
4663	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
4664	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
4665	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
4666	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
4667	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
4668	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
4669	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
4670	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
4671	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
4672	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
4673	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
4674	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
4675	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
4676	TR	BF		60	1			6	6/19	S	15-04							138	1 #6 TOP ADDL
4677	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
4678	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
4679	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
4680	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
4681	TR	BF		60	1			5	6/19	S	14-00							105	1 #6 TOP ADDL
4682	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
4683	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
4684	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
4685	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
4686	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
4687	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
4688	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
4689	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
4690	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
4691	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
4692	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
4693	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
4694	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
4695	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
4696	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
4697	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
4698	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
4699	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
4700	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
4701	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
4702	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
4703	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
4704	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
4705	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
4706	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
4707	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
4708	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
4709	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
4710	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
4711	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
4712	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
4713	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
4714	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
4715	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
4716	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
4717	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
4718	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
4719	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
4720	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
4721	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
4722	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
4723	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
4724	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
4725	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
4726	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
4727	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
4728	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
4729	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
4730	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
4731	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
4732	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
4733	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
4734	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
4735	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
4736	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
4737	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
4738	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
4739	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
4740	GI	Segment: 21ST FLOOR Sub-Segment: SLAB																	
4741	MT	21ST FLOOR FRAMING PLAN (REF:S-2018.00)																	
4742	MT	8" THIK SLAB (8460 SQFT)																	
4743	TR	LS		60		91-11	1-00	2	5/16	H	91-11	2S90			0	2-02	30-00	19,416	#5 @12" BOT EW
4744	TI	lf			2114				SB 0.75									0	
4745	TR	BF		60	396				4/13	H	1-06	0-041	1-06	0-041	1-06			1,377	#4 STANDEES
4746	MT	SLAB OPENING (REF:2/S-401.00)																	
4747	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
4748	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
4749	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
4750	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
4751	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
4752	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
4753	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
4754	TR	LS		60	2				4/13	S	590-00				0	1-08	30-00	833	2 #4 PERIMETER
4755	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
4756	TR	LS		60	1				4/13	S	815-00				0	1-08	30-00	576	1 #4 CONT
4757	TR	LS		60	2				4/13	S	519-00				0	1-08	30-00	733	2 #4 CONT
4758	MT	21ST FLOOR TOP ADDL (REF:S-2018.00)																	
4759	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
4760	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
4761	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
4762	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
4763	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
4764	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
4765	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
4766	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
4767	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
4768	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
4769	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
4770	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
4771	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
4772	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
4773	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
4774	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4775	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4776	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
4777	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
4778	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
4779	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
4780	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
4781	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
4782	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4783	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
4784	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
4785	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
4786	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
4787	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
4788	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
4789	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
4790	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
4791	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
4792	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
4793	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
4794	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
4795	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
4796	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
4797	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
4798	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
4799	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
4800	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
4801	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
4802	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
4803	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
4804	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
4805	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4806	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
4807	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4808	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4809	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
4810	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
4811	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
4812	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
4813	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
4814	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
4815	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
4816	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
4817	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
4818	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
4819	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
4820	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
4821	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
4822	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
4823	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
4824	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
4825	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
4826	TR	BF		60	1			3	6/19	S	14-03							64	1 #6 TOP ADDL
4827	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
4828	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
4829	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
4830	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
4831	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
4832	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
4833	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
4834	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
4835	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
4836	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
4837	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
4838	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
4839	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
4840	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
4841	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
4842	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
4843	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
4844	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
4845	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
4846	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
4847	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
4848	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
4849	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
4850	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
4851	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
4852	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
4853	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
4854	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
4855	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
4856	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
4857	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
4858	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
4859	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
4860	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
4861	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
4862	TR	BF		60	1			6	6/19	S	15-04							138	1 #6 TOP ADDL
4863	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
4864	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
4865	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
4866	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
4867	TR	BF		60	1			5	6/19	S	14-00							105	1 #6 TOP ADDL
4868	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
4869	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
4870	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
4871	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
4872	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
4873	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
4874	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
4875	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
4876	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
4877	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
4878	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
4879	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
4880	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
4881	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
4882	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
4883	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
4884	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
4885	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
4886	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
4887	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
4888	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
4889	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
4890	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
4891	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
4892	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
4893	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
4894	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
4895	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
4896	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
4897	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
4898	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
4899	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
4900	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
4901	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
4902	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
4903	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
4904	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
4905	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
4906	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
4907	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
4908	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
4909	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
4910	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
4911	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
4912	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
4913	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
4914	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
4915	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
4916	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
4917	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
4918	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
4919	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
4920	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
4921	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
4922	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
4923	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
4924	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
4925	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
4926	GI	Segment: 22ND FLOOR Sub-Segment: SLAB																	
4927	MT	22ND FLOOR FRAMING PLAN (REF:S-222.00)																	
4928	MT	8" THIK SLAB (7168 SQFT)																	
4929	TR	LS		60		84-08	1-00	2	5/16	H	84-08	2S90			0	2-02	30-00	16,654	#5 @12" BOT EW
4930	TI	lf			1791				SB 0.75									0	
4931	TR	BF		60	335				4/13	H	1-06	0-041	1-06	0-041	1-06			1,165	#4 STANDEES
4932	MT	10" THIK SLAB (1288 SQFT)																	
4933	TR	LS		60		35-10	1-00	2	5/16	H	35-10	2S90			0	2-02	30-00	3,061	#5 @12" BOT EW
4934	TI	lf			321				SB 0.75									0	
4935	TR	BF		60	60				4/13	H	1-06	0-061	1-06	0-061	1-06			222	#4 STANDEES
4936	MT	TYPICAL SLAB DROP DETAILS (REF:5/S-401.00)																	
4937	TR	LS		60	2			2	5/16	S	60-06				0	2-02	30-00	270	2 #5 CONT T&B
4938	TR	LS		60	2				5/16	S	60-06				0	2-02	30-00	135	2 #5 CONT
4939	TR	BF		60		60-06	1-00	2	4/13	H	1-00	3-00						331	#4 @12" T&B ADDL
4940	TR	BF		60		60-06	1-00		4/13	H	2S90	0-102	1-062	0-102	1-062			255	#4 @12" STIRRUPS
4941	MT	SLAB OPENING (REF:2/S-401.00)																	
4942	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
4943	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
4944	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
4945	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
4946	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
4947	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
4948	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
4949	TR	LS		60	2				4/13	S	572-00				0	1-08	30-00	809	2 #4 PERIMETER
4950	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
4951	TR	LS		60	1				4/13	S	691-00				0	1-08	30-00	488	1 #4 CONT
4952	TR	LS		60	2				4/13	S	459-00				0	1-08	30-00	649	2 #4 CONT
4953	TR	LS		60	3				7/22	S	170-00				0	5-06	30-00	1,245	3 #7 PERIMETER
4954	TR	BF		60	3			6	7/22	H	5-06	5-06						405	3 #7 OR
4955	TR	LS		60	1				7/22	S	148-00				0	5-06	30-00	359	1 #7 CONT
4956	MT	22ND FLOOR TOP ADDL (REF:S-222.00)																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
4957	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
4958	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
4959	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
4960	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
4961	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
4962	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
4963	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
4964	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
4965	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
4966	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
4967	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
4968	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
4969	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
4970	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
4971	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
4972	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4973	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4974	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
4975	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
4976	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
4977	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
4978	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
4979	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
4980	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
4981	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
4982	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
4983	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
4984	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
4985	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
4986	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
4987	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
4988	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
4989	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
4990	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
4991	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
4992	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
4993	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
4994	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
4995	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
4996	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
4997	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
4998	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
4999	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
5000	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
5001	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
5002	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
5003	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5004	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
5005	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5006	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5007	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
5008	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
5009	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
5010	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5011	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
5012	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
5013	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
5014	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
5015	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
5016	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
5017	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
5018	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
5019	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
5020	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5021	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5022	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5023	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
5024	TR	BF		60	1			3	6/19	S	14-03							64	1 #6 TOP ADDL
5025	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
5026	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
5027	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
5028	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
5029	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
5030	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
5031	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
5032	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
5033	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
5034	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
5035	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
5036	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
5037	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
5038	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
5039	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
5040	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
5041	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
5042	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
5043	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
5044	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
5045	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
5046	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
5047	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
5048	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
5049	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
5050	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
5051	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
5052	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
5053	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
5054	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
5055	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
5056	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
5057	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
5058	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
5059	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
5060	TR	BF		60	1			6	6/19	S	15-04							138	1 #6 TOP ADDL
5061	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
5062	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
5063	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
5064	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
5065	TR	BF		60	1			5	6/19	S	14-00							105	1 #6 TOP ADDL
5066	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
5067	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
5068	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
5069	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
5070	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
5071	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
5072	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
5073	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
5074	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
5075	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
5076	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
5077	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
5078	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
5079	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
5080	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
5081	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
5082	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
5083	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
5084	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
5085	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
5086	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
5087	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
5088	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
5089	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
5090	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
5091	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
5092	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
5093	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
5094	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
5095	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
5096	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
5097	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
5098	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
5099	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
5100	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
5101	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
5102	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
5103	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
5104	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
5105	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
5106	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
5107	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
5108	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
5109	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
5110	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
5111	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
5112	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
5113	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
5114	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
5115	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
5116	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
5117	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
5118	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
5119	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
5120	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
5121	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
5122	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
5123	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
5124	GI	Segment: 23RD FLOOR Sub-Segment: SLAB																	
5125	MT	23RD FLOOR FRAMING PLAN (REF:S-223.00)																	
5126	MT	8" THIK SLAB (7202 SQFT)																	
5127	TR	LS		60		84-10	1-00	2	5/16	H	84-10	2S90			0	2-02	30-00	16,684	#5 @12" BOT EW
5128	TI	If			1799				SB 0.75									0	
5129	TR	BF		60	335				4/13	H	1-06	0-041	1-06	0-041	1-06			1,165	#4 STANDEES
5130	MT	SLAB OPENING (REF:2/S-401.00)																	
5131	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
5132	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
5133	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
5134	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
5135	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
5136	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
5137	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
5138	TR	LS		60	2				4/13	S	572-00				0	1-08	30-00	809	2 #4 PERIMETER
5139	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
5140	TR	LS		60	1				4/13	S	691-00				0	1-08	30-00	488	1 #4 CONT
5141	TR	LS		60	2				4/13	S	459-00				0	1-08	30-00	649	2 #4 CONT
5142	MT	23RD FLOOR TOP ADDL (REF:S-223.00)																	
5143	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
5144	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
5145	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
5146	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
5147	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
5148	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
5149	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
5150	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
5151	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
5152	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
5153	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
5154	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
5155	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
5156	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
5157	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
5158	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
5159	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
5160	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
5161	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
5162	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
5163	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
5164	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
5165	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
5166	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
5167	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
5168	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
5169	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
5170	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
5171	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
5172	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
5173	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
5174	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
5175	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
5176	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
5177	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
5178	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
5179	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
5180	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
5181	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
5182	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
5183	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
5184	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
5185	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
5186	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
5187	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
5188	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
5189	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5190	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
5191	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5192	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
5193	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
5194	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
5195	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
5196	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5197	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
5198	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
5199	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
5200	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
5201	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
5202	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
5203	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
5204	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
5205	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
5206	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5207	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5208	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5209	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
5210	TR	BF		60	1			3	6/19	S	14-03							64	1 #6 TOP ADDL
5211	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
5212	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
5213	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
5214	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
5215	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
5216	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
5217	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
5218	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
5219	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
5220	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
5221	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
5222	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
5223	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
5224	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
5225	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
5226	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
5227	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
5228	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
5229	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
5230	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
5231	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
5232	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
5233	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
5234	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
5235	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
5236	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
5237	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
5238	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
5239	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
5240	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
5241	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
5242	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
5243	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
5244	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
5245	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
5246	TR	BF		60	1			6	6/19	S	15-04							138	1 #6 TOP ADDL
5247	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
5248	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
5249	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
5250	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
5251	TR	BF		60	1			5	6/19	S	14-00							105	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
5252	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
5253	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
5254	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
5255	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
5256	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
5257	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
5258	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
5259	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
5260	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
5261	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
5262	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
5263	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
5264	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
5265	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
5266	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
5267	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
5268	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
5269	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
5270	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
5271	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
5272	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
5273	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
5274	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
5275	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
5276	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
5277	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
5278	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
5279	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
5280	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
5281	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
5282	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
5283	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
5284	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
5285	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
5286	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
5287	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
5288	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
5289	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
5290	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
5291	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
5292	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
5293	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
5294	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
5295	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
5296	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
5297	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
5298	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
5299	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
5300	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
5301	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
5302	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
5303	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
5304	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
5305	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
5306	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
5307	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
5308	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
5309	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
5310	GI	Segment: 24TH FLOOR Sub-Segment: SLAB																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
5311	MT	24TH FLOOR FRAMING PLAN (REF:S-223.00)																	
5312	MT	8" THIK SLAB (7202 SQFT)																	
5313	TR	LS		60		84-10	1-00	2	5/16	H	84-10	2S90			0	2-02	30-00	16,684	#5 @12" BOT EW
5314	TI	lf			1799				SB 0.75									0	
5315	TR	BF		60	335				4/13	H	1-06	0-041	1-06	0-041	1-06			1,165	#4 STANDEES
5316	MT	SLAB OPENING (REF:2/S-401.00)																	
5317	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
5318	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
5319	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
5320	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
5321	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
5322	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
5323	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
5324	TR	LS		60	2				4/13	S	572-00				0	1-08	30-00	809	2 #4 PERIMETER
5325	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
5326	TR	LS		60	1				4/13	S	691-00				0	1-08	30-00	488	1 #4 CONT
5327	TR	LS		60	2				4/13	S	459-00				0	1-08	30-00	649	2 #4 CONT
5328	MT	24TH FLOOR TOP ADDL (REF:S-223.00)																	
5329	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
5330	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
5331	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
5332	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
5333	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
5334	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
5335	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
5336	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
5337	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
5338	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
5339	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
5340	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
5341	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
5342	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
5343	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
5344	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
5345	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
5346	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
5347	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
5348	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
5349	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
5350	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
5351	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
5352	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
5353	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
5354	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
5355	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
5356	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
5357	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
5358	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
5359	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
5360	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
5361	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
5362	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
5363	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
5364	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
5365	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
5366	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
5367	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
5368	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
5369	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
5370	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
5371	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
5372	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
5373	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
5374	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
5375	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5376	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
5377	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5378	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5379	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
5380	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
5381	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
5382	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5383	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
5384	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
5385	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
5386	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
5387	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
5388	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
5389	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
5390	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
5391	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
5392	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5393	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5394	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5395	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
5396	TR	BF		60	1			3	6/19	S	14-03							64	1 #6 TOP ADDL
5397	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
5398	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
5399	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
5400	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
5401	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
5402	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
5403	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
5404	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
5405	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
5406	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
5407	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
5408	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
5409	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
5410	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
5411	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
5412	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
5413	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
5414	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
5415	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
5416	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
5417	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
5418	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
5419	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
5420	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
5421	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
5422	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
5423	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
5424	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
5425	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
5426	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
5427	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
5428	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
5429	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
5430	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
5431	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
5432	TR	BF		60	1			6	6/19	S	15-04							138	1 #6 TOP ADDL
5433	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
5434	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
5435	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
5436	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
5437	TR	BF		60	1			5	6/19	S	14-00							105	1 #6 TOP ADDL
5438	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
5439	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
5440	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
5441	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
5442	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
5443	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
5444	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
5445	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
5446	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
5447	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
5448	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
5449	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
5450	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
5451	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
5452	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
5453	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
5454	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
5455	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
5456	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
5457	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
5458	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
5459	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
5460	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
5461	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
5462	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
5463	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
5464	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
5465	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
5466	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
5467	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
5468	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
5469	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
5470	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
5471	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
5472	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
5473	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
5474	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
5475	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
5476	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
5477	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
5478	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
5479	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
5480	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
5481	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
5482	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
5483	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
5484	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
5485	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
5486	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
5487	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
5488	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
5489	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
5490	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
5491	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
5492	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
5493	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
5494	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
5495	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
5496	GI	Segment: 25TH FLOOR Sub-Segment: SLAB																	
5497	MT	25TH FLOOR FRAMING PLAN (REF:S-223.00)																	
5498	MT	8" THIK SLAB (7202 SQFT)																	
5499	TR	LS		60		84-10	1-00	2	5/16	H	84-10	2S90			0	2-02	30-00	16,684	#5 @12" BOT EW
5500	TI	lf			1799				SB 0.75									0	
5501	TR	BF		60	335				4/13	H	1-06	0-041	1-06	0-041	1-06			1,165	#4 STANDEES
5502	MT	SLAB OPENING (REF:2/S-401.00)																	
5503	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
5504	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
5505	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
5506	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
5507	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
5508	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
5509	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
5510	TR	LS		60	2				4/13	S	572-00				0	1-08	30-00	809	2 #4 PERIMETER
5511	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
5512	TR	LS		60	1				4/13	S	691-00				0	1-08	30-00	488	1 #4 CONT
5513	TR	LS		60	2				4/13	S	459-00				0	1-08	30-00	649	2 #4 CONT
5514	MT	25TH FLOOR TOP ADDL (REF:S-223.00)																	
5515	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
5516	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
5517	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
5518	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
5519	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
5520	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
5521	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
5522	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
5523	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
5524	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
5525	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
5526	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
5527	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
5528	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
5529	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
5530	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
5531	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
5532	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
5533	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
5534	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
5535	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
5536	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
5537	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
5538	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
5539	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
5540	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
5541	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
5542	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
5543	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
5544	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
5545	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
5546	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
5547	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
5548	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
5549	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
5550	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
5551	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
5552	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
5553	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
5554	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
5555	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
5556	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
5557	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
5558	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
5559	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
5560	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
5561	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5562	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
5563	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5564	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5565	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
5566	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
5567	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
5568	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5569	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
5570	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
5571	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
5572	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
5573	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
5574	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
5575	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
5576	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
5577	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
5578	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5579	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5580	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5581	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
5582	TR	BF		60	1			3	6/19	S	14-03							64	1 #6 TOP ADDL
5583	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
5584	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
5585	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
5586	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
5587	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
5588	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
5589	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
5590	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
5591	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
5592	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
5593	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
5594	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
5595	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
5596	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
5597	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
5598	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
5599	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
5600	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
5601	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
5602	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
5603	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
5604	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
5605	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
5606	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
5607	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
5608	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
5609	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
5610	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
5611	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
5612	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
5613	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
5614	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
5615	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
5616	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
5617	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
5618	TR	BF		60	1			6	6/19	S	15-04							138	1 #6 TOP ADDL
5619	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
5620	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
5621	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
5622	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
5623	TR	BF		60	1			5	6/19	S	14-00							105	1 #6 TOP ADDL
5624	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
5625	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
5626	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
5627	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
5628	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
5629	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
5630	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
5631	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
5632	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
5633	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
5634	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
5635	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
5636	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
5637	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
5638	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
5639	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
5640	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
5641	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
5642	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
5643	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
5644	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
5645	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
5646	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
5647	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
5648	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
5649	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
5650	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
5651	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
5652	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
5653	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
5654	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
5655	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
5656	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
5657	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
5658	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
5659	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
5660	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
5661	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
5662	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
5663	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
5664	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
5665	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
5666	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
5667	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
5668	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
5669	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
5670	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
5671	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
5672	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
5673	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
5674	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
5675	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
5676	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
5677	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
5678	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
5679	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
5680	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
5681	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
5682	GI	Segment: 26TH FLOOR Sub-Segment: SLAB																	
5683	MT	26TH FLOOR FRAMING PLAN (REF:S-223.00)																	
5684	MT	8" THIK SLAB (7202 SQFT)																	
5685	TR	LS		60		84-10	1-00	2	5/16	H	84-10	2S90			0	2-02	30-00	16,684	#5 @12" BOT EW
5686	TI	lf			1799				SB 0.75									0	
5687	TR	BF		60	335				4/13	H	1-06	0-041	1-06	0-041	1-06			1,165	#4 STANDEES
5688	MT	SLAB OPENING (REF:2/S-401.00)																	
5689	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
5690	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
5691	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
5692	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
5693	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
5694	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
5695	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
5696	TR	LS		60	2				4/13	S	572-00				0	1-08	30-00	809	2 #4 PERIMETER
5697	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
5698	TR	LS		60	1				4/13	S	691-00				0	1-08	30-00	488	1 #4 CONT
5699	TR	LS		60	2				4/13	S	459-00				0	1-08	30-00	649	2 #4 CONT
5700	MT	26TH FLOOR TOP ADDL (REF:S-223.00)																	
5701	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
5702	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
5703	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
5704	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
5705	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
5706	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
5707	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
5708	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
5709	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
5710	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
5711	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
5712	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
5713	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
5714	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
5715	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
5716	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
5717	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
5718	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
5719	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
5720	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
5721	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
5722	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
5723	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
5724	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
5725	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
5726	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
5727	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
5728	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
5729	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
5730	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
5731	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
5732	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
5733	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
5734	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
5735	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
5736	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
5737	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
5738	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
5739	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
5740	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
5741	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
5742	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
5743	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
5744	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
5745	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
5746	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
5747	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5748	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
5749	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5750	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5751	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
5752	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
5753	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
5754	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5755	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
5756	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
5757	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
5758	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
5759	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
5760	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
5761	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
5762	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
5763	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
5764	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5765	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5766	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5767	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
5768	TR	BF		60	1			3	6/19	S	14-03							64	1 #6 TOP ADDL
5769	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
5770	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
5771	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
5772	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
5773	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
5774	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
5775	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
5776	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
5777	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
5778	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
5779	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
5780	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
5781	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
5782	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
5783	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
5784	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
5785	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
5786	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
5787	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
5788	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
5789	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
5790	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
5791	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
5792	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
5793	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
5794	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
5795	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
5796	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
5797	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
5798	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
5799	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
5800	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
5801	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
5802	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
5803	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
5804	TR	BF		60	1			6	6/19	S	15-04							138	1 #6 TOP ADDL
5805	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
5806	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
5807	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
5808	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
5809	TR	BF		60	1			5	6/19	S	14-00							105	1 #6 TOP ADDL
5810	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
5811	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
5812	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
5813	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
5814	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
5815	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
5816	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
5817	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
5818	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
5819	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
5820	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
5821	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
5822	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
5823	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
5824	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
5825	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
5826	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
5827	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
5828	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
5829	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
5830	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
5831	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
5832	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
5833	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
5834	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
5835	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
5836	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
5837	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
5838	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
5839	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
5840	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
5841	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
5842	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
5843	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
5844	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
5845	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
5846	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
5847	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
5848	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
5849	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
5850	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
5851	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
5852	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
5853	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
5854	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
5855	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
5856	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
5857	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
5858	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
5859	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
5860	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
5861	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
5862	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
5863	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
5864	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
5865	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
5866	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
5867	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
5868	GI	Segment: 27TH FLOOR Sub-Segment: SLAB																	
5869	MT	27TH FLOOR FRAMING PLAN (REF:S-227.00)																	
5870	MT	8" THIK SLAB (7202 SQFT)																	
5871	TR	LS		60		84-10	1-00	2	5/16	H	84-10	2S90			0	2-02	30-00	16,684	#5 @12" BOT EW
5872	TI	lf			1799				SB 0.75									0	
5873	TR	BF		60	335				4/13	H	1-06	0-041	1-06	0-041	1-06			1,165	#4 STANDEES
5874	MT	SLAB OPENING (REF:2/S-401.00)																	
5875	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
5876	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
5877	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
5878	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
5879	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
5880	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
5881	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
5882	TR	LS		60	2				4/13	S	572-00				0	1-08	30-00	809	2 #4 PERIMETER
5883	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
5884	TR	LS		60	1				4/13	S	691-00				0	1-08	30-00	488	1 #4 CONT
5885	TR	LS		60	2				4/13	S	459-00				0	1-08	30-00	649	2 #4 CONT
5886	MT	27TH FLOOR TOP ADDL (REF:S-227.00)																	
5887	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
5888	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
5889	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
5890	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
5891	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
5892	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
5893	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
5894	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
5895	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
5896	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
5897	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
5898	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
5899	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
5900	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
5901	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
5902	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
5903	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
5904	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
5905	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
5906	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
5907	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
5908	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
5909	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
5910	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
5911	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
5912	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
5913	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
5914	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
5915	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
5916	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
5917	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
5918	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
5919	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
5920	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
5921	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
5922	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
5923	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
5924	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
5925	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
5926	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
5927	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
5928	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
5929	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
5930	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
5931	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
5932	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
5933	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5934	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
5935	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5936	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5937	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
5938	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
5939	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
5940	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
5941	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
5942	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
5943	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
5944	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
5945	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
5946	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
5947	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
5948	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
5949	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
5950	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5951	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5952	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
5953	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
5954	TR	BF		60	1			3	6/19	S	14-03							64	1 #6 TOP ADDL
5955	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
5956	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
5957	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
5958	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
5959	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
5960	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
5961	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
5962	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
5963	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
5964	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
5965	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
5966	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
5967	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
5968	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
5969	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
5970	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
5971	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
5972	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
5973	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
5974	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
5975	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
5976	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
5977	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
5978	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
5979	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
5980	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
5981	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
5982	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
5983	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
5984	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
5985	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
5986	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
5987	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
5988	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
5989	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
5990	TR	BF		60	1			6	6/19	S	15-04							138	1 #6 TOP ADDL
5991	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
5992	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
5993	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
5994	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
5995	TR	BF		60	1			5	6/19	S	14-00							105	1 #6 TOP ADDL
5996	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
5997	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
5998	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
5999	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
6000	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
6001	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
6002	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
6003	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
6004	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
6005	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
6006	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
6007	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
6008	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
6009	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
6010	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
6011	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
6012	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
6013	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
6014	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
6015	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
6016	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
6017	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
6018	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
6019	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
6020	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
6021	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
6022	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
6023	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
6024	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
6025	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
6026	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
6027	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
6028	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
6029	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
6030	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
6031	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
6032	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
6033	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
6034	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
6035	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
6036	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
6037	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
6038	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
6039	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
6040	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
6041	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
6042	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
6043	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
6044	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
6045	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
6046	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
6047	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
6048	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
6049	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
6050	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
6051	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
6052	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
6053	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
6054	GI	Segment: 28TH FLOOR Sub-Segment: SLAB																	
6055	MT	28TH FLOOR FRAMING PLAN (REF:S-227.00)																	
6056	MT	8" THIK SLAB (7202 SQFT)																	
6057	TR	LS		60		84-10	1-00	2	5/16	H	84-10	2S90			0	2-02	30-00	16,684	#5 @12" BOT EW
6058	TI	lf			1799				SB 0.75									0	
6059	TR	BF		60	335				4/13	H	1-06	0-041	1-06	0-041	1-06			1,165	#4 STANDEES
6060	MT	SLAB OPENING (REF:2/S-401.00)																	
6061	TR	BF		60	1			2	4/13	S	2-06	30-08	2-06					48	1 #4 T&B ADDL
6062	TR	BF		60	1			2	4/13	S	2-06	9-08	2-06					20	1 #4 T&B ADDL
6063	TR	BF		60	1			2	4/13	S	2-06	17-03	2-06					30	1 #4 T&B ADDL
6064	TR	BF		60	1			2	4/13	S	2-06	7-00	2-06					16	1 #4 T&B ADDL
6065	MT	SINGLE OPENING SLAB (REF:2/S-401.00)																	
6066	TR	BF		60	1			4*2*31	4/13	S	2-06	4-00	2-06					1,491	1 #4 T&B ADDL
6067	MT	CONCRETE FLAT SLAB DETAIL (REF:2/S-405.00)																	
6068	TR	LS		60	2				4/13	S	572-00				0	1-08	30-00	809	2 #4 PERIMETER
6069	TR	BF		60	2			6	4/13	H	1-08	1-08						27	2 #4 COR
6070	TR	LS		60	1				4/13	S	691-00				0	1-08	30-00	488	1 #4 CONT
6071	TR	LS		60	2				4/13	S	459-00				0	1-08	30-00	649	2 #4 CONT
6072	MT	28TH FLOOR TOP ADDL (REF:S-227.00)																	
6073	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
6074	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
6075	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
6076	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
6077	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
6078	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
6079	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
6080	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
6081	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
6082	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
6083	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
6084	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
6085	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
6086	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
6087	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
6088	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
6089	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
6090	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
6091	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
6092	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
6093	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
6094	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
6095	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
6096	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
6097	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
6098	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
6099	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
6100	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
6101	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
6102	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
6103	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
6104	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
6105	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
6106	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
6107	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
6108	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
6109	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
6110	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
6111	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
6112	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
6113	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
6114	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
6115	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
6116	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
6117	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
6118	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
6119	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
6120	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
6121	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
6122	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
6123	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
6124	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
6125	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
6126	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
6127	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
6128	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
6129	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
6130	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
6131	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
6132	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
6133	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
6134	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
6135	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
6136	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
6137	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
6138	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
6139	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
6140	TR	BF		60	1			3	6/19	S	14-03							64	1 #6 TOP ADDL
6141	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
6142	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
6143	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
6144	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
6145	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
6146	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
6147	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
6148	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
6149	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
6150	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
6151	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
6152	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
6153	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
6154	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
6155	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
6156	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
6157	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
6158	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
6159	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
6160	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
6161	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
6162	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
6163	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
6164	TR	BF		60	1			1	6/19	S	14-03							21	1 #6 TOP ADDL
6165	TR	BF		60	1			1	6/19	S	14-00							21	1 #6 TOP ADDL
6166	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
6167	TR	BF		60	1			1	6/19	H	S90	8-00						14	1 #6 TOP ADDL
6168	TR	BF		60	1			1	6/19	H	S90	8-02						14	1 #6 TOP ADDL
6169	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
6170	TR	BF		60	1			1	6/19	H	S90	8-03						14	1 #6 TOP ADDL
6171	TR	BF		60	1			1	6/19	H	S90	10-03						17	1 #6 TOP ADDL
6172	TR	BF		60	1			6	6/19	S	16-00							144	1 #6 TOP ADDL
6173	TR	BF		60	1			6	6/19	S	14-00							126	1 #6 TOP ADDL
6174	TR	BF		60	1			6	6/19	S	16-08							150	1 #6 TOP ADDL
6175	TR	BF		60	1			6	6/19	S	14-05							130	1 #6 TOP ADDL
6176	TR	BF		60	1			6	6/19	S	15-04							138	1 #6 TOP ADDL
6177	TR	BF		60	1			10	6/19	S	16-08							250	1 #6 TOP ADDL
6178	TR	BF		60	1			10	6/19	S	15-04							230	1 #6 TOP ADDL
6179	TR	BF		60	1			5	6/19	S	16-03							122	1 #6 TOP ADDL
6180	TR	BF		60	1			5	6/19	S	16-00							120	1 #6 TOP ADDL
6181	TR	BF		60	1			5	6/19	S	14-00							105	1 #6 TOP ADDL
6182	TR	BF		60	1			5	6/19	S	15-04							115	1 #6 TOP ADDL
6183	TR	BF		60	6				4/13	S	10-03							41	6 #4 TOP ADDL
6184	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
6185	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
6186	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
6187	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
6188	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
6189	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
6190	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
6191	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
6192	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
6193	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
6194	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
6195	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
6196	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
6197	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
6198	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
6199	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
6200	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
6201	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
6202	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
6203	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
6204	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
6205	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
6206	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
6207	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
6208	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
6209	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
6210	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
6211	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
6212	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
6213	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
6214	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
6215	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
6216	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
6217	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
6218	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
6219	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
6220	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
6221	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
6222	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
6223	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
6224	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
6225	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
6226	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
6227	TR	BF		60		8-00	1-00		4/13	H	S90	7-08						50	#4 @12" MIDL ADDL
6228	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
6229	TR	BF		60		8-03	1-00		4/13	H	S90	7-10						57	#4 @12" MIDL ADDL
6230	TR	BF		60		7-08	1-00		4/13	H	S90	6-04						42	#4 @12" MIDL ADDL
6231	TR	BF		60		10-04	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
6232	TR	BF		60		11-00	1-00		4/13	S	11-00							88	#4 @12" MIDL ADDL
6233	TR	BF		60		10-00	1-00		4/13	S	8-03							61	#4 @12" MIDL ADDL
6234	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
6235	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
6236	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
6237	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
6238	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
6239	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
6240	GI	Segment: 29TH FLOOR Sub-Segment: SLAB																	
6241	MT	29TH FLOOR SEC:S-229.00																	
6242	MT	10" THK SLAB (840 SQFT)																	
6243	TR	LS		60		29-00	1-00	2	5/16	S	29-00				0	2-02	30-00	1,815	#5 @12" B EW
6244	TR	BF		60	49				4/13	H	1-06	0-06	1-06	0-06	1-06			180	#4 STANDEES
6245	MT	8" THK SLAB (6230 SQFT)																	
6246	TR	LS		60		79-00	1-00	2	5/16	S	79-00				0	2-02	30-00	13,907	#5 @12" B EW
6247	TI	lf			1765				SB 0.75									0	
6248	TR	BF		60	361				4/13	H	1-06	0-04	1-06	0-04	1-06			1,246	#4 STANDEES
6249	MT	REF:2/S-401.00)																	
6250	TR	BF		60	1			2*18	4/13	S	1-08	5-00	1-08					200	1 #4 H ES
6251	TR	BF		60	1			2*18	4/13	S	1-08	2-00	1-08					128	1 #4 V ES
6252	MT	REF:(2/S-405)																	
6253	TR	LS		60	2			4	4/13	S	103-00				0	1-08	30-00	577	2 #4 B
6254	TR	LS		60	1			6	4/13	S	55-04				0	1-08	30-00	228	1 #4 B

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
6255	TR	LS		60	4				5/16	S	335-00				0	2-02	30-00	1,497	4 #5 B
6256	MT	COLUMN STRIP																	
6257	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
6258	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
6259	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
6260	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
6261	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
6262	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
6263	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
6264	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
6265	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
6266	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
6267	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
6268	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
6269	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
6270	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
6271	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
6272	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
6273	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
6274	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
6275	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
6276	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL
6277	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
6278	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
6279	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
6280	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
6281	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
6282	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
6283	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
6284	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
6285	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
6286	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
6287	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
6288	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
6289	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
6290	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
6291	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
6292	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
6293	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
6294	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
6295	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
6296	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
6297	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
6298	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
6299	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
6300	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
6301	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
6302	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
6303	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
6304	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
6305	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
6306	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
6307	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
6308	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
6309	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
6310	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
6311	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
6312	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
6313	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
6314	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
6315	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
6316	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
6317	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
6318	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
6319	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
6320	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
6321	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
6322	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
6323	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
6324	TR	BF		60	1			3	6/19	S	14-03							64	1 #6 TOP ADDL
6325	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
6326	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
6327	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
6328	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
6329	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
6330	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
6331	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
6332	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
6333	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
6334	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
6335	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL
6336	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
6337	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
6338	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
6339	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
6340	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
6341	TR	BF		60	1			7	6/19	S	16-00							168	1 #6 TOP ADDL
6342	TR	BF		60	1			7	6/19	S	16-08							175	1 #6 TOP ADDL
6343	TR	BF		60	1			7	6/19	H	S90	15-04						172	1 #6 TOP ADDL
6344	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
6345	TR	BF		60	9				4/13	H	S90	7-08						50	9 #4 TOP ADDL
6346	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
6347	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
6348	MT	MIDDLE STRIP																	
6349	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
6350	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
6351	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
6352	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
6353	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
6354	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
6355	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
6356	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
6357	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
6358	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
6359	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
6360	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
6361	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
6362	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
6363	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
6364	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
6365	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
6366	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
6367	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
6368	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
6369	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
6370	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
6371	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
6372	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
6373	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
6374	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
6375	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
6376	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
6377	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
6378	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
6379	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
6380	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
6381	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
6382	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
6383	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
6384	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
6385	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
6386	TR	BF		60		8-11	1-00		4/13	S	10-07							71	#4 @12" MIDL ADDL
6387	TR	BF		60		8-09	1-00		4/13	S	9-10							66	#4 @12" MIDL ADDL
6388	TR	BF		60		15-06	1-00		4/13	S	10-08							121	#4 @12" MIDL ADDL
6389	TR	BF		60		6-07	1-00		4/13	S	12-08							68	#4 @12" MIDL ADDL
6390	TR	BF		60		10-04	1-00		4/13	H	S90	6-04						56	#4 @12" MIDL ADDL
6391	TR	BF		60		7-04	1-00		4/13	H	S90	6-09						45	#4 @12" MIDL ADDL
6392	TR	BF		60		3-09	1-00	2	6/19	H	S90	13-00						210	#6 @12" TOP
6393	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
6394	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
6395	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
6396	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
6397	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
6398	GI	Segment: 30TH FLOOR Sub-Segment: SLAB																	
6399	MT	30TH FLOOR SEC:S-229.00																	
6400	MT	8" THK SLAB (5750 SQFT)																	
6401	TR	LS		60		76-00	1-00	2	5/16	S	76-00				0	2-02	30-00	12,904	#5 @12" B EW
6402	TR	BF		60	361				4/13	H	1-06	0-04	1-06	0-04	1-06			1,246	#4 STANDEES
6403	TI	lf			1445				SB 0.75									0	
6404	MT	REF:2/S-401.00)																	
6405	TR	BF		60	1			2*18	4/13	S	1-08	5-00	1-08					200	1 #4 H ES
6406	TR	BF		60	1			2*18	4/13	S	1-08	2-00	1-08					128	1 #4 V ES
6407	MT	REF:(2/S-405)																	
6408	TR	LS		60	2			4	4/13	S	103-00				0	1-08	30-00	577	2 #4 B
6409	TR	LS		60	1			6	4/13	S	55-04				0	1-08	30-00	228	1 #4 B
6410	TR	LS		60	4				5/16	S	335-00				0	2-02	30-00	1,497	4 #5 B
6411	MT	COLUMN STRIP																	
6412	TR	BF		60	1			2	6/19	H	S90	6-06						23	1 #6 TOP ADDL
6413	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
6414	TR	BF		60	1			2	6/19	H	S90	16-00						51	1 #6 TOP ADDL
6415	TR	BF		60	1			2	6/19	H	S90	15-10						51	1 #6 TOP ADDL
6416	TR	BF		60	1			2	6/19	H	S90	9-09						32	1 #6 TOP ADDL
6417	TR	BF		60	1			2	6/19	S	15-03							46	1 #6 TOP ADDL
6418	TR	BF		60	1			2	6/19	S	14-07							44	1 #6 TOP ADDL
6419	TR	BF		60	1			2	6/19	H	S90	9-07						32	1 #6 TOP ADDL
6420	TR	BF		60	1			2	6/19	H	S90	9-11						33	1 #6 TOP ADDL
6421	TR	BF		60	1			2	6/19	S	14-03							43	1 #6 TOP ADDL
6422	TR	BF		60	1			2	6/19	S	13-08							41	1 #6 TOP ADDL
6423	TR	BF		60	1			2	6/19	H	S90	10-02						34	1 #6 TOP ADDL
6424	TR	BF		60	8				4/13	H	S90	9-06						54	8 #4 TOP ADDL
6425	TR	BF		60	8				4/13	H	S90	9-09						56	8 #4 TOP ADDL
6426	TR	BF		60	8				4/13	H	S90	8-00						46	8 #4 TOP ADDL
6427	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
6428	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
6429	TR	BF		60	8				4/13	S	16-00							86	8 #4 TOP ADDL
6430	TR	BF		60	8				4/13	S	14-07							78	8 #4 TOP ADDL
6431	TR	BF		60	8				4/13	H	S90	7-06						44	8 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
6432	TR	BF		60	8				4/13	H	S90	9-07						55	8 #4 TOP ADDL
6433	TR	BF		60	8				4/13	S	15-10							85	8 #4 TOP ADDL
6434	TR	BF		60	8				4/13	S	13-00							69	8 #4 TOP ADDL
6435	TR	BF		60	8				4/13	S	14-00							75	8 #4 TOP ADDL
6436	TR	BF		60	8				4/13	H	S90	8-03						48	8 #4 TOP ADDL
6437	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
6438	TR	BF		60	8				4/13	S	14-03							76	8 #4 TOP ADDL
6439	TR	BF		60	8				4/13	H	S90	8-08						50	8 #4 TOP ADDL
6440	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
6441	TR	BF		60	7				4/13	S	15-08							73	7 #4 TOP ADDL
6442	TR	BF		60	7				4/13	S	15-05							72	7 #4 TOP ADDL
6443	TR	BF		60	7				4/13	S	14-11							70	7 #4 TOP ADDL
6444	TR	BF		60	7				4/13	H	S90	9-07						48	7 #4 TOP ADDL
6445	TR	BF		60	7				4/13	H	S90	9-09						49	7 #4 TOP ADDL
6446	TR	BF		60	7				4/13	S	7-10							37	7 #4 TOP ADDL
6447	TR	BF		60	7				4/13	S	15-11							74	7 #4 TOP ADDL
6448	TR	BF		60	7				4/13	S	13-10							65	7 #4 TOP ADDL
6449	TR	BF		60	7				4/13	S	14-03							67	7 #4 TOP ADDL
6450	TR	BF		60	12				4/13	H	S90	8-00						69	12 #4 TOP ADDL
6451	TR	BF		60	12				4/13	H	S90	7-03						63	12 #4 TOP ADDL
6452	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
6453	TR	BF		60	12				4/13	S	14-00							112	12 #4 TOP ADDL
6454	TR	BF		60	12				4/13	H	S90	7-08						67	12 #4 TOP ADDL
6455	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
6456	TR	BF		60	12				4/13	S	15-08							126	12 #4 TOP ADDL
6457	TR	BF		60	1			4	6/19	S	15-04							92	1 #6 TOP ADDL
6458	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
6459	TR	BF		60	1			4	6/19	S	14-02							85	1 #6 TOP ADDL
6460	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
6461	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
6462	TR	BF		60	1			4	6/19	S	15-11							96	1 #6 TOP ADDL
6463	TR	BF		60	1			4	6/19	S	15-02							91	1 #6 TOP ADDL
6464	TR	BF		60	1			4	6/19	S	16-03							98	1 #6 TOP ADDL
6465	TR	BF		60	1			4	6/19	S	15-08							94	1 #6 TOP ADDL
6466	TR	BF		60	1			3	6/19	S	14-11							67	1 #6 TOP ADDL
6467	TR	BF		60	1			3	6/19	S	14-02							64	1 #6 TOP ADDL
6468	TR	BF		60	1			3	6/19	S	11-03							51	1 #6 TOP ADDL
6469	TR	BF		60	1			3	6/19	S	16-00							72	1 #6 TOP ADDL
6470	TR	BF		60	1			3	6/19	S	11-00							50	1 #6 TOP ADDL
6471	TR	BF		60	1			3	6/19	H	S90	9-07						48	1 #6 TOP ADDL
6472	TR	BF		60	1			3	6/19	S	14-00							63	1 #6 TOP ADDL
6473	TR	BF		60	1			3	6/19	H	S90	9-02						46	1 #6 TOP ADDL
6474	TR	BF		60	1			3	6/19	S	15-10							71	1 #6 TOP ADDL
6475	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
6476	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
6477	TR	BF		60	1			3	6/19	S	16-03							73	1 #6 TOP ADDL
6478	TR	BF		60	1			3	6/19	S	15-11							72	1 #6 TOP ADDL
6479	TR	BF		60	1			3	6/19	S	14-03							64	1 #6 TOP ADDL
6480	TR	BF		60	11				4/13	H	S90	15-03						117	11 #4 TOP ADDL
6481	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
6482	TR	BF		60	11				4/13	S	16-03							119	11 #4 TOP ADDL
6483	TR	BF		60	11				4/13	H	S90	8-09						69	11 #4 TOP ADDL
6484	TR	BF		60	11				4/13	H	S90	9-04						73	11 #4 TOP ADDL
6485	TR	BF		60	10				4/13	H	S90	6-04						47	10 #4 TOP ADDL
6486	TR	BF		60	10				4/13	H	S90	5-09						43	10 #4 TOP ADDL
6487	TR	BF		60	10				4/13	S	15-04							102	10 #4 TOP ADDL
6488	TR	BF		60	10				4/13	S	16-00							107	10 #4 TOP ADDL
6489	TR	BF		60	10				4/13	S	11-03							75	10 #4 TOP ADDL
6490	TR	BF		60	10				4/13	S	12-00							80	10 #4 TOP ADDL

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
6491	TR	BF		60	10				4/13	H	S90	8-07						62	10 #4 TOP ADDL
6492	TR	BF		60	10				4/13	S	15-02							101	10 #4 TOP ADDL
6493	TR	BF		60	10				4/13	H	S90	9-10						70	10 #4 TOP ADDL
6494	TR	BF		60	1			7	6/19	S	15-03							160	1 #6 TOP ADDL
6495	TR	BF		60	9				4/13	S	16-08							100	9 #4 TOP ADDL
6496	TR	BF		60	9				4/13	H	S90	9-03						60	9 #4 TOP ADDL
6497	MT	MIDDLE STRIP																	
6498	TR	BF		60		10-00	1-00		4/13	H	S90	7-02						58	#4 @12" MIDL ADDL
6499	TR	BF		60		10-02	1-00		4/13	H	S90	6-03						55	#4 @12" MIDL ADDL
6500	TR	BF		60		10-03	1-00		4/13	H	S90	7-07						66	#4 @12" MIDL ADDL
6501	TR	BF		60		6-03	1-00		4/13	S	10-11							58	#4 @12" MIDL ADDL
6502	TR	BF		60		5-04	1-00		4/13	S	10-11							51	#4 @12" MIDL ADDL
6503	TR	BF		60		10-10	1-00		4/13	S	9-10							79	#4 @12" MIDL ADDL
6504	TR	BF		60		7-04	1-00		4/13	S	9-08							58	#4 @12" MIDL ADDL
6505	TR	BF		60		16-00	1-00		4/13	S	10-11							124	#4 @12" MIDL ADDL
6506	TR	BF		60		6-06	1-00		4/13	H	S90	9-10						56	#4 @12" MIDL ADDL
6507	TR	BF		60		12-00	1-00		4/13	H	S90	7-00						67	#4 @12" MIDL ADDL
6508	TR	BF		60		9-09	1-00		4/13	H	S90	12-04						96	#4 @12" MIDL ADDL
6509	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
6510	TR	BF		60		11-06	1-00		4/13	S	11-02							97	#4 @12" MIDL ADDL
6511	TR	BF		60		9-00	1-00		4/13	S	9-09							65	#4 @12" MIDL ADDL
6512	TR	BF		60		10-04	1-00		4/13	S	10-11							87	#4 @12" MIDL ADDL
6513	TR	BF		60		12-03	1-00		4/13	S	10-11							102	#4 @12" MIDL ADDL
6514	TR	BF		60		8-11	1-00		4/13	S	9-07							64	#4 @12" MIDL ADDL
6515	TR	BF		60		11-09	1-00		4/13	S	9-04							81	#4 @12" MIDL ADDL
6516	TR	BF		60		6-06	1-00		4/13	H	S90	6-03						37	#4 @12" MIDL ADDL
6517	TR	BF		60		11-06	1-00		4/13	H	S90	6-03						60	#4 @12" MIDL ADDL
6518	TR	BF		60		6-09	1-00		4/13	H	S90	7-07						44	#4 @12" MIDL ADDL
6519	TR	BF		60		12-10	1-00		4/13	H	S90	7-04						75	#4 @12" MIDL ADDL
6520	TR	BF		60		5-10	1-00		4/13	S	10-09							50	#4 @12" MIDL ADDL
6521	TR	BF		60		10-04	1-00		4/13	S	8-00							64	#4 @12" MIDL ADDL
6522	TR	BF		60		4-06	1-00		4/13	S	10-03							41	#4 @12" MIDL ADDL
6523	TR	BF		60		10-00	1-00		4/13	S	7-03							53	#4 @12" MIDL ADDL
6524	TR	BF		60		9-03	1-00		4/13	H	S90	5-00						42	#4 @12" MIDL ADDL
6525	TR	BF		60		14-06	1-00		4/13	S	11-02							119	#4 @12" MIDL ADDL
6526	TR	BF		60		10-03	1-00		4/13	H	S90	6-10						60	#4 @12" MIDL ADDL
6527	TR	BF		60		11-10	1-00		4/13	S	9-09							85	#4 @12" MIDL ADDL
6528	TR	BF		60		9-04	1-00		4/13	H	S90	4-10						40	#4 @12" MIDL ADDL
6529	TR	BF		60		7-02	1-00		4/13	S	6-00							36	#4 @12" MIDL ADDL
6530	TR	BF		60		8-00	1-00		4/13	S	8-07							52	#4 @12" MIDL ADDL
6531	TR	BF		60		8-09	1-00		4/13	H	S90	7-03						53	#4 @12" MIDL ADDL
6532	TR	BF		60		8-04	1-00		4/13	H	S90	4-09						36	#4 @12" MIDL ADDL
6533	TR	BF		60		7-07	1-00		4/13	S	6-09							41	#4 @12" MIDL ADDL
6534	TR	BF		60		9-00	1-00		4/13	S	10-00							67	#4 @12" MIDL ADDL
6535	TR	BF		60		3-08	1-00	2	6/19	H	S90	13-03						214	#6 @12" TOP
6536	TR	BF		60		6-09	1-00		6/19	H	S90	21-00						264	#6 @12" TOP
6537	TR	BF		60		8-00	1-00		6/19	H	S90	21-00						297	#6 @12" TOP
6538	TR	BF		60		17-00	1-00		6/19	H	S90	7-00						216	#6 @12" TOP
6539	TR	BF		60		6-06	1-00		6/19	S	36-06	3-06						481	#6 @12" TOP
6540	GI	Segment: ROOF Sub-Segment: SLAB																	
6541	MT	ROOF SEC:S-231.00																	
6542	MT	10" THK SLAB (5845 SQFT)																	
6543	TR	LS		60		76-00	1-00	2	5/16	S	76-00				0	2-02	30-00	12,904	#5 @12" B EW
6544	TR	BF		60	361				4/13	H	1-06	0-04	1-06	0-04	1-06			1,246	#4 STANDEES
6545	TI	lf			1445				SB 0.75									0	
6546	GI	Segment: EMR LEVEL Sub-Segment: SLAB																	
6547	MT	EMR FRAMING PLAN SEC:S-231.00																	
6548	MT	12" THK SLAB (1046 SQFT)																	
6549	TR	LS		60		32-03	1-00	2	5/16	S	32-03				0	2-02	30-00	2,441	#5 @12" B EW

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
6550	TR	BF		60	66				4/13	H	1-06	0-04	1-06	0-04	1-06			228	#4 STANDEES
6551	TI	lf			255				SB 0.75									0	
6552	TR	BF		60	2			6*2	6/19	H	5-00							180	2 #6 EW
6553	GI	Segment: CELLAR Sub-Segment: COLUMN																	
6554	MT	COLUMN																	
6555	MT	CELLAR LEVEL																	
6556	MT	MARK:01 (20X20)																	
6557	TR	BF		60	8				7/22	S	12-03	3-03						253	8 #7 V
6558	TR	BF		60		12-03	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			29	#3 @14" TIES
6559	TR	BF		60		12-03	1-02	2	3/10	L	S90	1-05	S135					19	#3 @14" LINKS
6560	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
6561	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
6562	MT	MARK:02 (24X18)																	
6563	TR	BF		80	8				9/29	S	12-03	6-11						521	8 #9 V
6564	TR	BF		60		12-03	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			25	#3 @18" TIES
6565	TR	BF		60		12-03	1-06		3/10	L	S90	1-09	S135					9	#3 @18" LINKS
6566	TR	BF		60		12-03	1-06		3/10	L	S90	1-03	S135					7	#3 @18" LINKS
6567	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6568	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6569	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6570	MT	MARK:03 (18X24)																	
6571	TR	BF		80	8				9/29	S	14-03	6-11						576	8 #9 V
6572	TR	BF		60		14-03	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @18" TIES
6573	TR	BF		60		14-03	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
6574	TR	BF		60		14-03	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
6575	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6576	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6577	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6578	MT	MARK:04 (24X18)																	
6579	TR	BF		80	8				9/29	S	14-03	6-11						576	8 #9 V
6580	TR	BF		60		14-03	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @18" TIES
6581	TR	BF		60		14-03	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
6582	TR	BF		60		14-03	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
6583	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6584	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6585	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6586	MT	MARK:05 (18X24)																	
6587	TR	BF		80	8				9/29	S	14-03	6-11						576	8 #9 V
6588	TR	BF		60		14-03	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @18" TIES
6589	TR	BF		60		14-03	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
6590	TR	BF		60		14-03	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
6591	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6592	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6593	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6594	MT	MARK:08 (20X24)																	
6595	TR	BF		80	12				11/36	S	12-03							781	12 #11 V
6596	TR	BF		60		12-03	1-10		4/13	L	2S90	1-05	1-09	1-05	1-09			38	#4 @22" TIES
6597	TR	BF		60		12-03	1-10		4/13	L	S90	1-09	S135					13	#4 @22" LINKS
6598	TR	BF		60		12-03	1-10	3	4/13	L	S90	1-05	S135					35	#4 @22" LINKS
6599	TR	BF		60	3				4/13	L	2S90	1-05	1-09	1-05	1-09			14	3 #4 @3" TIES@ T
6600	TR	BF		60	3				4/13	L	S90	1-09	S135					5	3 #4 @3" LINKS@ T
6601	TR	BF		60	3			3	4/13	L	S90	1-05	S135					13	3 #4 @3" LINKS@ T
6602	TI	EA			12				#11 MECH CPLR									0	
6603	MT	MARK:09, 15 (24X18) (2-LOC)																	
6604	TR	BF		80	12			2	11/36	S	14-03							1,817	12 #11 V
6605	TR	BF		60		14-03	1-10	2	4/13	L	2S90	1-09	1-03	1-09	1-03			81	#4 @22" TIES
6606	TR	BF		60		14-03	1-10	2	4/13	L	S90	1-09	S135					30	#4 @22" LINKS
6607	TR	BF		60		14-03	1-10	2*3	4/13	L	S90	1-03	S135					72	#4 @22" LINKS
6608	TR	BF		60	3			2	4/13	L	2S90	1-09	1-03	1-09	1-03			27	3 #4 @3" TIES@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
6609	TR	BF		60	3			2	4/13	L	S90	1-09	S135					10	3 #4 @3" LINKS@ T
6610	TR	BF		60	3			2*3	4/13	L	S90	1-03	S135					24	3 #4 @3" LINKS@ T
6611	TI	EA			12		2		#11 MECH CPLR									0	
6612	MT	MARK:10, 11 (18X24) (2-LOC)																	
6613	TR	BF		80	12			2	11/36	S	14-03							1,817	12 #11 V
6614	TR	BF		60		14-03	1-10	2	4/13	L	2S90	1-03	1-09	1-03	1-09			81	#4 @22" TIES
6615	TR	BF		60		14-03	1-10	2	4/13	L	S90	1-09	S135					30	#4 @22" LINKS
6616	TR	BF		60		14-03	1-10	2*3	4/13	L	S90	1-03	S135					72	#4 @22" LINKS
6617	TR	BF		60	3			2	4/13	L	2S90	1-03	1-09	1-03	1-09			27	3 #4 @3" TIES@ T
6618	TR	BF		60	3			2	4/13	L	S90	1-09	S135					10	3 #4 @3" LINKS@ T
6619	TR	BF		60	3			2*3	4/13	L	S90	1-03	S135					24	3 #4 @3" LINKS@ T
6620	TI	EA			12		2		#11 MECH CPLR									0	
6621	MT	MARK:14 (24X20)																	
6622	TR	BF		80	12				11/36	S	16-05							1,047	12 #11 V
6623	TR	BF		60		16-05	1-10		4/13	L	2S90	1-09	1-05	1-09	1-05			47	#4 @22" TIES
6624	TR	BF		60		16-05	1-10		4/13	L	S90	1-09	S135					17	#4 @22" LINKS
6625	TR	BF		60		16-05	1-10	3	4/13	L	S90	1-05	S135					43	#4 @22" LINKS
6626	TR	BF		60	3				4/13	L	2S90	1-09	1-05	1-09	1-05			14	3 #4 @3" TIES@ T
6627	TR	BF		60	3				4/13	L	S90	1-05	S135					4	3 #4 @3" LINKS@ T
6628	TR	BF		60	3			3	4/13	L	S90	1-09	S135					15	3 #4 @3" LINKS@ T
6629	TI	EA			12				#11 MECH CPLR									0	
6630	MT	MARK:18 (24X18)																	
6631	TR	BF		80	8				9/29	S	14-03	6-11						576	8 #9 V
6632	TR	BF		60		14-03	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @18" TIES
6633	TR	BF		60		14-03	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
6634	TR	BF		60		14-03	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
6635	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6636	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6637	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6638	MT	MARK:19 (18X24)																	
6639	TR	BF		80	8				9/29	S	14-03	6-11						576	8 #9 V
6640	TR	BF		60		14-03	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @18" TIES
6641	TR	BF		60		14-03	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
6642	TR	BF		60		14-03	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
6643	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6644	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6645	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6646	MT	MARK:21 (26X16)																	
6647	TR	BF		80	8				8/25	S	14-03	6-02						436	8 #8 V
6648	TR	BF		60		14-03	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			30	#3 @16" TIES
6649	TR	BF		60		14-03	1-04		3/10	L	S90	1-11	S135					12	#3 @16" LINKS
6650	TR	BF		60		14-03	1-04		3/10	L	S90	1-01	S135					8	#3 @16" LINKS
6651	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
6652	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
6653	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
6654	MT	MARK:22 (24X18)																	
6655	TR	BF		80	8				8/25	S	14-03	6-02						436	8 #8 V
6656	TR	BF		60		14-03	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			30	#3 @16" TIES
6657	TR	BF		60		14-03	1-04		3/10	L	S90	1-09	S135					11	#3 @16" LINKS
6658	TR	BF		60		14-03	1-04		3/10	L	S90	1-03	S135					9	#3 @16" LINKS
6659	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6660	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6661	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6662	MT	MARK:23 (27X16)																	
6663	TR	BF		60	8				7/22	S	14-03	3-03						286	8 #7 V
6664	TR	BF		60		14-03	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			36	#3 @14" TIES
6665	TR	BF		60		14-03	1-02		3/10	L	S90	2-00	S135					14	#3 @14" LINKS
6666	TR	BF		60		14-03	1-02		3/10	L	S90	1-01	S135					9	#3 @14" LINKS
6667	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
6668	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
6669	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
6670	MT	MARK:24 (20X20)																	
6671	TR	BF		80	8				8/25	S	14-03	6-02						436	8 #8 V
6672	TR	BF		60		14-03	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			29	#3 @16" TIES
6673	TR	BF		60		14-03	1-04	2	3/10	L	S90	1-05	S135					19	#3 @16" LINKS
6674	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
6675	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
6676	MT	MARK:25 (20X20)																	
6677	TR	BF		60	8				7/22	S	14-03	3-03						286	8 #7 V
6678	TR	BF		60		14-03	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			33	#3 @14" TIES
6679	TR	BF		60		14-03	1-02	2	3/10	L	S90	1-05	S135					22	#3 @14" LINKS
6680	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
6681	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
6682	MT	MARK:27,28, 32 (20X20) (3-LOC)																	
6683	TR	BF		60	8			3	7/22	S	14-00	3-03						846	8 #7 V
6684	TR	BF		60		14-00	1-02	3	3/10	L	2S90	1-05	1-05	1-05	1-05			93	#3 @14" TIES
6685	TR	BF		60		14-00	1-02	3*2	3/10	L	S90	1-05	S135					61	#3 @14" LINKS
6686	TR	BF		60	3			3	3/10	L	2S90	1-05	1-05	1-05	1-05			21	3 #3 @3" TIES@ T
6687	TR	BF		60	3			3*2	3/10	L	S90	1-05	S135					14	3 #3@3" LINKS@ T
6688	MT	MARK:29 (20X20)																	
6689	TR	BF		60	8				7/22	S	14-03	3-03						286	8 #7 V
6690	TR	BF		60		14-03	1-00		3/10	L	2S90	1-05	1-05	1-05	1-05			38	#3 @12" TIES
6691	TR	BF		60		14-03	1-00	2	3/10	L	S90	1-05	S135					25	#3 @12" LINKS
6692	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
6693	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
6694	MT	MARK:31 (20X20)																	
6695	TR	BF		60	8				7/22	S	14-00	3-03						282	8 #7 V
6696	TR	BF		60		14-00	1-00		3/10	L	2S90	1-05	1-05	1-05	1-05			36	#3 @12" TIES
6697	TR	BF		60		14-00	1-00	2	3/10	L	S90	1-05	S135					24	#3 @12" LINKS
6698	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
6699	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
6700	MT	MARK:33, 34, 35, 36 (20X20) (4-LOC)																	
6701	TR	BF		60	8			4	6/19	S	14-00	2-03						781	8 #6 V
6702	TR	BF		60		14-00	1-00	4	3/10	L	2S90	1-05	1-05	1-05	1-05			143	#3 @12" TIES
6703	TR	BF		60		14-00	1-00	4*2	3/10	L	S90	1-05	S135					94	#3 @12" LINKS
6704	TR	BF		60	3			4	3/10	L	2S90	1-05	1-05	1-05	1-05			29	3 #3 @3" TIES@ T
6705	TR	BF		60	3			4*2	3/10	L	S90	1-05	S135					19	3 #3@3" LINKS@ T
6706	MT	PODIUM LEVEL																	
6707	MT	MARK:107, 108, 109, 110 (24X18) (4-LOC)																	
6708	TR	BF		60	4			4	7/22	S	14-00	3-03						564	4 #7 V
6709	TR	BF		60		14-00	1-02	4	3/10	L	2S90	1-09	1-03	1-09	1-03			130	#3 @14" TIES
6710	TR	BF		60	3			4	3/10	L	2S90	1-09	1-03	1-09	1-03			30	3 #3 @3" TIES@ T
6711	MT	MARK:115 (18X24)																	
6712	TR	BF		60	4				7/22	S	21-09	3-03						204	4 #7 V
6713	TR	BF		60		21-09	1-02		3/10	L	2S90	1-03	1-09	1-03	1-09			50	#3 @14" TIES
6714	TR	BF		60	3				3/10	L	2S90	1-03	1-09	1-03	1-09			8	3 #3 @3" TIES@ T
6715	GI	Segment: 1ST FLOOR Sub-Segment: COLUMN																	
6716	MT	GROUND FLOOR SEC:F0-201.00																	
6717	MT	MARK:02 (24X18)																	
6718	TR	BF		80	8				9/29	S	19-00	6-11						705	8 #9 V
6719	TR	BF		60		19-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			35	#3 @18" TIES
6720	TR	BF		60		19-00	1-06		3/10	L	S90	1-09	S135					13	#3 @18" LINKS
6721	TR	BF		60		19-00	1-06		3/10	L	S90	1-03	S135					10	#3 @18" LINKS
6722	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6723	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6724	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6725	MT	MARK:03 (18X24)																	
6726	TR	BF		80	8				9/29	S	19-00	6-11						705	8 #9 V

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
6727	TR	BF		60		19-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			35	#3 @18" TIES
6728	TR	BF		60		19-00	1-06		3/10	L	S90	1-09	S135					13	#3 @18" LINKS
6729	TR	BF		60		19-00	1-06		3/10	L	S90	1-03	S135					10	#3 @18" LINKS
6730	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6731	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6732	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6733	MT	MARK:04 (24X18)																	
6734	TR	BF		80	8				9/29	S	19-00	6-11						705	8 #9 V
6735	TR	BF		60		19-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			35	#3 @18" TIES
6736	TR	BF		60		19-00	1-06		3/10	L	S90	1-09	S135					13	#3 @18" LINKS
6737	TR	BF		60		19-00	1-06		3/10	L	S90	1-03	S135					10	#3 @18" LINKS
6738	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6739	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6740	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6741	MT	MARK:05 (18X24)																	
6742	TR	BF		80	8				9/29	S	19-00	6-11						705	8 #9 V
6743	TR	BF		60		19-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			35	#3 @18" TIES
6744	TR	BF		60		19-00	1-06		3/10	L	S90	1-09	S135					13	#3 @18" LINKS
6745	TR	BF		60		19-00	1-06		3/10	L	S90	1-03	S135					10	#3 @18" LINKS
6746	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6747	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6748	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6749	MT	MARK:06 (20X20)																	
6750	TR	BF		60	8				7/22	S	19-00	3-03						364	8 #7 V
6751	TR	BF		60		19-00	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			43	#3 @14" TIES
6752	TR	BF		60		19-00	1-02	2	3/10	L	S90	1-05	S135					28	#3 @14" LINKS
6753	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
6754	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
6755	MT	MARK:07 (18X24)																	
6756	TR	BF		80	8				9/29	S	19-00	5-04						662	8 #9 V
6757	TR	BF		60		19-00	1-06		3/10	L	2S90	1-03	1-09	1-03	1-09			35	#3 @18" TIES
6758	TR	BF		60		19-00	1-06		3/10	L	S90	1-03	S135					10	#3 @18" LINKS
6759	TR	BF		60		19-00	1-06		3/10	L	S90	1-09	S135					13	#3 @18" LINKS
6760	TR	BF		60	3				3/10	L	2S90	1-03	1-09	1-03	1-09			8	3 #3 @3" TIES@ T
6761	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6762	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@ 3" LINKS@ T
6763	MT	MARK:08 (18X24)																	
6764	TR	BF		80	12				11/36	S	19-00							1,211	12 #11 V
6765	TR	BF		60		19-00	1-10		4/13	L	2S90	1-03	1-09	1-03	1-09			54	#4 @22" TIES
6766	TR	BF		60		19-00	1-10		4/13	L	S90	1-09	S135					20	#4 @22" LINKS
6767	TR	BF		60		19-00	1-10	3	4/13	L	S90	1-03	S135					48	#4 @22" LINKS
6768	TR	BF		60	3				4/13	L	2S90	1-03	1-09	1-03	1-09			14	3 #4 @3" TIES@ T
6769	TR	BF		60	3				4/13	L	S90	1-09	S135					5	3 #4 @3" LINKS@ T
6770	TR	BF		60	3			3	4/13	L	S90	1-03	S135					12	3 #4 @3" LINKS@ T
6771	TI	EA			12				#11/#10 TRANS CPLR									0	
6772	MT	MARK:09, 15 (24X18) (2-LOC)																	
6773	TR	BF		80	12			2	11/36	S	19-00							2,423	12 #11 V
6774	TR	BF		60		19-00	1-10	2	4/13	L	2S90	1-09	1-03	1-09	1-03			108	#4 @22" TIES
6775	TR	BF		60		19-00	1-10	2	4/13	L	S90	1-09	S135					40	#4 @22" LINKS
6776	TR	BF		60		19-00	1-10	2*3	4/13	L	S90	1-03	S135					96	#4 @22" LINKS
6777	TR	BF		60	3			2	4/13	L	2S90	1-09	1-03	1-09	1-03			27	3 #4 @3" TIES@ T
6778	TR	BF		60	3			2	4/13	L	S90	1-09	S135					10	3 #4 @3" LINKS@ T
6779	TR	BF		60	3			2*3	4/13	L	S90	1-03	S135					24	3 #4 @3" LINKS@ T
6780	TI	EA			12		2		#11/#10 TRANS CPLR									0	
6781	MT	MARK:10, 11 (18X24) (2-LOC)																	
6782	TR	BF		80	12			2	11/36	S	19-00							2,423	12 #11 V
6783	TR	BF		60		19-00	1-10	2	4/13	L	2S90	1-03	1-09	1-03	1-09			108	#4 @22" TIES
6784	TR	BF		60		19-00	1-10	2	4/13	L	S90	1-09	S135					40	#4 @22" LINKS
6785	TR	BF		60		19-00	1-10	2*3	4/13	L	S90	1-03	S135					96	#4 @22" LINKS

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
6786	TR	BF		60	3			2	4/13	L	2S90	1-03	1-09	1-03	1-09			27	3 #4 @3" TIES@ T
6787	TR	BF		60	3			2	4/13	L	S90	1-09	S135					10	3 #4 @3" LINKS@ T
6788	TR	BF		60	3			2*3	4/13	L	S90	1-03	S135					24	3 #4 @3" LINKS@ T
6789	TI	EA			12		2		#11/#10 TRANS CPLR									0	
6790	MT	MARK:12, 13 (24X18) (2-LOC)																	
6791	TR	BF		80	8			2	9/29	S	19-00	6-11						1,410	8 #9 V
6792	TR	BF		60		19-00	1-06	2	3/10	L	2S90	1-09	1-03	1-09	1-03			70	#3 @18" TIES
6793	TR	BF		60		19-00	1-06	2	3/10	L	S90	1-03	S135					20	#3 @18" LINKS
6794	TR	BF		60		19-00	1-06	2	3/10	L	S90	1-09	S135					25	#3 @18" LINKS
6795	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
6796	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
6797	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
6798	MT	MARK:14 (24X20)																	
6799	TR	BF		80	12				11/36	S	19-00							1,211	12 #11 V
6800	TR	BF		60		19-00	1-10		4/13	L	2S90	1-09	1-05	1-09	1-05			57	#4 @22" TIES
6801	TR	BF		60		19-00	1-10		4/13	L	S90	1-09	S135					20	#4 @22" LINKS
6802	TR	BF		60		19-00	1-10	3	4/13	L	S90	1-05	S135					52	#4 @22" LINKS
6803	TR	BF		60	3				4/13	L	2S90	1-09	1-05	1-09	1-05			14	3 #4 @3" TIES@ T
6804	TR	BF		60	3				4/13	L	S90	1-05	S135					4	3 #4 @3" LINKS@ T
6805	TR	BF		60	3			3	4/13	L	S90	1-09	S135					15	3 #4 @3" LINKS@ T
6806	TI	EA			12				#11/#10 TRANS CPLR									0	
6807	MT	MARK:16, 20 (18X24) (2-LOC)																	
6808	TR	BF		80	8			2	9/29	S	19-00	6-11						1,410	8 #9 V
6809	TR	BF		60		19-00	1-06	2	3/10	L	2S90	1-03	1-09	1-03	1-09			70	#3 @18" TIES
6810	TR	BF		60		19-00	1-06	2	3/10	L	S90	1-03	S135					20	#3 @18" LINKS
6811	TR	BF		60		19-00	1-06	2	3/10	L	S90	1-09	S135					25	#3 @18" LINKS
6812	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
6813	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
6814	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
6815	MT	MARK:17 (18X24)																	
6816	TR	BF		60	8				7/22	S	19-00	3-03						364	8 #7 V
6817	TR	BF		60		19-00	1-02		3/10	L	2S90	1-03	1-09	1-03	1-09			45	#3 @14" TIES
6818	TR	BF		60		19-00	1-02		3/10	L	S90	1-03	S135					13	#3 @14" LINKS
6819	TR	BF		60		19-00	1-02		3/10	L	S90	1-09	S135					16	#3 @14" LINKS
6820	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6821	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3 @3" LINKS@ T
6822	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6823	MT	MARK:18 (24X18)																	
6824	TR	BF		80	8				9/29	S	19-00	6-11						705	8 #9 V
6825	TR	BF		60		19-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			35	#3 @18" TIES
6826	TR	BF		60		19-00	1-06		3/10	L	S90	1-09	S135					13	#3 @18" LINKS
6827	TR	BF		60		19-00	1-06		3/10	L	S90	1-03	S135					10	#3 @18" LINKS
6828	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6829	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6830	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6831	MT	MARK:19 (18X24)																	
6832	TR	BF		80	8				9/29	S	19-00	6-11						705	8 #9 V
6833	TR	BF		60		19-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			35	#3 @18" TIES
6834	TR	BF		60		19-00	1-06		3/10	L	S90	1-09	S135					13	#3 @18" LINKS
6835	TR	BF		60		19-00	1-06		3/10	L	S90	1-03	S135					10	#3 @18" LINKS
6836	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6837	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6838	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6839	MT	MARK:21 (26X16)																	
6840	TR	BF		80	8				8/25	S	19-00	6-02						538	8 #8 V
6841	TR	BF		60		19-00	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			40	#3 @16" TIES
6842	TR	BF		60		19-00	1-04		3/10	L	S90	1-11	S135					16	#3 @16" LINKS
6843	TR	BF		60		19-00	1-04		3/10	L	S90	1-01	S135					11	#3 @16" LINKS
6844	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
6845	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
6846	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
6847	MT	MARK:22 (24X18)																	
6848	TR	BF		80	8				8/25	S	19-00	6-02						538	8 #8 V
6849	TR	BF		60		19-00	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			40	#3 @16" TIES
6850	TR	BF		60		19-00	1-04		3/10	L	S90	1-09	S135					15	#3 @16" LINKS
6851	TR	BF		60		19-00	1-04		3/10	L	S90	1-03	S135					12	#3 @16" LINKS
6852	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6853	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6854	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6855	MT	MARK:23 (27X16)																	
6856	TR	BF		60	8				7/22	S	19-00	3-03						364	8 #7 V
6857	TR	BF		60		19-00	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			46	#3 @14" TIES
6858	TR	BF		60		19-00	1-02		3/10	L	S90	2-00	S135					18	#3 @14" LINKS
6859	TR	BF		60		19-00	1-02		3/10	L	S90	1-01	S135					12	#3 @14" LINKS
6860	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
6861	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
6862	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
6863	MT	MARK:24 (20X20)																	
6864	TR	BF		80	8				8/25	S	19-00	6-02						538	8 #8 V
6865	TR	BF		60		19-00	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			38	#3 @16" TIES
6866	TR	BF		60		19-00	1-04	2	3/10	L	S90	1-05	S135					25	#3 @16" LINKS
6867	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
6868	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
6869	MT	MARK:25 (20X20)																	
6870	TR	BF		60	8				7/22	S	19-00	3-03						364	8 #7 V
6871	TR	BF		60		19-00	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			43	#3 @14" TIES
6872	TR	BF		60		19-00	1-02	2	3/10	L	S90	1-05	S135					28	#3 @14" LINKS
6873	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
6874	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
6875	MT	MARK:01, 27,28, 32 (20X20) (4-LOC)																	
6876	TR	BF		60	8			4	7/22	S	19-00	3-03						1,455	8 #7 V
6877	TR	BF		60		19-00	1-02	4	3/10	L	2S90	1-05	1-05	1-05	1-05			172	#3 @14" TIES
6878	TR	BF		60		19-00	1-02	4*2	3/10	L	S90	1-05	S135					113	#3 @14" LINKS
6879	TR	BF		60	3			4	3/10	L	2S90	1-05	1-05	1-05	1-05			29	3 #3 @3" TIES@ T
6880	TR	BF		60	3			4*2	3/10	L	S90	1-05	S135					19	3 #3@3" LINKS@ T
6881	MT	MARK:29, 31 (20X20) (2-LOC)																	
6882	TR	BF		60	8			2	7/22	S	19-00	3-03						728	8 #7 V
6883	TR	BF		60		19-00	1-00	2	3/10	L	2S90	1-05	1-05	1-05	1-05			95	#3 @12" TIES
6884	TR	BF		60		19-00	1-00	2*2	3/10	L	S90	1-05	S135					63	#3 @12" LINKS
6885	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
6886	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T
6887	MT	MARK:33, 34, 35, 36 (20X20) (4-LOC)																	
6888	TR	BF		60	8			4	6/19	S	19-00	2-03						1,021	8 #6 V
6889	TR	BF		60		19-00	1-00	4	3/10	L	2S90	1-05	1-05	1-05	1-05			191	#3 @12" TIES
6890	TR	BF		60		19-00	1-00	4*2	3/10	L	S90	1-05	S135					126	#3 @12" LINKS
6891	TR	BF		60	3			4	3/10	L	2S90	1-05	1-05	1-05	1-05			29	3 #3 @3" TIES@ T
6892	TR	BF		60	3			4*2	3/10	L	S90	1-05	S135					19	3 #3@3" LINKS@ T
6893	MT	MARK:37, 38, 39, 40 (20" DIA) (4-LOC)																	
6894	TR	BF		60	6			4	6/19	S	19-00	2-03						766	6 #6 V
6895	TR	TC		60		19-00	1-00	4	3/10	L	1-08			0-012	0	40D		172	#3 @12" TIES
6896	TR	TC		60	3			4	3/10	L	1-08			0-012	0	40D		26	3 #3 @3" TIES@ T
6897	MT	PODIUM LEVEL																	
6898	MT	MARK:112, 113 (24X18) (2-LOC)																	
6899	TR	BF		60	4			2	7/22	H	19-00	S90						330	4 #7 V
6900	TR	BF		60		19-00	1-02	2	3/10	L	2S90	1-09	1-03	1-09	1-03			90	#3 @14" TIES
6901	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
6902	MT	MARK:101, 102, 103, 104, 107, 108, 109, 110, (24X18) (8-LOC)																	
6903	TR	BF		60	4			8	7/22	S	19-00	3-03						1,455	4 #7 V

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
6904	TR	BF		60		19-00	1-02	8	3/10	L	2S90	1-09	1-03	1-09	1-03			361	#3 @14" TIES
6905	TR	BF		60	3			8	3/10	L	2S90	1-09	1-03	1-09	1-03			60	3 #3 @3" TIES@ T
6906	MT	MARK:105,106,111,114,115, 117, 118, 119,120,121,122,123,124																	
6907	MT	MARK:125,126,127 (18X24) (16-LOC)																	
6908	TR	BF		60	4				7/22	H	S90	0-091	3-03					42	4 #7 DWL
6909	TR	BF		60	4				7/22	S	19-00	3-03						182	4 #7 V
6910	TR	BF		60		19-00	1-02		3/10	L	2S90	1-03	1-09	1-03	1-09			45	#3 @14" TIES
6911	TR	BF		60	3				3/10	L	2S90	1-03	1-09	1-03	1-09			8	3 #3 @3" TIES@ T
6912	TR	BF		60	4			15	7/22	S	19-00	3-03						2,729	4 #7 V
6913	TR	BF		60		19-00	1-02	15	3/10	L	2S90	1-03	1-09	1-03	1-09			676	#3 @14" TIES
6914	TR	BF		60	3			15	3/10	L	2S90	1-03	1-09	1-03	1-09			113	3 #3 @3" TIES@ T
6915	MT	MARK:116 (18X24)																	
6916	TR	BF		60	4				7/22	H	19-00	S90						165	4 #7 V
6917	TR	BF		60		19-00	1-02		3/10	L	2S90	1-03	1-09	1-03	1-09			45	#3 @14" TIES
6918	TR	BF		60	3				3/10	L	2S90	1-03	1-09	1-03	1-09			8	3 #3 @3" TIES@ T
6919	GI	Segment: 2ND FLOOR Sub-Segment: COLUMN																	
6920	MT	2ND FLOOR SEC:S-202.00																	
6921	MT	MARK:02 (24X18)																	
6922	TR	BF		80	8				9/29	S	15-00	6-11						596	8 #9 V
6923	TR	BF		60		15-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @18" TIES
6924	TR	BF		60		15-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
6925	TR	BF		60		15-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
6926	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6927	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6928	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6929	MT	MARK:03 (18X24)																	
6930	TR	BF		80	8				9/29	S	15-00	6-11						596	8 #9 V
6931	TR	BF		60		15-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @18" TIES
6932	TR	BF		60		15-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
6933	TR	BF		60		15-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
6934	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6935	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6936	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6937	MT	MARK:04 (24X18)																	
6938	TR	BF		80	8				9/29	S	15-00	6-11						596	8 #9 V
6939	TR	BF		60		15-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @18" TIES
6940	TR	BF		60		15-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
6941	TR	BF		60		15-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
6942	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6943	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6944	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6945	MT	MARK:05 (18X24)																	
6946	TR	BF		80	8				9/29	S	15-00	6-11						596	8 #9 V
6947	TR	BF		60		15-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @18" TIES
6948	TR	BF		60		15-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
6949	TR	BF		60		15-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
6950	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
6951	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
6952	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6953	MT	MARK:06 (20X20)																	
6954	TR	BF		60	8				7/22	S	15-00	3-03						298	8 #7 V
6955	TR	BF		60		15-00	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			33	#3 @14" TIES
6956	TR	BF		60		15-00	1-02	2	3/10	L	S90	1-05	S135					22	#3 @14" LINKS
6957	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
6958	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
6959	MT	MARK:07 (18X24)																	
6960	TR	BF		80	8				9/29	S	15-00	5-04						553	8 #9 V
6961	TR	BF		60		15-00	1-06		3/10	L	2S90	1-03	1-09	1-03	1-09			28	#3 @18" TIES
6962	TR	BF		60		15-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
6963	TR	BF		60		15-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
6964	TR	BF		60	3				3/10	L	2S90	1-03	1-09	1-03	1-09			8	3 #3 @3" TIES@ T
6965	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
6966	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@ 3" LINKS@ T
6967	MT	MARK:08,10,11 (18X24) (3-LOC)																	
6968	TR	BF		80	12			3	10/32	S	15-00	7-10						3,537	12 #10 V
6969	TR	BF		60		15-00	1-06	3	3/10	L	2S90	1-03	1-09	1-03	1-09			83	#3 @18" TIES
6970	TR	BF		60		15-00	1-06	3	3/10	L	S90	1-09	S135					30	#3 @18" LINKS
6971	TR	BF		60		15-00	1-06	3*3	3/10	L	S90	1-03	S135					71	#3 @18" LINKS
6972	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
6973	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
6974	TR	BF		60	3			3*3	3/10	L	S90	1-03	S135					19	3 #3 @3" LINKS@ T
6975	MT	MARK:09, 15 (24X18) (2-LOC)																	
6976	TR	BF		80	12			2	10/32	S	15-00	7-10						2,358	12 #10 V
6977	TR	BF		60		15-00	1-06	2	3/10	L	2S90	1-09	1-03	1-09	1-03			55	#3 @18" TIES
6978	TR	BF		60		15-00	1-06	2	3/10	L	S90	1-09	S135					20	#3 @18" LINKS
6979	TR	BF		60		15-00	1-06	2*3	3/10	L	S90	1-03	S135					48	#3 @18" LINKS
6980	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
6981	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
6982	TR	BF		60	3			2*3	3/10	L	S90	1-03	S135					13	3 #3 @3" LINKS@ T
6983	MT	MARK:12, 13 (24X18) (2-LOC)																	
6984	TR	BF		80	8			2	8/25	S	15-00	6-02						904	8 #8 V
6985	TR	BF		60		15-00	1-06	2	3/10	L	2S90	1-09	1-03	1-09	1-03			55	#3 @18" TIES
6986	TR	BF		60		15-00	1-06	2	3/10	L	S90	1-03	S135					16	#3 @18" LINKS
6987	TR	BF		60		15-00	1-06	2	3/10	L	S90	1-09	S135					20	#3 @18" LINKS
6988	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
6989	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
6990	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
6991	MT	MARK:14 (24X20)																	
6992	TR	BF		80	12				10/32	S	15-00	8-08						1,222	12 #10 V
6993	TR	BF		60		15-00	1-06		3/10	L	2S90	1-09	1-05	1-09	1-05			29	#3 @18" TIES
6994	TR	BF		60		15-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
6995	TR	BF		60		15-00	1-06	3	3/10	L	S90	1-05	S135					26	#3 @18" LINKS
6996	TR	BF		60	3				3/10	L	2S90	1-09	1-05	1-09	1-05			8	3 #3 @3" TIES@ T
6997	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3 @3" LINKS@ T
6998	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
6999	MT	MARK:16 (18X24)																	
7000	TR	BF		80	8				8/25	S	15-00	6-02						452	8 #8 V
7001	TR	BF		60		15-00	1-06		3/10	L	2S90	1-03	1-09	1-03	1-09			28	#3 @18" TIES
7002	TR	BF		60		15-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
7003	TR	BF		60		15-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
7004	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7005	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3 @3" LINKS@ T
7006	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7007	MT	MARK: 20 (18X24)																	
7008	TR	BF		80	8				9/29	S	15-00	6-11						596	8 #9 V
7009	TR	BF		60		15-00	1-06		3/10	L	2S90	1-03	1-09	1-03	1-09			28	#3 @18" TIES
7010	TR	BF		60		15-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
7011	TR	BF		60		15-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
7012	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7013	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3 @3" LINKS@ T
7014	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7015	MT	MARK:17 (18X24)																	
7016	TR	BF		60	8				7/22	S	15-00	3-03						298	8 #7 V
7017	TR	BF		60		15-00	1-02		3/10	L	2S90	1-03	1-09	1-03	1-09			35	#3 @14" TIES
7018	TR	BF		60		15-00	1-02		3/10	L	S90	1-03	S135					10	#3 @14" LINKS
7019	TR	BF		60		15-00	1-02		3/10	L	S90	1-09	S135					13	#3 @14" LINKS
7020	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7021	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3 @3" LINKS@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
7022	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7023	MT	MARK:18 (24X18)																	
7024	TR	BF		80	8				9/29	S	15-00	6-11						596	8 #9 V
7025	TR	BF		60		15-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @18" TIES
7026	TR	BF		60		15-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
7027	TR	BF		60		15-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
7028	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7029	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
7030	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7031	MT	MARK:19 (18X24)																	
7032	TR	BF		80	8				9/29	S	15-00	6-11						596	8 #9 V
7033	TR	BF		60		15-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @18" TIES
7034	TR	BF		60		15-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
7035	TR	BF		60		15-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
7036	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7037	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
7038	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7039	MT	MARK:21 (26X16)																	
7040	TR	BF		80	8				8/25	S	15-00	6-02						452	8 #8 V
7041	TR	BF		60		15-00	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			33	#3 @16" TIES
7042	TR	BF		60		15-00	1-04		3/10	L	S90	1-11	S135					13	#3 @16" LINKS
7043	TR	BF		60		15-00	1-04		3/10	L	S90	1-01	S135					9	#3 @16" LINKS
7044	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
7045	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
7046	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
7047	MT	MARK:22 (24X18)																	
7048	TR	BF		80	8				8/25	S	15-00	6-02						452	8 #8 V
7049	TR	BF		60		15-00	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			33	#3 @16" TIES
7050	TR	BF		60		15-00	1-04		3/10	L	S90	1-09	S135					12	#3 @16" LINKS
7051	TR	BF		60		15-00	1-04		3/10	L	S90	1-03	S135					9	#3 @16" LINKS
7052	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7053	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
7054	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7055	MT	MARK:23 (27X16)																	
7056	TR	BF		60	8				7/22	S	15-00	3-03						298	8 #7 V
7057	TR	BF		60		15-00	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			36	#3 @14" TIES
7058	TR	BF		60		15-00	1-02		3/10	L	S90	2-00	S135					14	#3 @14" LINKS
7059	TR	BF		60		15-00	1-02		3/10	L	S90	1-01	S135					9	#3 @14" LINKS
7060	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
7061	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
7062	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
7063	MT	MARK:24 (20X20)																	
7064	TR	BF		80	8				8/25	S	15-00	6-02						452	8 #8 V
7065	TR	BF		60		15-00	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			31	#3 @16" TIES
7066	TR	BF		60		15-00	1-04	2	3/10	L	S90	1-05	S135					20	#3 @16" LINKS
7067	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7068	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7069	MT	MARK:25 (20X20)																	
7070	TR	BF		60	8				7/22	S	15-00	3-03						298	8 #7 V
7071	TR	BF		60		15-00	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			33	#3 @14" TIES
7072	TR	BF		60		15-00	1-02	2	3/10	L	S90	1-05	S135					22	#3 @14" LINKS
7073	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7074	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7075	MT	MARK:01, 27,28, 32 (20X20) (4-LOC)																	
7076	TR	BF		60	8			4	7/22	S	15-00	3-03						1,194	8 #7 V
7077	TR	BF		60		15-00	1-02	4	3/10	L	2S90	1-05	1-05	1-05	1-05			133	#3 @14" TIES
7078	TR	BF		60		15-00	1-02	4*2	3/10	L	S90	1-05	S135					88	#3 @14" LINKS
7079	TR	BF		60	3			4	3/10	L	2S90	1-05	1-05	1-05	1-05			29	3 #3 @3" TIES@ T
7080	TR	BF		60	3			4*2	3/10	L	S90	1-05	S135					19	3 #3@3" LINKS@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
7081	MT	MARK:29, 31 (20X20) (2-LOC)																	
7082	TR	BF		60	8			2	7/22	S	15-00	3-03						597	8 #7 V
7083	TR	BF		60		15-00	1-00	2	3/10	L	2S90	1-05	1-05	1-05	1-05			76	#3 @12" TIES
7084	TR	BF		60		15-00	1-00	2*2	3/10	L	S90	1-05	S135					50	#3 @12" LINKS
7085	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
7086	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T
7087	MT	MARK:33, 34, 35, 36 (20X20) (4-LOC)																	
7088	TR	BF		60	8			4	6/19	H	15-00	7S90	2-03					1,166	8 #6 V
7089	TR	BF		60		15-00	1-00	4	3/10	L	2S90	1-05	1-05	1-05	1-05			152	#3 @12" TIES
7090	TR	BF		60		15-00	1-00	4*2	3/10	L	S90	1-05	S135					100	#3 @12" LINKS
7091	TR	BF		60	3			4	3/10	L	2S90	1-05	1-05	1-05	1-05			29	3 #3 @3" TIES@ T
7092	TR	BF		60	3			4*2	3/10	L	S90	1-05	S135					19	3 #3@3" LINKS@ T
7093	MT	MARK:37, 38, 39, 40 (20" DIA) (4-LOC)																	
7094	TR	BF		60	6			4	6/19	S	15-00	2-03						622	6 #6 V
7095	TR	TC		60		15-00	1-00	4	3/10	L	1-08			0-012	0	40D		137	#3 @12" TIES
7096	TR	TC		60	3			4	3/10	L	1-08			0-012	0	40D		26	3 #3 @3" TIES@ T
7097	MT	PODIUM LEVEL																	
7098	MT	MARK:101, 102, 103, 104, 107, 108, 109, 110, (24X18) (8-LOC)																	
7099	TR	BF		60	4			8	7/22	H	15-00	S90						1,058	4 #7 V
7100	TR	BF		60		15-00	1-02	8	3/10	L	2S90	1-09	1-03	1-09	1-03			281	#3 @14" TIES
7101	TR	BF		60	3			8	3/10	L	2S90	1-09	1-03	1-09	1-03			60	3 #3 @3" TIES@ T
7102	MT	MARK:105,106,111,122,124,125,126,127 (8-LOC)																	
7103	TR	BF		60	4			8	7/22	H	15-00	S90						1,058	4 #7 V
7104	TR	BF		60		15-00	1-02	8	3/10	L	2S90	1-03	1-09	1-03	1-09			281	#3 @14" TIES
7105	TR	BF		60	3			8	3/10	L	2S90	1-03	1-09	1-03	1-09			60	3 #3 @3" TIES@ T
7106	MT	MARK:114,115, 117, 118, 119,120,121 (7-LOC)																	
7107	TR	BF		60	4			7	7/22	S	15-00	3-03						1,045	4 #7 V
7108	TR	BF		60		15-00	1-02	7	3/10	L	2S90	1-03	1-09	1-03	1-09			246	#3 @14" TIES
7109	TR	BF		60	3			7	3/10	L	2S90	1-03	1-09	1-03	1-09			53	3 #3 @3" TIES@ T
7110	GI	Segment: 3RD FLOOR Sub-Segment: COLUMN																	
7111	MT	3RD FLOOR SEC:S-203.00																	
7112	MT	MARK:02 (24X18)																	
7113	TR	BF		80	8				9/29	S	14-00	6-11						569	8 #9 V
7114	TR	BF		60		14-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @18" TIES
7115	TR	BF		60		14-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
7116	TR	BF		60		14-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
7117	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7118	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
7119	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7120	MT	MARK:03 (18X24)																	
7121	TR	BF		80	8				9/29	S	14-00	6-11						569	8 #9 V
7122	TR	BF		60		14-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @18" TIES
7123	TR	BF		60		14-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
7124	TR	BF		60		14-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
7125	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7126	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
7127	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7128	MT	MARK:04 (24X18)																	
7129	TR	BF		80	8				9/29	S	14-00	6-11						569	8 #9 V
7130	TR	BF		60		14-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @18" TIES
7131	TR	BF		60		14-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
7132	TR	BF		60		14-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
7133	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7134	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
7135	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7136	MT	MARK:05 (18X24)																	
7137	TR	BF		80	8				9/29	S	14-00	6-11						569	8 #9 V
7138	TR	BF		60		14-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @18" TIES
7139	TR	BF		60		14-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
7140	TR	BF		60		14-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
7141	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7142	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
7143	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7144	MT	MARK:06 (20X20)																	
7145	TR	BF		60	8				7/22	S	14-00	3-03						282	8 #7 V
7146	TR	BF		60		14-00	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			31	#3 @14" TIES
7147	TR	BF		60		14-00	1-02	2	3/10	L	S90	1-05	S135					20	#3 @14" LINKS
7148	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7149	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7150	MT	MARK:07 (18X24)																	
7151	TR	BF		80	8				9/29	S	14-00	6-11						569	8 #9 V
7152	TR	BF		60		14-00	1-06		3/10	L	2S90	1-03	1-09	1-03	1-09			28	#3 @18" TIES
7153	TR	BF		60		14-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
7154	TR	BF		60		14-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
7155	TR	BF		60	3				3/10	L	2S90	1-03	1-09	1-03	1-09			8	3 #3 @3" TIES@ T
7156	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7157	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@ 3" LINKS@ T
7158	MT	MARK:08,10,11 (18X24) (3-LOC)																	
7159	TR	BF		80	12			3	10/32	S	14-00	7-10						3,382	12 #10 V
7160	TR	BF		60		14-00	1-06	3	3/10	L	2S90	1-03	1-09	1-03	1-09			83	#3 @18" TIES
7161	TR	BF		60		14-00	1-06	3	3/10	L	S90	1-09	S135					30	#3 @18" LINKS
7162	TR	BF		60		14-00	1-06	3*3	3/10	L	S90	1-03	S135					71	#3 @18" LINKS
7163	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
7164	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
7165	TR	BF		60	3			3*3	3/10	L	S90	1-03	S135					19	3 #3 @3" LINKS@ T
7166	MT	MARK:09, 15 (24X18) (2-LOC)																	
7167	TR	BF		80	12			2	10/32	S	14-00	7-10						2,255	12 #10 V
7168	TR	BF		60		14-00	1-06	2	3/10	L	2S90	1-09	1-03	1-09	1-03			55	#3 @18" TIES
7169	TR	BF		60		14-00	1-06	2	3/10	L	S90	1-09	S135					20	#3 @18" LINKS
7170	TR	BF		60		14-00	1-06	2*3	3/10	L	S90	1-03	S135					48	#3 @18" LINKS
7171	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
7172	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
7173	TR	BF		60	3			2*3	3/10	L	S90	1-03	S135					13	3 #3 @3" LINKS@ T
7174	MT	MARK:12, 13 (24X18) (2-LOC)																	
7175	TR	BF		80	8			2	8/25	S	14-00	6-11						894	8 #9 V
7176	TR	BF		60		14-00	1-06	2	3/10	L	2S90	1-09	1-03	1-09	1-03			55	#3 @18" TIES
7177	TR	BF		60		14-00	1-06	2	3/10	L	S90	1-03	S135					16	#3 @18" LINKS
7178	TR	BF		60		14-00	1-06	2	3/10	L	S90	1-09	S135					20	#3 @18" LINKS
7179	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
7180	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
7181	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
7182	MT	MARK:14 (24X20)																	
7183	TR	BF		80	12				10/32	S	14-00	8-08						1,170	12 #10 V
7184	TR	BF		60		14-00	1-06		3/10	L	2S90	1-09	1-05	1-09	1-05			29	#3 @18" TIES
7185	TR	BF		60		14-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
7186	TR	BF		60		14-00	1-06	3	3/10	L	S90	1-05	S135					26	#3 @18" LINKS
7187	TR	BF		60	3				3/10	L	2S90	1-09	1-05	1-09	1-05			8	3 #3 @3" TIES@ T
7188	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3 @3" LINKS@ T
7189	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
7190	MT	MARK:16 (18X24)																	
7191	TR	BF		80	8				9/29	S	14-00	6-11						569	8 #9 V
7192	TR	BF		60		14-00	1-06		3/10	L	2S90	1-03	1-09	1-03	1-09			28	#3 @18" TIES
7193	TR	BF		60		14-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
7194	TR	BF		60		14-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
7195	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7196	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3 @3" LINKS@ T
7197	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7198	MT	MARK: 20 (18X24)																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
7199	TR	BF		80	8				9/29	S	14-00	6-11						569	8 #9 V
7200	TR	BF		60		14-00	1-06		3/10	L	2S90	1-03	1-09	1-03	1-09			28	#3 @18" TIES
7201	TR	BF		60		14-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
7202	TR	BF		60		14-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
7203	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7204	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3 @3" LINKS@ T
7205	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7206	MT	MARK:17 (18X24)																	
7207	TR	BF		60	8				7/22	S	14-00	3-03						282	8 #7 V
7208	TR	BF		60		14-00	1-02		3/10	L	2S90	1-03	1-09	1-03	1-09			33	#3 @14" TIES
7209	TR	BF		60		14-00	1-02		3/10	L	S90	1-03	S135					9	#3 @14" LINKS
7210	TR	BF		60		14-00	1-02		3/10	L	S90	1-09	S135					12	#3 @14" LINKS
7211	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7212	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3 @3" LINKS@ T
7213	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7214	MT	MARK:18 (24X18)																	
7215	TR	BF		80	8				9/29	S	14-00	6-11						569	8 #9 V
7216	TR	BF		60		14-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @18" TIES
7217	TR	BF		60		14-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
7218	TR	BF		60		14-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
7219	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7220	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
7221	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7222	MT	MARK:19 (18X24)																	
7223	TR	BF		80	8				9/29	S	14-00	6-11						569	8 #9 V
7224	TR	BF		60		14-00	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @18" TIES
7225	TR	BF		60		14-00	1-06		3/10	L	S90	1-09	S135					10	#3 @18" LINKS
7226	TR	BF		60		14-00	1-06		3/10	L	S90	1-03	S135					8	#3 @18" LINKS
7227	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7228	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
7229	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7230	MT	MARK:21 (26X16)																	
7231	TR	BF		80	8				8/25	S	14-00	6-02						431	8 #8 V
7232	TR	BF		60		14-00	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			30	#3 @16" TIES
7233	TR	BF		60		14-00	1-04		3/10	L	S90	1-11	S135					12	#3 @16" LINKS
7234	TR	BF		60		14-00	1-04		3/10	L	S90	1-01	S135					8	#3 @16" LINKS
7235	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
7236	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
7237	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
7238	MT	MARK:22 (24X18)																	
7239	TR	BF		80	8				8/25	S	14-00	6-02						431	8 #8 V
7240	TR	BF		60		14-00	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			30	#3 @16" TIES
7241	TR	BF		60		14-00	1-04		3/10	L	S90	1-09	S135					11	#3 @16" LINKS
7242	TR	BF		60		14-00	1-04		3/10	L	S90	1-03	S135					9	#3 @16" LINKS
7243	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7244	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
7245	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7246	MT	MARK:23 (27X16)																	
7247	TR	BF		60	8				7/22	S	14-00	3-03						282	8 #7 V
7248	TR	BF		60		14-00	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			33	#3 @14" TIES
7249	TR	BF		60		14-00	1-02		3/10	L	S90	2-00	S135					13	#3 @14" LINKS
7250	TR	BF		60		14-00	1-02		3/10	L	S90	1-01	S135					9	#3 @14" LINKS
7251	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
7252	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
7253	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
7254	MT	MARK:24 (20X20)																	
7255	TR	BF		80	8				8/25	S	14-00	6-02						431	8 #8 V
7256	TR	BF		60		14-00	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			29	#3 @16" TIES
7257	TR	BF		60		14-00	1-04	2	3/10	L	S90	1-05	S135					19	#3 @16" LINKS

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
7258	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7259	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7260	MT	MARK:25 (20X20)																	
7261	TR	BF		60	8				7/22	S	14-00	3-03						282	8 #7 V
7262	TR	BF		60		14-00	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			31	#3 @14" TIES
7263	TR	BF		60		14-00	1-02	2	3/10	L	S90	1-05	S135					20	#3 @14" LINKS
7264	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7265	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7266	MT	MARK:01, 27,28, 32 (20X20) (4-LOC)																	
7267	TR	BF		60	8			4	7/22	S	14-00	3-03						1,128	8 #7 V
7268	TR	BF		60		14-00	1-02	4	3/10	L	2S90	1-05	1-05	1-05	1-05			124	#3 @14" TIES
7269	TR	BF		60		14-00	1-02	4*2	3/10	L	S90	1-05	S135					82	#3 @14" LINKS
7270	TR	BF		60	3			4	3/10	L	2S90	1-05	1-05	1-05	1-05			29	3 #3 @3" TIES@ T
7271	TR	BF		60	3			4*2	3/10	L	S90	1-05	S135					19	3 #3@3" LINKS@ T
7272	MT	MARK:29, 31 (20X20) (2-LOC)																	
7273	TR	BF		60	8			2	7/22	S	14-00	3-03						564	8 #7 V
7274	TR	BF		60		14-00	1-00	2	3/10	L	2S90	1-05	1-05	1-05	1-05			71	#3 @12" TIES
7275	TR	BF		60		14-00	1-00	2*2	3/10	L	S90	1-05	S135					47	#3 @12" LINKS
7276	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
7277	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T
7278	MT	MARK: 34, 35, (20X20) (2-LOC)																	
7279	TR	BF		60	8			2	6/19	H	14-00	2-03						391	8 #6 V
7280	TR	BF		60		14-00	1-00	2	3/10	L	2S90	1-05	1-05	1-05	1-05			71	#3 @12" TIES
7281	TR	BF		60		14-00	1-00	2*2	3/10	L	S90	1-05	S135					47	#3 @12" LINKS
7282	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
7283	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T
7284	MT	MARK:33, 36 (20" DIA) (2-LOC)																	
7285	TR	BF		60	6			2	6/19	H	S90	1-013	2-03					79	6 #6 DWL
7286	TR	BF		60	6			2	6/19	H	14-00	S90						270	6 #6 V
7287	TR	TC		60		14-00	1-00	2	3/10	L	1-08			0-012	0	40D		64	#3 @12" TIES
7288	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
7289	MT	MARK:37, 38, 39, 40 (20" DIA) (4-LOC)																	
7290	TR	BF		60	6			4	6/19	H	14-00	S90						541	6 #6 V
7291	TR	TC		60		14-00	1-00	4	3/10	L	1-08			0-012	0	40D		129	#3 @12" TIES
7292	TR	TC		60	3			4	3/10	L	1-08			0-012	0	40D		26	3 #3 @3" TIES@ T
7293	MT	PODIUM LEVEL																	
7294	MT	MARK:114,115, 117, 118, 119,120,121 (7-LOC)																	
7295	TR	BF		60	4			7	7/22	H	14-00	S90						868	4 #7 V
7296	TR	BF		60		14-00	1-02	7	3/10	L	2S90	1-03	1-09	1-03	1-09			228	#3 @14" TIES
7297	TR	BF		60	3			7	3/10	L	2S90	1-03	1-09	1-03	1-09			53	3 #3 @3" TIES@ T
7298	GI	Segment: 4TH FLOOR Sub-Segment: COLUMN																	
7299	MT	4TH FLOOR SEC:S-204.00																	
7300	MT	MARK:02,04 (22X16) (2-LOC)																	
7301	TR	BF		80	8			2	8/25	S	12-00	6-02						776	8 #8 V
7302	TR	BF		60		12-00	1-04	2	3/10	L	2S90	1-07	1-01	1-07	1-01			45	#3 @16" TIES
7303	TR	BF		60		12-00	1-04	2	3/10	L	S90	1-07	S135					17	#3 @16" LINKS
7304	TR	BF		60		12-00	1-04	2	3/10	L	S90	1-01	S135					13	#3 @16" LINKS
7305	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
7306	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
7307	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
7308	MT	MARK:03,05,07 (16X22) (3-LOC)																	
7309	TR	BF		80	8			3	9/29	S	12-00	6-02						1,483	8 #8 V
7310	TR	BF		60		12-00	1-04	3	3/10	L	2S90	1-07	1-01	1-07	1-01			68	#3 @16" TIES
7311	TR	BF		60		12-00	1-04	3	3/10	L	S90	1-07	S135					25	#3 @16" LINKS
7312	TR	BF		60		12-00	1-04	3	3/10	L	S90	1-01	S135					20	#3 @16" LINKS
7313	TR	BF		60	3			3	3/10	L	2S90	1-07	1-01	1-07	1-01			20	3 #3 @3" TIES@ T
7314	TR	BF		60	3			3	3/10	L	S90	1-01	S135					6	3 #3@3" LINKS@ T
7315	TR	BF		60	3			3	3/10	L	S90	1-07	S135					8	3 #3 @3" LINKS@ T
7316	MT	MARK:06 (20X20)																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
7317	TR	BF		60	8				7/22	S	12-00	3-03						249	8 #7 V
7318	TR	BF		60		12-00	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			29	#3 @14" TIES
7319	TR	BF		60		12-00	1-02	2	3/10	L	S90	1-05	S135					19	#3 @14" LINKS
7320	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7321	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7322	MT	MARK:08,10,11 (18X24) (3-LOC)																	
7323	TR	BF		80	12			3	10/32	S	12-00	7-10						3,073	12 #10 V
7324	TR	BF		60		12-00	1-06	3	3/10	L	2S90	1-03	1-09	1-03	1-09			68	#3 @18" TIES
7325	TR	BF		60		12-00	1-06	3	3/10	L	S90	1-09	S135					25	#3 @18" LINKS
7326	TR	BF		60		12-00	1-06	3*3	3/10	L	S90	1-03	S135					58	#3 @18" LINKS
7327	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
7328	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
7329	TR	BF		60	3			3*3	3/10	L	S90	1-03	S135					19	3 #3 @3" LINKS@ T
7330	MT	MARK:09, 15 (24X18) (2-LOC)																	
7331	TR	BF		80	12			2	10/32	S	12-00	7-10						2,048	12 #10 V
7332	TR	BF		60		12-00	1-06	2	3/10	L	2S90	1-09	1-03	1-09	1-03			45	#3 @18" TIES
7333	TR	BF		60		12-00	1-06	2	3/10	L	S90	1-09	S135					16	#3 @18" LINKS
7334	TR	BF		60		12-00	1-06	2*3	3/10	L	S90	1-03	S135					39	#3 @18" LINKS
7335	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
7336	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
7337	TR	BF		60	3			2*3	3/10	L	S90	1-03	S135					13	3 #3 @3" LINKS@ T
7338	MT	MARK:12, 13 (24X18) (2-LOC)																	
7339	TR	BF		80	8			2	8/25	S	12-00	6-02						776	8 #8 V
7340	TR	BF		60		12-00	1-04	2	3/10	L	2S90	1-07	1-01	1-07	1-01			45	#3 @16" TIES
7341	TR	BF		60		12-00	1-04	2	3/10	L	S90	1-07	S135					17	#3 @16" LINKS
7342	TR	BF		60		12-00	1-04	2	3/10	L	S90	1-01	S135					13	#3 @16" LINKS
7343	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
7344	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
7345	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
7346	MT	MARK:14 (24X20)																	
7347	TR	BF		80	12				10/32	S	12-00	7-10						1,024	12 #10 V
7348	TR	BF		60		12-00	1-06		3/10	L	2S90	1-09	1-05	1-09	1-05			24	#3 @18" TIES
7349	TR	BF		60		12-00	1-06		3/10	L	S90	1-09	S135					8	#3 @18" LINKS
7350	TR	BF		60		12-00	1-06	3	3/10	L	S90	1-05	S135					21	#3 @18" LINKS
7351	TR	BF		60	3				3/10	L	2S90	1-09	1-05	1-09	1-05			8	3 #3 @3" TIES@ T
7352	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3 @3" LINKS@ T
7353	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
7354	MT	MARK:16 (16X22)																	
7355	TR	BF		80	8				8/25	S	12-00	6-02						388	8 #8 V
7356	TR	BF		60		12-00	1-04		3/10	L	2S90	1-07	1-01	1-07	1-01			23	#3 @16" TIES
7357	TR	BF		60		12-00	1-04		3/10	L	S90	1-07	S135					8	#3 @16" LINKS
7358	TR	BF		60		12-00	1-04		3/10	L	S90	1-01	S135					7	#3 @16" LINKS
7359	TR	BF		60	3				3/10	L	2S90	1-07	1-01	1-07	1-01			7	3 #3 @3" TIES@ T
7360	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
7361	TR	BF		60	3				3/10	L	S90	1-07	S135					3	3 #3 @3" LINKS@ T
7362	MT	MARK:17 (18X24)																	
7363	TR	BF		60	8				7/22	S	12-00	3-03						249	8 #7 V
7364	TR	BF		60		12-00	1-02		3/10	L	2S90	1-03	1-09	1-03	1-09			30	#3 @14" TIES
7365	TR	BF		60		12-00	1-02		3/10	L	S90	1-03	S135					9	#3 @14" LINKS
7366	TR	BF		60		12-00	1-02		3/10	L	S90	1-09	S135					11	#3 @14" LINKS
7367	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7368	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3 @3" LINKS@ T
7369	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7370	MT	MARK:18 (22X16)																	
7371	TR	BF		80	8				8/25	S	12-00	6-02						388	8 #8 V
7372	TR	BF		60		12-00	1-04		3/10	L	2S90	1-07	1-01	1-07	1-01			23	#3 @16" TIES
7373	TR	BF		60		12-00	1-04		3/10	L	S90	1-07	S135					8	#3 @16" LINKS
7374	TR	BF		60		12-00	1-04		3/10	L	S90	1-01	S135					7	#3 @16" LINKS
7375	TR	BF		60	3				3/10	L	2S90	1-07	1-01	1-07	1-01			7	3 #3 @3" TIES@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
7376	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
7377	TR	BF		60	3				3/10	L	S90	1-07	S135					3	3 #3 @3" LINKS@ T
7378	MT	MARK:19,20 (16X22) (2-LOC)																	
7379	TR	BF		80	8			2	8/25	S	12-00	6-02						776	8 #8 V
7380	TR	BF		60		12-00	1-04	2	3/10	L	2S90	1-07	1-01	1-07	1-01			45	#3 @16" TIES
7381	TR	BF		60		12-00	1-04	2	3/10	L	S90	1-07	S135					17	#3 @16" LINKS
7382	TR	BF		60		12-00	1-04	2	3/10	L	S90	1-01	S135					13	#3 @16" LINKS
7383	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
7384	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
7385	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
7386	MT	MARK:21 (26X16)																	
7387	TR	BF		80	8				8/25	S	12-00	6-02						388	8 #8 V
7388	TR	BF		60		12-00	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			25	#3 @16" TIES
7389	TR	BF		60		12-00	1-04		3/10	L	S90	1-11	S135					10	#3 @16" LINKS
7390	TR	BF		60		12-00	1-04		3/10	L	S90	1-01	S135					7	#3 @16" LINKS
7391	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
7392	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
7393	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
7394	MT	MARK:22 (24X18)																	
7395	TR	BF		80	8				8/25	S	12-00	6-02						388	8 #8 V
7396	TR	BF		60		12-00	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			25	#3 @16" TIES
7397	TR	BF		60		12-00	1-04		3/10	L	S90	1-09	S135					9	#3 @16" LINKS
7398	TR	BF		60		12-00	1-04		3/10	L	S90	1-03	S135					7	#3 @16" LINKS
7399	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7400	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
7401	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7402	MT	MARK:23 (27X16)																	
7403	TR	BF		60	8				7/22	S	12-00	3-03						249	8 #7 V
7404	TR	BF		60		12-00	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			31	#3 @14" TIES
7405	TR	BF		60		12-00	1-02		3/10	L	S90	2-00	S135					12	#3 @14" LINKS
7406	TR	BF		60		12-00	1-02		3/10	L	S90	1-01	S135					8	#3 @14" LINKS
7407	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
7408	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
7409	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
7410	MT	MARK:24 (20X20)																	
7411	TR	BF		80	8				8/25	S	12-00	6-02						388	8 #8 V
7412	TR	BF		60		12-00	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @16" TIES
7413	TR	BF		60		12-00	1-04	2	3/10	L	S90	1-05	S135					16	#3 @16" LINKS
7414	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7415	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7416	MT	MARK:25 (20X20)																	
7417	TR	BF		60	8				7/22	S	12-00	3-03						249	8 #7 V
7418	TR	BF		60		12-00	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			29	#3 @14" TIES
7419	TR	BF		60		12-00	1-02	2	3/10	L	S90	1-05	S135					19	#3 @14" LINKS
7420	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7421	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7422	MT	MARK:26,30 (16X27)																	
7423	TR	BF		60	8			2	7/22	H	S90	1-051	3-03					192	8 #7 DWL
7424	TR	BF		60	8			2	7/22	S	12-00	3-03						499	8 #7 V
7425	TR	BF		60		12-00	1-02		3/10	L	2S90	1-01	2-00	1-01	2-00			31	#3 @14" TIES
7426	TR	BF		60		12-00	1-02		3/10	L	S90	2-00	S135					12	#3 @14" LINKS
7427	TR	BF		60		12-00	1-02		3/10	L	S90	1-01	S135					8	#3 @14" LINKS
7428	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
7429	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
7430	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
7431	TR	BF		60		12-00	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			33	#3 @12" TIES
7432	TR	BF		60		12-00	1-00		3/10	L	S90	2-00	S135					13	#3 @12" LINKS
7433	TR	BF		60		12-00	1-00		3/10	L	S90	1-01	S135					9	#3 @12" LINKS
7434	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
7435	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
7436	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
7437	MT	MARK:01, 27,28, 32 (20X20) (4-LOC)																	
7438	TR	BF		60	8			4	7/22	S	12-00	3-03						998	8 #7 V
7439	TR	BF		60		12-00	1-02	4	3/10	L	2S90	1-05	1-05	1-05	1-05			114	#3 @14" TIES
7440	TR	BF		60		12-00	1-02	4*2	3/10	L	S90	1-05	S135					75	#3 @14" LINKS
7441	TR	BF		60	3			4	3/10	L	2S90	1-05	1-05	1-05	1-05			29	3 #3 @3" TIES@ T
7442	TR	BF		60	3			4*2	3/10	L	S90	1-05	S135					19	3 #3@3" LINKS@ T
7443	MT	MARK:29, 31 (20X20) (2-LOC)																	
7444	TR	BF		60	8			2	7/22	S	12-00	3-03						499	8 #7 V
7445	TR	BF		60		12-00	1-00	2	3/10	L	2S90	1-05	1-05	1-05	1-05			62	#3 @12" TIES
7446	TR	BF		60		12-00	1-00	2*2	3/10	L	S90	1-05	S135					41	#3 @12" LINKS
7447	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
7448	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T
7449	MT	MARK: 34, 35, (20X20) (2-LOC)																	
7450	TR	BF		60	8			2	6/19	H	12-00	2-03						343	8 #6 V
7451	TR	BF		60		12-00	1-00	2	3/10	L	2S90	1-05	1-05	1-05	1-05			62	#3 @12" TIES
7452	TR	BF		60		12-00	1-00	2*2	3/10	L	S90	1-05	S135					41	#3 @12" LINKS
7453	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
7454	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T
7455	MT	MARK:33, 36 (20" DIA) (2-LOC)																	
7456	TR	BF		60	6			2	6/19	H	12-00	2-03						257	6 #6 V
7457	TR	TC		60		12-00	1-00	2	3/10	L	1-08			0-012	0	40D		56	#3 @12" TIES
7458	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
7459	MT	MARK:37, 40 (20" DIA) (2-LOC)																	
7460	TR	BF		60	6			2	6/19	H	S90	0-071	2-03					69	6 #6 DWL
7461	TR	BF		60	6			2	6/19	H	12-00	S90						234	6 #6 V
7462	TR	TC		60		12-00	1-00	2	3/10	L	1-08			0-012	0	40D		56	#3 @12" TIES
7463	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
7464	MT	MARK: 38, 39, (16X27) (2-LOC)																	
7465	TR	BF		60	8			2	6/19	H	S90	0-071	2-03					93	8 #6 DWL
7466	TR	BF		60	8			2	6/19	H	12-00	S90						312	8 #6 V
7467	TR	BF		60		12-00	1-00	2	3/10	L	2S90	1-01	2-00	1-01	2-00			67	#3 @12" TIES
7468	TR	BF		60		12-00	1-00	2	3/10	L	S90	2-00	S135					26	#3 @12" LINKS
7469	TR	BF		60		12-00	1-00	2	3/10	L	S90	1-01	S135					17	#3 @12" LINKS
7470	TR	BF		60	3			2	3/10	L	2S90	1-01	2-00	1-01	2-00			15	3 #3 @3" TIES@ T
7471	TR	BF		60	3			2	3/10	L	S90	2-00	S135					6	3 #3@3" LINKS@ T
7472	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
7473	GI	Segment: 5TH FLOOR Sub-Segment: COLUMN																	
7474	MT	5TH FLOOR SEC:S-205.00																	
7475	MT	MARK:02,04 (22X16) (2-LOC)																	
7476	TR	BF		80	8			2	8/25	S	10-02	6-02						698	8 #8 V
7477	TR	BF		60		10-02	1-04	2	3/10	L	2S90	1-07	1-01	1-07	1-01			41	#3 @16" TIES
7478	TR	BF		60		10-02	1-04	2	3/10	L	S90	1-07	S135					15	#3 @16" LINKS
7479	TR	BF		60		10-02	1-04	2	3/10	L	S90	1-01	S135					12	#3 @16" LINKS
7480	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
7481	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
7482	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
7483	MT	MARK:03,05,07 (16X22) (3-LOC)																	
7484	TR	BF		80	8			3	8/25	S	10-02	6-02						1,047	8 #8 V
7485	TR	BF		60		10-02	1-04	3	3/10	L	2S90	1-07	1-01	1-07	1-01			61	#3 @16" TIES
7486	TR	BF		60		10-02	1-04	3	3/10	L	S90	1-07	S135					23	#3 @16" LINKS
7487	TR	BF		60		10-02	1-04	3	3/10	L	S90	1-01	S135					18	#3 @16" LINKS
7488	TR	BF		60	3			3	3/10	L	2S90	1-07	1-01	1-07	1-01			20	3 #3 @3" TIES@ T
7489	TR	BF		60	3			3	3/10	L	S90	1-01	S135					6	3 #3@3" LINKS@ T
7490	TR	BF		60	3			3	3/10	L	S90	1-07	S135					8	3 #3 @3" LINKS@ T
7491	MT	MARK:06 (20X20)																	
7492	TR	BF		60	8				7/22	S	10-02	3-03						219	8 #7 V
7493	TR	BF		60		10-02	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
7494	TR	BF		60		10-02	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
7495	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7496	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7497	MT	MARK:08,10,11 (18X24) (3-LOC)																	
7498	TR	BF		80	12			3	10/32	S	10-02	7-10						2,789	12 #10 V
7499	TR	BF		60		10-02	1-06	3	3/10	L	2S90	1-03	1-09	1-03	1-09			60	#3 @18" TIES
7500	TR	BF		60		10-02	1-06	3	3/10	L	S90	1-09	S135					22	#3 @18" LINKS
7501	TR	BF		60		10-02	1-06	3*3	3/10	L	S90	1-03	S135					52	#3 @18" LINKS
7502	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
7503	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
7504	TR	BF		60	3			3*3	4/13	L	S90	1-03	S135					36	3 #4 @3" LINKS@ T
7505	MT	MARK:09, 15 (24X18) (2-LOC)																	
7506	TR	BF		80	12			2	10/32	S	10-02	7-10						1,859	12 #10 V
7507	TR	BF		60		10-02	1-06	2	3/10	L	2S90	1-09	1-03	1-09	1-03			40	#3 @18" TIES
7508	TR	BF		60		10-02	1-06	2	3/10	L	S90	1-09	S135					15	#3 @18" LINKS
7509	TR	BF		60		10-02	1-06	2*3	3/10	L	S90	1-03	S135					35	#3 @18" LINKS
7510	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
7511	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
7512	TR	BF		60	3			2*3	3/10	L	S90	1-03	S135					13	3 #3 @3" LINKS@ T
7513	MT	MARK:12, 13 (24X18) (2-LOC)																	
7514	TR	BF		80	8			2	8/25	S	10-02	6-02						698	8 #8 V
7515	TR	BF		60		10-02	1-04	2	3/10	L	2S90	1-07	1-01	1-07	1-01			41	#3 @16" TIES
7516	TR	BF		60		10-02	1-04	2	3/10	L	S90	1-07	S135					15	#3 @16" LINKS
7517	TR	BF		60		10-02	1-04	2	3/10	L	S90	1-01	S135					12	#3 @16" LINKS
7518	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
7519	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
7520	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
7521	MT	MARK:14 (24X18)																	
7522	TR	BF		80	12				10/32	S	10-02	7-10						930	12 #10 V
7523	TR	BF		60		10-02	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			20	#3 @18" TIES
7524	TR	BF		60		10-02	1-06		3/10	L	S90	1-09	S135					7	#3 @18" LINKS
7525	TR	BF		60		10-02	1-06	3	3/10	L	S90	1-03	S135					17	#3 @18" LINKS
7526	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7527	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7528	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
7529	MT	MARK:16 (16X22)																	
7530	TR	BF		80	8				8/25	S	10-02	6-02						349	8 #8 V
7531	TR	BF		60		10-02	1-04		3/10	L	2S90	1-07	1-01	1-07	1-01			20	#3 @16" TIES
7532	TR	BF		60		10-02	1-04		3/10	L	S90	1-07	S135					8	#3 @16" LINKS
7533	TR	BF		60		10-02	1-04		3/10	L	S90	1-01	S135					6	#3 @16" LINKS
7534	TR	BF		60	3				3/10	L	2S90	1-07	1-01	1-07	1-01			7	3 #3 @3" TIES@ T
7535	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
7536	TR	BF		60	3				3/10	L	S90	1-07	S135					3	3 #3 @3" LINKS@ T
7537	MT	MARK:17 (18X24)																	
7538	TR	BF		60	8				7/22	S	10-02	3-03						219	8 #7 V
7539	TR	BF		60		10-02	1-02		3/10	L	2S90	1-03	1-09	1-03	1-09			25	#3 @14" TIES
7540	TR	BF		60		10-02	1-02		3/10	L	S90	1-03	S135					7	#3 @14" LINKS
7541	TR	BF		60		10-02	1-02		3/10	L	S90	1-09	S135					9	#3 @14" LINKS
7542	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7543	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3 @3" LINKS@ T
7544	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7545	MT	MARK:18 (22X16)																	
7546	TR	BF		80	8				8/25	S	10-02	6-02						349	8 #8 V
7547	TR	BF		60		10-02	1-04		3/10	L	2S90	1-07	1-01	1-07	1-01			20	#3 @16" TIES
7548	TR	BF		60		10-02	1-04		3/10	L	S90	1-07	S135					8	#3 @16" LINKS
7549	TR	BF		60		10-02	1-04		3/10	L	S90	1-01	S135					6	#3 @16" LINKS
7550	TR	BF		60	3				3/10	L	2S90	1-07	1-01	1-07	1-01			7	3 #3 @3" TIES@ T
7551	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
7552	TR	BF		60	3				3/10	L	S90	1-07	S135					3	3 #3 @3" LINKS@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
7553	MT	MARK:19,20 (16X22) (2-LOC)																	
7554	TR	BF		80	8			2	8/25	S	10-02	6-02						698	8 #8 V
7555	TR	BF		60		10-02	1-04	2	3/10	L	2S90	1-07	1-01	1-07	1-01			41	#3 @16" TIES
7556	TR	BF		60		10-02	1-04	2	3/10	L	S90	1-07	S135					15	#3 @16" LINKS
7557	TR	BF		60		10-02	1-04	2	3/10	L	S90	1-01	S135					12	#3 @16" LINKS
7558	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
7559	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
7560	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
7561	MT	MARK:21 (26X16)																	
7562	TR	BF		80	8				8/25	S	10-02	6-02						349	8 #8 V
7563	TR	BF		60		10-02	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			23	#3 @16" TIES
7564	TR	BF		60		10-02	1-04		3/10	L	S90	1-11	S135					9	#3 @16" LINKS
7565	TR	BF		60		10-02	1-04		3/10	L	S90	1-01	S135					6	#3 @16" LINKS
7566	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
7567	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
7568	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
7569	MT	MARK:22 (24X18)																	
7570	TR	BF		80	8				8/25	S	10-02	6-02						349	8 #8 V
7571	TR	BF		60		10-02	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
7572	TR	BF		60		10-02	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
7573	TR	BF		60		10-02	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
7574	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7575	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
7576	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7577	MT	MARK:23 (27X16)																	
7578	TR	BF		60	8				7/22	S	10-02	3-03						219	8 #7 V
7579	TR	BF		60		10-02	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
7580	TR	BF		60		10-02	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
7581	TR	BF		60		10-02	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
7582	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
7583	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
7584	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
7585	MT	MARK:24 (20X20)																	
7586	TR	BF		80	8				8/25	S	10-02	6-02						349	8 #8 V
7587	TR	BF		60		10-02	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			21	#3 @16" TIES
7588	TR	BF		60		10-02	1-04	2	3/10	L	S90	1-05	S135					14	#3 @16" LINKS
7589	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7590	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7591	MT	MARK:25 (20X20)																	
7592	TR	BF		60	8				7/22	S	10-02	3-03						219	8 #7 V
7593	TR	BF		60		10-02	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
7594	TR	BF		60		10-02	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
7595	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7596	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7597	MT	MARK:26,30 (16X27)																	
7598	TR	BF		60	8			2	7/22	S	10-02	3-03						439	8 #7 V
7599	TR	BF		60		10-02	1-02		3/10	L	2S90	1-01	2-00	1-01	2-00			26	#3 @14" TIES
7600	TR	BF		60		10-02	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
7601	TR	BF		60		10-02	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
7602	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
7603	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
7604	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
7605	TR	BF		60		10-02	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			31	#3 @12" TIES
7606	TR	BF		60		10-02	1-00		3/10	L	S90	2-00	S135					12	#3 @12" LINKS
7607	TR	BF		60		10-02	1-00		3/10	L	S90	1-01	S135					8	#3 @12" LINKS
7608	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
7609	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
7610	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
7611	MT	MARK:01, 27,28, 32 (20X20) (4-LOC)																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
7612	TR	BF		60	8			4	7/22	S	10-02	3-03						878	8 #7 V
7613	TR	BF		60		10-02	1-02	4	3/10	L	2S90	1-05	1-05	1-05	1-05			95	#3 @14" TIES
7614	TR	BF		60		10-02	1-02	4*2	3/10	L	S90	1-05	S135					63	#3 @14" LINKS
7615	TR	BF		60	3			4	3/10	L	2S90	1-05	1-05	1-05	1-05			29	3 #3 @3" TIES@ T
7616	TR	BF		60	3			4*2	3/10	L	S90	1-05	S135					19	3 #3@3" LINKS@ T
7617	MT	MARK:29, 31 (20X20) (2-LOC)																	
7618	TR	BF		60	8			2	7/22	S	10-02	3-03						439	8 #7 V
7619	TR	BF		60		10-02	1-00	2	3/10	L	2S90	1-05	1-05	1-05	1-05			57	#3 @12" TIES
7620	TR	BF		60		10-02	1-00	2*2	3/10	L	S90	1-05	S135					38	#3 @12" LINKS
7621	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
7622	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T
7623	MT	MARK: 34, 35, (20X20) (2-LOC)																	
7624	TR	BF		60	8			2	6/19	H	10-02	2-03						298	8 #6 V
7625	TR	BF		60		10-02	1-00	2	3/10	L	2S90	1-05	1-05	1-05	1-05			57	#3 @12" TIES
7626	TR	BF		60		10-02	1-00	2*2	3/10	L	S90	1-05	S135					38	#3 @12" LINKS
7627	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
7628	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T
7629	MT	MARK:33, 36 (20" DIA) (2-LOC)																	
7630	TR	BF		60	6			2	6/19	H	10-02	2-03						224	6 #6 V
7631	TR	TC		60		10-02	1-00	2	3/10	L	1-08			0-012	0	40D		51	#3 @12" TIES
7632	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
7633	GI	Segment: 6TH FLOOR Sub-Segment: COLUMN																	
7634	MT	6TH FLOOR SEC:S-206.00																	
7635	MT	MARK:02,04 (22X16) (2-LOC)																	
7636	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
7637	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			50	#3 @12" TIES
7638	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-07	S135					19	#3 @12" LINKS
7639	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-01	S135					14	#3 @12" LINKS
7640	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
7641	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
7642	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
7643	MT	MARK:03,05,07 (16X22) (3-LOC)																	
7644	TR	BF		60	8			3	6/19	S	9-08	2-03						430	8 #6 V
7645	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-07	1-01	1-07	1-01			74	#3 @12" TIES
7646	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-07	S135					28	#3 @12" LINKS
7647	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-01	S135					22	#3 @12" LINKS
7648	TR	BF		60	3			3	3/10	L	2S90	1-07	1-01	1-07	1-01			20	3 #3 @3" TIES@ T
7649	TR	BF		60	3			3	3/10	L	S90	1-01	S135					6	3 #3@3" LINKS@ T
7650	TR	BF		60	3			3	3/10	L	S90	1-07	S135					8	3 #3 @3" LINKS@ T
7651	MT	MARK:06 (20X20)																	
7652	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
7653	TR	BF		60		9-08	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
7654	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
7655	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7656	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7657	MT	MARK:08,10,11 (18X24) (3-LOC)																	
7658	TR	BF		80	12			3	9/29	S	9-08	6-11						2,030	12 #9 V
7659	TR	BF		60		9-08	1-06	3	3/10	L	2S90	1-03	1-09	1-03	1-09			60	#3 @18" TIES
7660	TR	BF		60		9-08	1-06	3	3/10	L	S90	1-09	S135					22	#3 @18" LINKS
7661	TR	BF		60		9-08	1-06	3*3	3/10	L	S90	1-03	S135					52	#3 @18" LINKS
7662	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
7663	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
7664	TR	BF		60	3			3*3	3/10	L	S90	1-03	S135					19	3 #3 @3" LINKS@ T
7665	MT	MARK:09, 15 (24X18) (2-LOC)																	
7666	TR	BF		80	12			2	9/29	S	9-08	6-11						1,353	12 #9 V
7667	TR	BF		60		9-08	1-06	2	3/10	L	2S90	1-09	1-03	1-09	1-03			40	#3 @18" TIES
7668	TR	BF		60		9-08	1-06	2	3/10	L	S90	1-09	S135					15	#3 @18" LINKS
7669	TR	BF		60		9-08	1-06	2*3	3/10	L	S90	1-03	S135					35	#3 @18" LINKS
7670	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
7671	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
7672	TR	BF		60	3			2*3	3/10	L	S90	1-03	S135					13	3 #3 @3" LINKS@ T
7673	MT	MARK:12, 13 (22X16) (2-LOC)																	
7674	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
7675	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			50	#3 @12" TIES
7676	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-07	S135					19	#3 @12" LINKS
7677	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-01	S135					14	#3 @12" LINKS
7678	TR	BF		60	3			2	3/10	L	2S90	1-09	1-01	1-09	1-01			14	3 #3 @3" TIES@ T
7679	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
7680	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
7681	MT	MARK:14 (24X18)																	
7682	TR	BF		80	12				9/29	S	9-08	6-11						677	12 #9 V
7683	TR	BF		60		9-08	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			20	#3 @18" TIES
7684	TR	BF		60		9-08	1-06		3/10	L	S90	1-09	S135					7	#3 @18" LINKS
7685	TR	BF		60		9-08	1-06	3	3/10	L	S90	1-03	S135					17	#3 @18" LINKS
7686	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7687	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7688	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
7689	MT	MARK:16 (16X22)																	
7690	TR	BF		60	8				6/19	S	9-08	2-03						143	8 #6 V
7691	TR	BF		60		9-08	1-00		3/10	L	2S90	1-07	1-01	1-07	1-01			25	#3 @12" TIES
7692	TR	BF		60		9-08	1-00		3/10	L	S90	1-07	S135					9	#3 @12" LINKS
7693	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
7694	TR	BF		60	3				3/10	L	2S90	1-07	1-01	1-07	1-01			7	3 #3 @3" TIES@ T
7695	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
7696	TR	BF		60	3				3/10	L	S90	1-07	S135					3	3 #3 @3" LINKS@ T
7697	MT	MARK:17 (18X24)																	
7698	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
7699	TR	BF		60		9-08	1-02		3/10	L	2S90	1-03	1-09	1-03	1-09			25	#3 @14" TIES
7700	TR	BF		60		9-08	1-02		3/10	L	S90	1-03	S135					7	#3 @14" LINKS
7701	TR	BF		60		9-08	1-02		3/10	L	S90	1-09	S135					9	#3 @14" LINKS
7702	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7703	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3 @3" LINKS@ T
7704	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7705	MT	MARK:18 (22X16)																	
7706	TR	BF		60	8				6/19	S	9-08	2-03						143	8 #6 V
7707	TR	BF		60		9-08	1-00		3/10	L	2S90	1-07	1-01	1-07	1-01			25	#3 @12" TIES
7708	TR	BF		60		9-08	1-00		3/10	L	S90	1-07	S135					9	#3 @12" LINKS
7709	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
7710	TR	BF		60	3				3/10	L	2S90	1-07	1-01	1-07	1-01			7	3 #3 @3" TIES@ T
7711	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
7712	TR	BF		60	3				3/10	L	S90	1-07	S135					3	3 #3 @3" LINKS@ T
7713	MT	MARK:19,20 (16X22) (2-LOC)																	
7714	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
7715	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			50	#3 @12" TIES
7716	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-07	S135					19	#3 @12" LINKS
7717	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-01	S135					14	#3 @ 12" LINKS
7718	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
7719	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
7720	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
7721	MT	MARK:21 (26X16)																	
7722	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
7723	TR	BF		60		9-08	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			23	#3 @16" TIES
7724	TR	BF		60		9-08	1-04		3/10	L	S90	1-11	S135					9	#3 @16" LINKS
7725	TR	BF		60		9-08	1-04		3/10	L	S90	1-01	S135					6	#3 @16" LINKS
7726	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
7727	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
7728	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
7729	MT	MARK:22 (24X18)																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
7730	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
7731	TR	BF		60		9-08	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
7732	TR	BF		60		9-08	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
7733	TR	BF		60		9-08	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
7734	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7735	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
7736	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7737	MT	MARK:23 (27X16)																	
7738	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
7739	TR	BF		60		9-08	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
7740	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
7741	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
7742	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
7743	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
7744	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
7745	MT	MARK:24 (20X20)																	
7746	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
7747	TR	BF		60		9-08	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			21	#3 @16" TIES
7748	TR	BF		60		9-08	1-04	2	3/10	L	S90	1-05	S135					14	#3 @16" LINKS
7749	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7750	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7751	MT	MARK:25 (20X20)																	
7752	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
7753	TR	BF		60		9-08	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
7754	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
7755	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7756	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7757	MT	MARK:26,30 (16X27)																	
7758	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
7759	TR	BF		60		9-08	1-02		3/10	L	2S90	1-01	2-00	1-01	2-00			26	#3 @14" TIES
7760	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
7761	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
7762	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
7763	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
7764	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
7765	TR	BF		60		9-08	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			28	#3 @12" TIES
7766	TR	BF		60		9-08	1-00		3/10	L	S90	2-00	S135					11	#3 @12" LINKS
7767	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
7768	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
7769	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
7770	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
7771	MT	MARK:01, 27,28, 32 (20X20) (4-LOC)																	
7772	TR	BF		60	8			4	7/22	S	9-08	3-03						845	8 #7 V
7773	TR	BF		60		9-08	1-02	4	3/10	L	2S90	1-05	1-05	1-05	1-05			95	#3 @14" TIES
7774	TR	BF		60		9-08	1-02	4*2	3/10	L	S90	1-05	S135					63	#3 @14" LINKS
7775	TR	BF		60	3			4	3/10	L	2S90	1-05	1-05	1-05	1-05			29	3 #3 @3" TIES@ T
7776	TR	BF		60	3			4*2	3/10	L	S90	1-05	S135					19	3 #3@3" LINKS@ T
7777	MT	MARK:29, 31 (20X20) (2-LOC)																	
7778	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
7779	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	1-05	1-05	1-05			52	#3 @12" TIES
7780	TR	BF		60		9-08	1-00	2*2	3/10	L	S90	1-05	S135					35	#3 @12" LINKS
7781	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
7782	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T
7783	MT	MARK: 34, 35, (20X20) (2-LOC)																	
7784	TR	BF		60	8			2	6/19	H	9-08	2-03						286	8 #6 V
7785	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	1-05	1-05	1-05			52	#3 @12" TIES
7786	TR	BF		60		9-08	1-00	2*2	3/10	L	S90	1-05	S135					35	#3 @12" LINKS
7787	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
7788	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
7789	MT	MARK:33, 36 (20" DIA) (2-LOC)																	
7790	TR	BF		60	6			2	6/19	H	9-08	2-03						215	6 #6 V
7791	TR	TC		60		9-08	1-00	2	3/10	L	1-08			0-012	0	40D		47	#3 @12" TIES
7792	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
7793	GI	Segment: 7TH FLOOR Sub-Segment: COLUMN																	
7794	MT	7TH FLOOR SEC:S-207.00																	
7795	MT	MARK:02,04 (22X16) (2-LOC)																	
7796	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
7797	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			50	#3 @12" TIES
7798	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-07	S135					19	#3 @12" LINKS
7799	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-01	S135					14	#3 @12" LINKS
7800	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
7801	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
7802	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
7803	MT	MARK:03,05,07 (16X22) (3-LOC)																	
7804	TR	BF		60	8			3	6/19	S	9-08	2-03						430	8 #6 V
7805	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-07	1-01	1-07	1-01			74	#3 @12" TIES
7806	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-07	S135					28	#3 @12" LINKS
7807	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-01	S135					22	#3 @12" LINKS
7808	TR	BF		60	3			3	3/10	L	2S90	1-07	1-01	1-07	1-01			20	3 #3 @3" TIES@ T
7809	TR	BF		60	3			3	3/10	L	S90	1-01	S135					6	3 #3@3" LINKS@ T
7810	TR	BF		60	3			3	3/10	L	S90	1-07	S135					8	3 #3 @3" LINKS@ T
7811	MT	MARK:06 (20X20)																	
7812	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
7813	TR	BF		60		9-08	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
7814	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
7815	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7816	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7817	MT	MARK:08,10,11 (18X24) (3-LOC)																	
7818	TR	BF		80	12			3	9/29	S	9-08	6-11						2,030	12 #9 V
7819	TR	BF		60		9-08	1-06	3	3/10	L	2S90	1-03	1-09	1-03	1-09			60	#3 @18" TIES
7820	TR	BF		60		9-08	1-06	3	3/10	L	S90	1-09	S135					22	#3 @18" LINKS
7821	TR	BF		60		9-08	1-06	3*3	3/10	L	S90	1-03	S135					52	#3 @18" LINKS
7822	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
7823	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
7824	TR	BF		60	3			3*3	3/10	L	S90	1-03	S135					19	3 #3 @3" LINKS@ T
7825	MT	MARK:09, 15 (24X18) (2-LOC)																	
7826	TR	BF		80	12			2	9/29	S	9-08	6-11						1,353	12 #9 V
7827	TR	BF		60		9-08	1-06	2	3/10	L	2S90	1-09	1-03	1-09	1-03			40	#3 @18" TIES
7828	TR	BF		60		9-08	1-06	2	3/10	L	S90	1-09	S135					15	#3 @18" LINKS
7829	TR	BF		60		9-08	1-06	2*3	3/10	L	S90	1-03	S135					35	#3 @18" LINKS
7830	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
7831	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
7832	TR	BF		60	3			2*3	3/10	L	S90	1-03	S135					13	3 #3 @3" LINKS@ T
7833	MT	MARK:12, 13 (22X16) (2-LOC)																	
7834	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
7835	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			50	#3 @12" TIES
7836	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-07	S135					19	#3 @12" LINKS
7837	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-01	S135					14	#3 @12" LINKS
7838	TR	BF		60	3			2	3/10	L	2S90	1-09	1-01	1-09	1-01			14	3 #3 @3" TIES@ T
7839	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
7840	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
7841	MT	MARK:14 (24X18)																	
7842	TR	BF		80	12				9/29	S	9-08	6-11						677	12 #9 V
7843	TR	BF		60		9-08	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			20	#3 @18" TIES
7844	TR	BF		60		9-08	1-06		3/10	L	S90	1-09	S135					7	#3 @18" LINKS
7845	TR	BF		60		9-08	1-06	3	3/10	L	S90	1-03	S135					17	#3 @18" LINKS
7846	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7847	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
7848	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
7849	MT	MARK:16 (16X22)																	
7850	TR	BF		60	8				6/19	S	9-08	2-03						143	8 #6 V
7851	TR	BF		60		9-08	1-00		3/10	L	2S90	1-07	1-01	1-07	1-01			25	#3 @12" TIES
7852	TR	BF		60		9-08	1-00		3/10	L	S90	1-07	S135					9	#3 @12" LINKS
7853	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
7854	TR	BF		60	3				3/10	L	2S90	1-07	1-01	1-07	1-01			7	3 #3 @3" TIES@ T
7855	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
7856	TR	BF		60	3				3/10	L	S90	1-07	S135					3	3 #3 @3" LINKS@ T
7857	MT	MARK:17 (18X24)																	
7858	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
7859	TR	BF		60		9-08	1-02		3/10	L	2S90	1-03	1-09	1-03	1-09			25	#3 @14" TIES
7860	TR	BF		60		9-08	1-02		3/10	L	S90	1-03	S135					7	#3 @14" LINKS
7861	TR	BF		60		9-08	1-02		3/10	L	S90	1-09	S135					9	#3 @14" LINKS
7862	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7863	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3 @3" LINKS@ T
7864	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7865	MT	MARK:18 (22X16)																	
7866	TR	BF		60	8				6/19	S	9-08	2-03						143	8 #6 V
7867	TR	BF		60		9-08	1-00		3/10	L	2S90	1-07	1-01	1-07	1-01			25	#3 @12" TIES
7868	TR	BF		60		9-08	1-00		3/10	L	S90	1-07	S135					9	#3 @12" LINKS
7869	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
7870	TR	BF		60	3				3/10	L	2S90	1-07	1-01	1-07	1-01			7	3 #3 @3" TIES@ T
7871	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
7872	TR	BF		60	3				3/10	L	S90	1-07	S135					3	3 #3 @3" LINKS@ T
7873	MT	MARK:19,20 (16X22) (2-LOC)																	
7874	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
7875	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			50	#3 @12" TIES
7876	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-07	S135					19	#3 @12" LINKS
7877	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-01	S135					14	#3 @ 12" LINKS
7878	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
7879	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
7880	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
7881	MT	MARK:21 (26X16)																	
7882	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
7883	TR	BF		60		9-08	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			23	#3 @16" TIES
7884	TR	BF		60		9-08	1-04		3/10	L	S90	1-11	S135					9	#3 @16" LINKS
7885	TR	BF		60		9-08	1-04		3/10	L	S90	1-01	S135					6	#3 @16" LINKS
7886	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
7887	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
7888	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
7889	MT	MARK:22 (24X18)																	
7890	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
7891	TR	BF		60		9-08	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
7892	TR	BF		60		9-08	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
7893	TR	BF		60		9-08	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
7894	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
7895	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
7896	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
7897	MT	MARK:23 (27X16)																	
7898	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
7899	TR	BF		60		9-08	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
7900	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
7901	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
7902	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
7903	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
7904	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
7905	MT	MARK:24 (20X20)																	
7906	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
7907	TR	BF		60		9-08	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			21	#3 @16" TIES
7908	TR	BF		60		9-08	1-04	2	3/10	L	S90	1-05	S135					14	#3 @16" LINKS
7909	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7910	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7911	MT	MARK:25 (20X20)																	
7912	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
7913	TR	BF		60		9-08	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
7914	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
7915	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7916	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7917	MT	MARK:26,30 (16X27)																	
7918	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
7919	TR	BF		60		9-08	1-02		3/10	L	2S90	1-01	2-00	1-01	2-00			26	#3 @14" TIES
7920	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
7921	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
7922	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
7923	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
7924	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
7925	TR	BF		60		9-08	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			28	#3 @12" TIES
7926	TR	BF		60		9-08	1-00		3/10	L	S90	2-00	S135					11	#3 @12" LINKS
7927	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
7928	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
7929	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
7930	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
7931	MT	MARK:01, 27,28, 32 (20X20) (4-LOC)																	
7932	TR	BF		60	8			4	7/22	S	9-08	3-03						845	8 #7 V
7933	TR	BF		60		9-08	1-02	4	3/10	L	2S90	1-05	1-05	1-05	1-05			95	#3 @14" TIES
7934	TR	BF		60		9-08	1-02	4*2	3/10	L	S90	1-05	S135					63	#3 @14" LINKS
7935	TR	BF		60	3			4	3/10	L	2S90	1-05	1-05	1-05	1-05			29	3 #3 @3" TIES@ T
7936	TR	BF		60	3			4*2	3/10	L	S90	1-05	S135					19	3 #3@3" LINKS@ T
7937	MT	MARK:29, 31 (20X20) (2-LOC)																	
7938	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
7939	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	1-05	1-05	1-05			52	#3 @12" TIES
7940	TR	BF		60		9-08	1-00	2*2	3/10	L	S90	1-05	S135					35	#3 @12" LINKS
7941	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
7942	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T
7943	MT	MARK: 34, 35, (20X20) (2-LOC)																	
7944	TR	BF		60	8			2	6/19	H	9-08	2-03						286	8 #6 V
7945	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	1-05	1-05	1-05			52	#3 @12" TIES
7946	TR	BF		60		9-08	1-00	2*2	3/10	L	S90	1-05	S135					35	#3 @12" LINKS
7947	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
7948	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T
7949	MT	MARK:33, 36 (20" DIA) (2-LOC)																	
7950	TR	BF		60	6			2	6/19	H	9-08	2-03						215	6 #6 V
7951	TR	TC		60		9-08	1-00	2	3/10	L	1-08			0-012	0	40D		47	#3 @12" TIES
7952	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
7953	GI	Segment: 8TH FLOOR Sub-Segment: COLUMN																	
7954	MT	8TH FLOOR SEC:S-207.00																	
7955	MT	MARK:02,04 (22X16) (2-LOC)																	
7956	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
7957	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			50	#3 @12" TIES
7958	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-07	S135					19	#3 @12" LINKS
7959	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-01	S135					14	#3 @12" LINKS
7960	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
7961	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
7962	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
7963	MT	MARK:03,05,07 (16X22) (3-LOC)																	
7964	TR	BF		60	8			3	6/19	S	9-08	2-03						430	8 #6 V
7965	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-07	1-01	1-07	1-01			74	#3 @12" TIES

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
7966	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-07	S135					28	#3 @12" LINKS
7967	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-01	S135					22	#3 @12" LINKS
7968	TR	BF		60	3			3	3/10	L	2S90	1-07	1-01	1-07	1-01			20	3 #3 @3" TIES@ T
7969	TR	BF		60	3			3	3/10	L	S90	1-01	S135					6	3 #3@3" LINKS@ T
7970	TR	BF		60	3			3	3/10	L	S90	1-07	S135					8	3 #3 @3" LINKS@ T
7971	MT	MARK:06 (20X20)																	
7972	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
7973	TR	BF		60		9-08	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
7974	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
7975	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
7976	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
7977	MT	MARK:08,10,11 (18X24) (3-LOC)																	
7978	TR	BF		80	12			3	9/29	S	9-08	6-11						2,030	12 #9 V
7979	TR	BF		60		9-08	1-06	3	3/10	L	2S90	1-03	1-09	1-03	1-09			60	#3 @18" TIES
7980	TR	BF		60		9-08	1-06	3	3/10	L	S90	1-09	S135					22	#3 @18" LINKS
7981	TR	BF		60		9-08	1-06	3*3	3/10	L	S90	1-03	S135					52	#3 @18" LINKS
7982	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
7983	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
7984	TR	BF		60	3			3*3	3/10	L	S90	1-03	S135					19	3 #3 @3" LINKS@ T
7985	MT	MARK:09, 15 (24X18) (2-LOC)																	
7986	TR	BF		80	12			2	9/29	S	9-08	6-11						1,353	12 #9 V
7987	TR	BF		60		9-08	1-06	2	3/10	L	2S90	1-09	1-03	1-09	1-03			40	#3 @18" TIES
7988	TR	BF		60		9-08	1-06	2	3/10	L	S90	1-09	S135					15	#3 @18" LINKS
7989	TR	BF		60		9-08	1-06	2*3	3/10	L	S90	1-03	S135					35	#3 @18" LINKS
7990	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
7991	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
7992	TR	BF		60	3			2*3	3/10	L	S90	1-03	S135					13	3 #3 @3" LINKS@ T
7993	MT	MARK:12, 13 (22X16) (2-LOC)																	
7994	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
7995	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			50	#3 @12" TIES
7996	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-07	S135					19	#3 @12" LINKS
7997	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-01	S135					14	#3 @12" LINKS
7998	TR	BF		60	3			2	3/10	L	2S90	1-09	1-01	1-09	1-01			14	3 #3 @3" TIES@ T
7999	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
8000	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
8001	MT	MARK:14 (24X18)																	
8002	TR	BF		80	12				9/29	S	9-08	6-11						677	12 #9 V
8003	TR	BF		60		9-08	1-06		3/10	L	2S90	1-09	1-03	1-09	1-03			20	#3 @18" TIES
8004	TR	BF		60		9-08	1-06		3/10	L	S90	1-09	S135					7	#3 @18" LINKS
8005	TR	BF		60		9-08	1-06	3	3/10	L	S90	1-03	S135					17	#3 @18" LINKS
8006	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
8007	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
8008	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
8009	MT	MARK:16 (16X22)																	
8010	TR	BF		60	8				6/19	S	9-08	2-03						143	8 #6 V
8011	TR	BF		60		9-08	1-00		3/10	L	2S90	1-07	1-01	1-07	1-01			25	#3 @12" TIES
8012	TR	BF		60		9-08	1-00		3/10	L	S90	1-07	S135					9	#3 @12" LINKS
8013	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
8014	TR	BF		60	3				3/10	L	2S90	1-07	1-01	1-07	1-01			7	3 #3 @3" TIES@ T
8015	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8016	TR	BF		60	3				3/10	L	S90	1-07	S135					3	3 #3 @3" LINKS@ T
8017	MT	MARK:17 (18X24)																	
8018	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
8019	TR	BF		60		9-08	1-02		3/10	L	2S90	1-03	1-09	1-03	1-09			25	#3 @14" TIES
8020	TR	BF		60		9-08	1-02		3/10	L	S90	1-03	S135					7	#3 @14" LINKS
8021	TR	BF		60		9-08	1-02		3/10	L	S90	1-09	S135					9	#3 @14" LINKS
8022	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
8023	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3 @3" LINKS@ T
8024	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
8025	MT	MARK:18 (22X16)																	
8026	TR	BF		60	8				6/19	S	9-08	2-03						143	8 #6 V
8027	TR	BF		60		9-08	1-00		3/10	L	2S90	1-07	1-01	1-07	1-01			25	#3 @12" TIES
8028	TR	BF		60		9-08	1-00		3/10	L	S90	1-07	S135					9	#3 @12" LINKS
8029	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
8030	TR	BF		60	3				3/10	L	2S90	1-07	1-01	1-07	1-01			7	3 #3 @3" TIES@ T
8031	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8032	TR	BF		60	3				3/10	L	S90	1-07	S135					3	3 #3 @3" LINKS@ T
8033	MT	MARK:19,20 (16X22) (2-LOC)																	
8034	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
8035	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			50	#3 @12" TIES
8036	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-07	S135					19	#3 @12" LINKS
8037	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-01	S135					14	#3 @ 12" LINKS
8038	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
8039	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
8040	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
8041	MT	MARK:21 (26X16)																	
8042	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
8043	TR	BF		60		9-08	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			23	#3 @16" TIES
8044	TR	BF		60		9-08	1-04		3/10	L	S90	1-11	S135					9	#3 @16" LINKS
8045	TR	BF		60		9-08	1-04		3/10	L	S90	1-01	S135					6	#3 @16" LINKS
8046	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
8047	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
8048	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
8049	MT	MARK:22 (24X18)																	
8050	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
8051	TR	BF		60		9-08	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
8052	TR	BF		60		9-08	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
8053	TR	BF		60		9-08	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
8054	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
8055	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
8056	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
8057	MT	MARK:23 (27X16)																	
8058	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
8059	TR	BF		60		9-08	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
8060	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
8061	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
8062	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8063	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8064	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
8065	MT	MARK:24 (20X20)																	
8066	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
8067	TR	BF		60		9-08	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			21	#3 @16" TIES
8068	TR	BF		60		9-08	1-04	2	3/10	L	S90	1-05	S135					14	#3 @16" LINKS
8069	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8070	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8071	MT	MARK:25 (20X20)																	
8072	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
8073	TR	BF		60		9-08	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
8074	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
8075	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8076	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8077	MT	MARK:26,30 (16X27)																	
8078	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
8079	TR	BF		60		9-08	1-02		3/10	L	2S90	1-01	2-00	1-01	2-00			26	#3 @14" TIES
8080	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
8081	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
8082	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8083	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
8084	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8085	TR	BF		60		9-08	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			28	#3 @12" TIES
8086	TR	BF		60		9-08	1-00		3/10	L	S90	2-00	S135					11	#3 @12" LINKS
8087	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
8088	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8089	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8090	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8091	MT	MARK:01, 27,28, 32 (20X20) (4-LOC)																	
8092	TR	BF		60	8			4	7/22	S	9-08	3-03						845	8 #7 V
8093	TR	BF		60		9-08	1-02	4	3/10	L	2S90	1-05	1-05	1-05	1-05			95	#3 @14" TIES
8094	TR	BF		60		9-08	1-02	4*2	3/10	L	S90	1-05	S135					63	#3 @14" LINKS
8095	TR	BF		60	3			4	3/10	L	2S90	1-05	1-05	1-05	1-05			29	3 #3 @3" TIES@ T
8096	TR	BF		60	3			4*2	3/10	L	S90	1-05	S135					19	3 #3@3" LINKS@ T
8097	MT	MARK:29, 31 (20X20)																	
8098	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
8099	TR	BF		60		9-08	1-00		3/10	L	2S90	1-05	1-05	1-05	1-05			26	#3 @12" TIES
8100	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
8101	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8102	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8103	TR	BF		60		9-08	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
8104	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
8105	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8106	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8107	MT	MARK: 34, 35, (20X20) (2-LOC)																	
8108	TR	BF		60	8			2	6/19	H	9-08	2-03						286	8 #6 V
8109	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	1-05	1-05	1-05			52	#3 @12" TIES
8110	TR	BF		60		9-08	1-00	2*2	3/10	L	S90	1-05	S135					35	#3 @12" LINKS
8111	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
8112	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T
8113	MT	MARK:33, 36 (20" DIA) (2-LOC)																	
8114	TR	BF		60	6			2	6/19	H	9-08	2-03						215	6 #6 V
8115	TR	TC		60		9-08	1-00	2	3/10	L	1-08			0-012	0	40D		47	#3 @12" TIES
8116	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
8117	GI	Segment: 9TH FLOOR Sub-Segment: COLUMN																	
8118	MT	9TH FLOOR SEC:S-207.00																	
8119	MT	MARK:02,04 (22X16) (2-LOC)																	
8120	TR	BF		60	8			2	6/19	S	12-00	2-03						343	8 #6 V
8121	TR	BF		60		12-00	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			59	#3 @12" TIES
8122	TR	BF		60		12-00	1-00	2	3/10	L	S90	1-07	S135					22	#3 @12" LINKS
8123	TR	BF		60		12-00	1-00	2	3/10	L	S90	1-01	S135					17	#3 @12" LINKS
8124	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
8125	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
8126	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
8127	MT	MARK:03,05,07 (16X22) (3-LOC)																	
8128	TR	BF		60	8			3	6/19	S	12-00	2-03						514	8 #6 V
8129	TR	BF		60		12-00	1-00	3	3/10	L	2S90	1-07	1-01	1-07	1-01			88	#3 @12" TIES
8130	TR	BF		60		12-00	1-00	3	3/10	L	S90	1-07	S135					33	#3 @12" LINKS
8131	TR	BF		60		12-00	1-00	3	3/10	L	S90	1-01	S135					26	#3 @12" LINKS
8132	TR	BF		60	3			3	3/10	L	2S90	1-07	1-01	1-07	1-01			20	3 #3 @3" TIES@ T
8133	TR	BF		60	3			3	3/10	L	S90	1-01	S135					6	3 #3@3" LINKS@ T
8134	TR	BF		60	3			3	3/10	L	S90	1-07	S135					8	3 #3 @3" LINKS@ T
8135	MT	MARK:06 (20X20)																	
8136	TR	BF		60	8				7/22	S	12-00	3-03						249	8 #7 V
8137	TR	BF		60		12-00	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			29	#3 @14" TIES
8138	TR	BF		60		12-00	1-02	2	3/10	L	S90	1-05	S135					19	#3 @14" LINKS
8139	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8140	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8141	MT	MARK:08,10,11 (18X24) (3-LOC)																	
8142	TR	BF		60	8			3	7/22	S	12-00	3-03						748	8 #7 V

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
8143	TR	BF		60		12-00	1-02	3	3/10	L	2S90	1-03	1-09	1-03	1-09			90	#3 @14" TIES
8144	TR	BF		60		12-00	1-02	3	3/10	L	S90	1-09	S135					33	#3 @14" LINKS
8145	TR	BF		60		12-00	1-02	3	3/10	L	S90	1-03	S135					26	#3 @14" LINKS
8146	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
8147	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
8148	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
8149	MT	MARK:09, 15 (24X18) (2-LOC)																	
8150	TR	BF		60	8			2	7/22	S	12-00	3-03						499	8 #7 V
8151	TR	BF		60		12-00	1-02	2	3/10	L	2S90	1-09	1-03	1-09	1-03			60	#3 @14" TIES
8152	TR	BF		60		12-00	1-02	2	3/10	L	S90	1-09	S135					22	#3 @14" LINKS
8153	TR	BF		60		12-00	1-02	2	3/10	L	S90	1-03	S135					17	#3 @14" LINKS
8154	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
8155	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
8156	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
8157	MT	MARK:12, 13 (22X16) (2-LOC)																	
8158	TR	BF		60	8			2	6/19	S	12-00	2-03						343	8 #6 V
8159	TR	BF		60		12-00	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			59	#3 @12" TIES
8160	TR	BF		60		12-00	1-00	2	3/10	L	S90	1-07	S135					22	#3 @12" LINKS
8161	TR	BF		60		12-00	1-00	2	3/10	L	S90	1-01	S135					17	#3 @12" LINKS
8162	TR	BF		60	3			2	3/10	L	2S90	1-09	1-01	1-09	1-01			14	3 #3 @3" TIES@ T
8163	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
8164	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
8165	MT	MARK:14 (24X18)																	
8166	TR	BF		60	8				7/22	S	12-00	3-03						249	8 #7 V
8167	TR	BF		60		12-00	1-02		3/10	L	2S90	1-09	1-03	1-09	1-03			30	#3 @14" TIES
8168	TR	BF		60		12-00	1-02		3/10	L	S90	1-09	S135					11	#3 @14" LINKS
8169	TR	BF		60		12-00	1-02	3	3/10	L	S90	1-03	S135					26	#3 @14" LINKS
8170	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
8171	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
8172	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
8173	MT	MARK:16 (16X22)																	
8174	TR	BF		60	8				6/19	S	12-00	2-03						171	8 #6 V
8175	TR	BF		60		12-00	1-00		3/10	L	2S90	1-07	1-01	1-07	1-01			29	#3 @12" TIES
8176	TR	BF		60		12-00	1-00		3/10	L	S90	1-07	S135					11	#3 @12" LINKS
8177	TR	BF		60		12-00	1-00		3/10	L	S90	1-01	S135					9	#3 @12" LINKS
8178	TR	BF		60	3				3/10	L	2S90	1-07	1-01	1-07	1-01			7	3 #3 @3" TIES@ T
8179	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8180	TR	BF		60	3				3/10	L	S90	1-07	S135					3	3 #3 @3" LINKS@ T
8181	MT	MARK:17 (18X24)																	
8182	TR	BF		60	8				7/22	S	12-00	3-03						249	8 #7 V
8183	TR	BF		60		12-00	1-02		3/10	L	2S90	1-03	1-09	1-03	1-09			30	#3 @14" TIES
8184	TR	BF		60		12-00	1-02		3/10	L	S90	1-03	S135					9	#3 @14" LINKS
8185	TR	BF		60		12-00	1-02		3/10	L	S90	1-09	S135					11	#3 @14" LINKS
8186	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
8187	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3 @3" LINKS@ T
8188	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
8189	MT	MARK:18 (22X16)																	
8190	TR	BF		60	8				6/19	S	12-00	2-03						171	8 #6 V
8191	TR	BF		60		12-00	1-00		3/10	L	2S90	1-07	1-01	1-07	1-01			29	#3 @12" TIES
8192	TR	BF		60		12-00	1-00		3/10	L	S90	1-07	S135					11	#3 @12" LINKS
8193	TR	BF		60		12-00	1-00		3/10	L	S90	1-01	S135					9	#3 @12" LINKS
8194	TR	BF		60	3				3/10	L	2S90	1-07	1-01	1-07	1-01			7	3 #3 @3" TIES@ T
8195	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8196	TR	BF		60	3				3/10	L	S90	1-07	S135					3	3 #3 @3" LINKS@ T
8197	MT	MARK:19,20 (16X22) (2-LOC)																	
8198	TR	BF		60	8			2	6/19	S	12-00	2-03						343	8 #6 V
8199	TR	BF		60		12-00	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			59	#3 @12" TIES
8200	TR	BF		60		12-00	1-00	2	3/10	L	S90	1-07	S135					22	#3 @12" LINKS
8201	TR	BF		60		12-00	1-00	2	3/10	L	S90	1-01	S135					17	#3 @ 12" LINKS

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
8202	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
8203	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
8204	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
8205	MT	MARK:21 (26X16)																	
8206	TR	BF		80	8				8/25	S	12-00	6-02						388	8 #8 V
8207	TR	BF		60		12-00	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			25	#3 @16" TIES
8208	TR	BF		60		12-00	1-04		3/10	L	S90	1-11	S135					10	#3 @16" LINKS
8209	TR	BF		60		12-00	1-04		3/10	L	S90	1-01	S135					7	#3 @16" LINKS
8210	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
8211	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
8212	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
8213	MT	MARK:22 (24X18)																	
8214	TR	BF		80	8				8/25	S	12-00	6-02						388	8 #8 V
8215	TR	BF		60		12-00	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			25	#3 @16" TIES
8216	TR	BF		60		12-00	1-04		3/10	L	S90	1-09	S135					9	#3 @16" LINKS
8217	TR	BF		60		12-00	1-04		3/10	L	S90	1-03	S135					7	#3 @16" LINKS
8218	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
8219	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
8220	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
8221	MT	MARK:23 (27X16)																	
8222	TR	BF		60	8				7/22	S	12-00	3-03						249	8 #7 V
8223	TR	BF		60		12-00	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			31	#3 @14" TIES
8224	TR	BF		60		12-00	1-02		3/10	L	S90	2-00	S135					12	#3 @14" LINKS
8225	TR	BF		60		12-00	1-02		3/10	L	S90	1-01	S135					8	#3 @14" LINKS
8226	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8227	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8228	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
8229	MT	MARK:24 (20X20)																	
8230	TR	BF		80	8				8/25	S	12-00	6-02						388	8 #8 V
8231	TR	BF		60		12-00	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @16" TIES
8232	TR	BF		60		12-00	1-04	2	3/10	L	S90	1-05	S135					16	#3 @16" LINKS
8233	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8234	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8235	MT	MARK:25 (20X20)																	
8236	TR	BF		60	8				7/22	S	12-00	3-03						249	8 #7 V
8237	TR	BF		60		12-00	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			29	#3 @14" TIES
8238	TR	BF		60		12-00	1-02	2	3/10	L	S90	1-05	S135					19	#3 @14" LINKS
8239	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8240	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8241	MT	MARK:26,30 (16X27)																	
8242	TR	BF		60	8			2	7/22	S	12-00	3-03						499	8 #7 V
8243	TR	BF		60		12-00	1-02		3/10	L	2S90	1-01	2-00	1-01	2-00			31	#3 @14" TIES
8244	TR	BF		60		12-00	1-02		3/10	L	S90	2-00	S135					12	#3 @14" LINKS
8245	TR	BF		60		12-00	1-02		3/10	L	S90	1-01	S135					8	#3 @14" LINKS
8246	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8247	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8248	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8249	TR	BF		60		12-00	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			33	#3 @12" TIES
8250	TR	BF		60		12-00	1-00		3/10	L	S90	2-00	S135					13	#3 @12" LINKS
8251	TR	BF		60		12-00	1-00		3/10	L	S90	1-01	S135					9	#3 @12" LINKS
8252	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8253	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8254	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8255	MT	MARK:01, 27,28, (20X20) (3-LOC)																	
8256	TR	BF		60	8			3	7/22	S	12-00	3-03						748	8 #7 V
8257	TR	BF		60		12-00	1-02	3	3/10	L	2S90	1-05	1-05	1-05	1-05			86	#3 @14" TIES
8258	TR	BF		60		12-00	1-02	3*2	3/10	L	S90	1-05	S135					56	#3 @14" LINKS
8259	TR	BF		60	3			3	3/10	L	2S90	1-05	1-05	1-05	1-05			21	3 #3 @3" TIES@ T
8260	TR	BF		60	3			3*2	3/10	L	S90	1-05	S135					14	3 #3@3" LINKS@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
8261	MT	MARK:29 (24X20)																	
8262	TR	BF		60	8			2	7/22	S	12-00	3-03						499	8 #7 V
8263	TR	BF		60		12-00	1-02		3/10	L	2S90	1-09	1-05	1-09	1-05			32	#3 @14" TIES
8264	TR	BF		60		12-00	1-02		3/10	L	S90	1-09	S135					11	#3 @14" LINKS
8265	TR	BF		60		12-00	1-02		3/10	L	S90	1-05	S135					9	#3 @14" LINKS
8266	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8267	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3@3" LINKS@ T
8268	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3@3" LINKS@ T
8269	MT	MARK:31 (20X20)																	
8270	TR	BF		60	8			2	7/22	S	12-00	3-03						499	8 #7 V
8271	TR	BF		60		12-00	1-00		3/10	L	2S90	1-05	1-05	1-05	1-05			31	#3 @12" TIES
8272	TR	BF		60		12-00	1-00	2	3/10	L	S90	1-05	S135					20	#3 @12" LINKS
8273	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8274	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8275	MT	MARK: 32 (20X20)																	
8276	TR	BF		60	8			4	7/22	S	12-00	3-03						998	8 #7 V
8277	TR	BF		60		12-00	1-02	4	3/10	L	2S90	1-05	1-05	1-05	1-05			114	#3 @14" TIES
8278	TR	BF		60		12-00	1-02	4*2	3/10	L	S90	1-05	S135					75	#3 @14" LINKS
8279	TR	BF		60	3			4	3/10	L	2S90	1-05	1-05	1-05	1-05			29	3 #3 @3" TIES@ T
8280	TR	BF		60	3			4*2	3/10	L	S90	1-05	S135					19	3 #3@3" LINKS@ T
8281	MT	MARK: 34 (16X27)																	
8282	TR	BF		60	8				6/19	H	12-00	S90						156	8 #6 V
8283	TR	BF		60		12-00	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			33	#3 @12" TIES
8284	TR	BF		60		12-00	1-00		3/10	L	S90	1-01	S135					9	#3 @12" LINKS
8285	TR	BF		60		12-00	1-00		3/10	L	S90	2-00	S135					13	#3 @12" LINKS
8286	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8287	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8288	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8289	MT	MARK: 35 (20X20)																	
8290	TR	BF		60	8				6/19	H	12-00	S90						156	8 #6 V
8291	TR	BF		60		12-00	1-00		3/10	L	2S90	1-05	1-05	1-05	1-05			31	#3 @12" TIES
8292	TR	BF		60		12-00	1-00	2	3/10	L	S90	1-05	S135					20	#3 @12" LINKS
8293	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8294	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8295	MT	MARK:33, 36 (20" DIA) (2-LOC)																	
8296	TR	BF		60	6			2	6/19	H	12-00	S90						234	6 #6 V
8297	TR	TC		60		12-00	1-00	2	3/10	L	1-08			0-012	0	40D		56	#3 @12" TIES
8298	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
8299	GI	Segment: 10TH FLOOR Sub-Segment: COLUMN																	
8300	MT	10TH FLOOR SEC:S-210.00																	
8301	MT	MARK:01 (20" DIA)																	
8302	TR	BF		60	6				7/22	H	S90	0-071	3-03					62	6 #7 DWL
8303	TR	BF		60	6				7/22	S	10-02	3-03						165	6 #7 V
8304	TR	TC		60		10-02	1-02		3/10	L	1-08			0-012	0	40D		21	#3 @14" TIES
8305	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
8306	MT	MARK:02,04 (22X16) (2-LOC)																	
8307	TR	BF		60	8			2	6/19	S	10-02	2-03						298	8 #6 V
8308	TR	BF		60		10-02	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			54	#3 @12" TIES
8309	TR	BF		60		10-02	1-00	2	3/10	L	S90	1-07	S135					20	#3 @12" LINKS
8310	TR	BF		60		10-02	1-00	2	3/10	L	S90	1-01	S135					16	#3 @12" LINKS
8311	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
8312	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
8313	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
8314	MT	MARK:03,05,07 (16X22) (3-LOC)																	
8315	TR	BF		60	8			3	6/19	S	10-02	2-03						448	8 #6 V
8316	TR	BF		60		10-02	1-00	3	3/10	L	2S90	1-07	1-01	1-07	1-01			81	#3 @12" TIES
8317	TR	BF		60		10-02	1-00	3	3/10	L	S90	1-07	S135					31	#3 @12" LINKS
8318	TR	BF		60		10-02	1-00	3	3/10	L	S90	1-01	S135					24	#3 @12" LINKS
8319	TR	BF		60	3			3	3/10	L	2S90	1-07	1-01	1-07	1-01			20	3 #3 @3" TIES@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
8320	TR	BF		60	3			3	3/10	L	S90	1-01	S135					6	3 #3@3" LINKS@ T
8321	TR	BF		60	3			3	3/10	L	S90	1-07	S135					8	3 #3 @3" LINKS@ T
8322	MT	MARK:06 (20" DIA)																	
8323	TR	BF		60	8				6/19	H	S90	0-071	2-03					46	8 #6 DWL
8324	TR	BF		60	8				6/19	S	10-02	2-03						149	8 #6 V
8325	TR	TC		60		10-02	1-00		3/10	L	1-08			0-012	0	40D		26	#3 @12" TIES
8326	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
8327	MT	MARK:08,10,11 (18X24) (3-LOC)																	
8328	TR	BF		60	8			3	7/22	S	10-02	3-03						658	8 #7 V
8329	TR	BF		60		10-02	1-02	3	3/10	L	2S90	1-03	1-09	1-03	1-09			75	#3 @14" TIES
8330	TR	BF		60		10-02	1-02	3	3/10	L	S90	1-09	S135					27	#3 @14" LINKS
8331	TR	BF		60		10-02	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
8332	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
8333	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
8334	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
8335	MT	MARK:09, 15 (24X18) (2-LOC)																	
8336	TR	BF		60	8			2	7/22	S	10-02	3-03						439	8 #7 V
8337	TR	BF		60		10-02	1-02	2	3/10	L	2S90	1-09	1-03	1-09	1-03			50	#3 @14" TIES
8338	TR	BF		60		10-02	1-02	2	3/10	L	S90	1-09	S135					18	#3 @14" LINKS
8339	TR	BF		60		10-02	1-02	2	3/10	L	S90	1-03	S135					14	#3 @14" LINKS
8340	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
8341	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
8342	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
8343	MT	MARK:12, 13 (22X16) (2-LOC)																	
8344	TR	BF		60	8			2	6/19	S	10-02	2-03						298	8 #6 V
8345	TR	BF		60		10-02	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			54	#3 @12" TIES
8346	TR	BF		60		10-02	1-00	2	3/10	L	S90	1-07	S135					20	#3 @12" LINKS
8347	TR	BF		60		10-02	1-00	2	3/10	L	S90	1-01	S135					16	#3 @12" LINKS
8348	TR	BF		60	3			2	3/10	L	2S90	1-09	1-01	1-09	1-01			14	3 #3 @3" TIES@ T
8349	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
8350	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
8351	MT	MARK:14 (24X18)																	
8352	TR	BF		60	8				7/22	S	10-02	3-03						219	8 #7 V
8353	TR	BF		60		10-02	1-02		3/10	L	2S90	1-09	1-03	1-09	1-03			25	#3 @14" TIES
8354	TR	BF		60		10-02	1-02		3/10	L	S90	1-09	S135					9	#3 @14" LINKS
8355	TR	BF		60		10-02	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
8356	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
8357	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
8358	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
8359	MT	MARK:16 (16X22)																	
8360	TR	BF		60	8				6/19	S	10-02	2-03						149	8 #6 V
8361	TR	BF		60		10-02	1-00		3/10	L	2S90	1-07	1-01	1-07	1-01			27	#3 @12" TIES
8362	TR	BF		60		10-02	1-00		3/10	L	S90	1-07	S135					10	#3 @12" LINKS
8363	TR	BF		60		10-02	1-00		3/10	L	S90	1-01	S135					8	#3 @12" LINKS
8364	TR	BF		60	3				3/10	L	2S90	1-07	1-01	1-07	1-01			7	3 #3 @3" TIES@ T
8365	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8366	TR	BF		60	3				3/10	L	S90	1-07	S135					3	3 #3 @3" LINKS@ T
8367	MT	MARK:17 (20" DIA)																	
8368	TR	BF		60	8				6/19	H	S90	0-071	2-03					46	8 #6 DWL
8369	TR	BF		60	8				6/19	S	10-02	2-03						149	8 #6 V
8370	TR	TC		60		10-02	1-00		3/10	L	1-08			0-012	0	40D		26	#3 @12" TIES
8371	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
8372	MT	MARK:18 (22X16)																	
8373	TR	BF		60	8				6/19	S	10-02	2-03						149	8 #6 V
8374	TR	BF		60		10-02	1-00		3/10	L	2S90	1-07	1-01	1-07	1-01			27	#3 @12" TIES
8375	TR	BF		60		10-02	1-00		3/10	L	S90	1-07	S135					10	#3 @12" LINKS
8376	TR	BF		60		10-02	1-00		3/10	L	S90	1-01	S135					8	#3 @12" LINKS
8377	TR	BF		60	3				3/10	L	2S90	1-07	1-01	1-07	1-01			7	3 #3 @3" TIES@ T
8378	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
8379	TR	BF		60	3				3/10	L	S90	1-07	S135					3	3 #3 @3" LINKS@ T
8380	MT	MARK:19,20 (16X22) (2-LOC)																	
8381	TR	BF		60	8			2	6/19	S	10-02	2-03						298	8 #6 V
8382	TR	BF		60		10-02	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			54	#3 @12" TIES
8383	TR	BF		60		10-02	1-00	2	3/10	L	S90	1-07	S135					20	#3 @12" LINKS
8384	TR	BF		60		10-02	1-00	2	3/10	L	S90	1-01	S135					16	#3 @ 12" LINKS
8385	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
8386	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
8387	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
8388	MT	MARK:21 (26X16)																	
8389	TR	BF		80	8				8/25	S	10-02	6-02						349	8 #8 V
8390	TR	BF		60		10-02	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			23	#3 @16" TIES
8391	TR	BF		60		10-02	1-04		3/10	L	S90	1-11	S135					9	#3 @16" LINKS
8392	TR	BF		60		10-02	1-04		3/10	L	S90	1-01	S135					6	#3 @16" LINKS
8393	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
8394	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
8395	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
8396	MT	MARK:22 (24X18)																	
8397	TR	BF		80	8				8/25	S	10-02	6-02						349	8 #8 V
8398	TR	BF		60		10-02	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
8399	TR	BF		60		10-02	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
8400	TR	BF		60		10-02	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
8401	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
8402	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
8403	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
8404	MT	MARK:23 (27X16)																	
8405	TR	BF		60	8				7/22	S	10-02	3-03						219	8 #7 V
8406	TR	BF		60		10-02	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
8407	TR	BF		60		10-02	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
8408	TR	BF		60		10-02	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
8409	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8410	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8411	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
8412	MT	MARK:24 (20X20)																	
8413	TR	BF		80	8				8/25	S	10-02	6-02						349	8 #8 V
8414	TR	BF		60		10-02	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			21	#3 @16" TIES
8415	TR	BF		60		10-02	1-04	2	3/10	L	S90	1-05	S135					14	#3 @16" LINKS
8416	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8417	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8418	MT	MARK:25 (20X20)																	
8419	TR	BF		60	8				7/22	S	10-02	3-03						219	8 #7 V
8420	TR	BF		60		10-02	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
8421	TR	BF		60		10-02	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
8422	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8423	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8424	MT	MARK:26,30 (16X27)																	
8425	TR	BF		60	8			2	7/22	S	10-02	3-03						439	8 #7 V
8426	TR	BF		60		10-02	1-02		3/10	L	2S90	1-01	2-00	1-01	2-00			26	#3 @14" TIES
8427	TR	BF		60		10-02	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
8428	TR	BF		60		10-02	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
8429	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8430	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8431	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8432	TR	BF		60		10-02	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			31	#3 @12" TIES
8433	TR	BF		60		10-02	1-00		3/10	L	S90	2-00	S135					12	#3 @12" LINKS
8434	TR	BF		60		10-02	1-00		3/10	L	S90	1-01	S135					8	#3 @12" LINKS
8435	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8436	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8437	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
8438	MT	MARK: 27,28, (20X20) (2-LOC)																	
8439	TR	BF		60	8			2	7/22	S	10-02	3-03						439	8 #7 V
8440	TR	BF		60		10-02	1-02	2	3/10	L	2S90	1-05	1-05	1-05	1-05			48	#3 @14" TIES
8441	TR	BF		60		10-02	1-02	2*2	3/10	L	S90	1-05	S135					31	#3 @14" LINKS
8442	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
8443	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T
8444	MT	MARK:31 (20X20)																	
8445	TR	BF		60	8			2	7/22	S	10-02	3-03						439	8 #7 V
8446	TR	BF		60		10-02	1-00		3/10	L	2S90	1-05	1-05	1-05	1-05			29	#3 @12" TIES
8447	TR	BF		60		10-02	1-00	2	3/10	L	S90	1-05	S135					19	#3 @12" LINKS
8448	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8449	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8450	MT	MARK: 29,32 (20" DIA)																	
8451	TR	BF		60	6			2	6/19	H	S90	0-071	2-03					69	6 #6 DWL
8452	TR	BF		60	6			2	6/19	S	10-02	2-03						224	6 #6 V
8453	TR	TC		60		10-02	1-00	2	3/10	L	1-08			0-012	0	40D		51	#3 @12" TIES
8454	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
8455	GI	Segment: 11TH FLOOR Sub-Segment: COLUMN																	
8456	MT	11TH FLOOR SEC:S-211.00																	
8457	MT	MARK:01 (20" DIA)																	
8458	TR	BF		60	6				7/22	S	9-08	3-03						158	6 #7 V
8459	TR	TC		60		9-08	1-02		3/10	L	1-08			0-012	0	40D		21	#3 @14" TIES
8460	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
8461	MT	MARK:02,04 (22X16) (2-LOC)																	
8462	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
8463	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			50	#3 @12" TIES
8464	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-07	S135					19	#3 @12" LINKS
8465	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-01	S135					14	#3 @12" LINKS
8466	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
8467	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
8468	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
8469	MT	MARK:03,05,07 (16X22) (3-LOC)																	
8470	TR	BF		60	8			3	6/19	S	9-08	2-03						430	8 #6 V
8471	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-07	1-01	1-07	1-01			74	#3 @12" TIES
8472	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-07	S135					28	#3 @12" LINKS
8473	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-01	S135					22	#3 @12" LINKS
8474	TR	BF		60	3			3	3/10	L	2S90	1-07	1-01	1-07	1-01			20	3 #3 @3" TIES@ T
8475	TR	BF		60	3			3	3/10	L	S90	1-01	S135					6	3 #3@3" LINKS@ T
8476	TR	BF		60	3			3	3/10	L	S90	1-07	S135					8	3 #3 @3" LINKS@ T
8477	MT	MARK:06 (20" DIA)																	
8478	TR	BF		80	8				8/25	S	9-08	4-09						308	8 #8 V
8479	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
8480	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
8481	MT	MARK:08,10,11 (18X24) (3-LOC)																	
8482	TR	BF		60	8			3	7/22	S	9-08	3-03						634	8 #7 V
8483	TR	BF		60		9-08	1-02	3	3/10	L	2S90	1-03	1-09	1-03	1-09			75	#3 @14" TIES
8484	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-09	S135					27	#3 @14" LINKS
8485	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
8486	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
8487	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
8488	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
8489	MT	MARK:09, 15 (24X18) (2-LOC)																	
8490	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
8491	TR	BF		60		9-08	1-02	2	3/10	L	2S90	1-09	1-03	1-09	1-03			50	#3 @14" TIES
8492	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-09	S135					18	#3 @14" LINKS
8493	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-03	S135					14	#3 @14" LINKS
8494	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
8495	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
8496	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
8497	MT	MARK:12, 13 (22X16) (2-LOC)																	
8498	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
8499	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			50	#3 @12" TIES
8500	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-07	S135					19	#3 @12" LINKS
8501	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-01	S135					14	#3 @12" LINKS
8502	TR	BF		60	3			2	3/10	L	2S90	1-09	1-01	1-09	1-01			14	3 #3 @3" TIES@ T
8503	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
8504	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
8505	MT	MARK:14 (24X18)																	
8506	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
8507	TR	BF		60		9-08	1-02		3/10	L	2S90	1-09	1-03	1-09	1-03			25	#3 @14" TIES
8508	TR	BF		60		9-08	1-02		3/10	L	S90	1-09	S135					9	#3 @14" LINKS
8509	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
8510	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
8511	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
8512	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
8513	MT	MARK:16 (16X22)																	
8514	TR	BF		60	8				6/19	S	9-08	2-03						143	8 #6 V
8515	TR	BF		60		9-08	1-00		3/10	L	2S90	1-07	1-01	1-07	1-01			25	#3 @12" TIES
8516	TR	BF		60		9-08	1-00		3/10	L	S90	1-07	S135					9	#3 @12" LINKS
8517	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
8518	TR	BF		60	3				3/10	L	2S90	1-07	1-01	1-07	1-01			7	3 #3 @3" TIES@ T
8519	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8520	TR	BF		60	3				3/10	L	S90	1-07	S135					3	3 #3 @3" LINKS@ T
8521	MT	MARK:17 (20" DIA)																	
8522	TR	BF		60	8				6/19	S	9-08	2-03						143	8 #6 V
8523	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
8524	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
8525	MT	MARK:18 (22X16)																	
8526	TR	BF		60	8				6/19	S	9-08	2-03						143	8 #6 V
8527	TR	BF		60		9-08	1-00		3/10	L	2S90	1-07	1-01	1-07	1-01			25	#3 @12" TIES
8528	TR	BF		60		9-08	1-00		3/10	L	S90	1-07	S135					9	#3 @12" LINKS
8529	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
8530	TR	BF		60	3				3/10	L	2S90	1-07	1-01	1-07	1-01			7	3 #3 @3" TIES@ T
8531	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8532	TR	BF		60	3				3/10	L	S90	1-07	S135					3	3 #3 @3" LINKS@ T
8533	MT	MARK:19,20 (16X22) (2-LOC)																	
8534	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
8535	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-07	1-01	1-07	1-01			50	#3 @12" TIES
8536	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-07	S135					19	#3 @12" LINKS
8537	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-01	S135					14	#3 @ 12" LINKS
8538	TR	BF		60	3			2	3/10	L	2S90	1-07	1-01	1-07	1-01			14	3 #3 @3" TIES@ T
8539	TR	BF		60	3			2	3/10	L	S90	1-01	S135					4	3 #3@3" LINKS@ T
8540	TR	BF		60	3			2	3/10	L	S90	1-07	S135					5	3 #3 @3" LINKS@ T
8541	MT	MARK:21 (26X16)																	
8542	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
8543	TR	BF		60		9-08	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			23	#3 @16" TIES
8544	TR	BF		60		9-08	1-04		3/10	L	S90	1-11	S135					9	#3 @16" LINKS
8545	TR	BF		60		9-08	1-04		3/10	L	S90	1-01	S135					6	#3 @16" LINKS
8546	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
8547	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
8548	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
8549	MT	MARK:22 (24X18)																	
8550	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
8551	TR	BF		60		9-08	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
8552	TR	BF		60		9-08	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
8553	TR	BF		60		9-08	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
8554	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
8555	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
8556	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
8557	MT	MARK:23 (27X16)																	
8558	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
8559	TR	BF		60		9-08	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
8560	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
8561	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
8562	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8563	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8564	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
8565	MT	MARK:24 (20X20)																	
8566	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
8567	TR	BF		60		9-08	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			21	#3 @16" TIES
8568	TR	BF		60		9-08	1-04	2	3/10	L	S90	1-05	S135					14	#3 @16" LINKS
8569	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8570	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8571	MT	MARK:25 (20X20)																	
8572	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
8573	TR	BF		60		9-08	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
8574	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
8575	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8576	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8577	MT	MARK:26,30 (16X27)																	
8578	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
8579	TR	BF		60		9-08	1-02		3/10	L	2S90	1-01	2-00	1-01	2-00			26	#3 @14" TIES
8580	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
8581	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
8582	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8583	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8584	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8585	TR	BF		60		9-08	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			28	#3 @12" TIES
8586	TR	BF		60		9-08	1-00		3/10	L	S90	2-00	S135					11	#3 @12" LINKS
8587	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
8588	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8589	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8590	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8591	MT	MARK: 27,28, (20X20) (2-LOC)																	
8592	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
8593	TR	BF		60		9-08	1-02	2	3/10	L	2S90	1-05	1-05	1-05	1-05			48	#3 @14" TIES
8594	TR	BF		60		9-08	1-02	2*2	3/10	L	S90	1-05	S135					31	#3 @14" LINKS
8595	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
8596	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T
8597	MT	MARK:31 (20X20)																	
8598	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
8599	TR	BF		60		9-08	1-00		3/10	L	2S90	1-05	1-05	1-05	1-05			26	#3 @12" TIES
8600	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
8601	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8602	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8603	MT	MARK: 29,32 (20" DIA)																	
8604	TR	BF		60	6			2	6/19	S	9-08	2-03						215	6 #6 V
8605	TR	TC		60		9-08	1-00	2	3/10	L	1-08			0-012	0	40D		47	#3 @12" TIES
8606	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
8607	GI	Segment: 12TH FLOOR Sub-Segment: COLUMN																	
8608	MT	12TH FLOOR SEC:S-212.00																	
8609	MT	MARK:01 (20" DIA)																	
8610	TR	BF		60	6				7/22	S	9-08	3-03						158	6 #7 V
8611	TR	TC		60		9-08	1-02		3/10	L	1-08			0-012	0	40D		21	#3 @14" TIES
8612	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
8613	MT	MARK:02,04 (14X20) (2-LOC)																	
8614	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
8615	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
8616	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
8617	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
8618	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
8619	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
8620	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
8621	MT	MARK:03,05,07 (20X14) (3-LOC)																	
8622	TR	BF		60	8			3	6/19	S	9-08	2-03						430	8 #6 V
8623	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			66	#3 @12" TIES
8624	TR	BF		60		9-08	1-00	3	3/10	L	S90	0-11	S135					20	#3 @12" LINKS
8625	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-05	S135					26	#3 @12" LINKS
8626	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
8627	TR	BF		60	3			3	3/10	L	S90	0-11	S135					5	3 #3@3" LINKS@ T
8628	TR	BF		60	3			3	3/10	L	S90	1-05	S135					7	3 #3 @3" LINKS@ T
8629	MT	MARK:06 (20" DIA)																	
8630	TR	BF		80	8				8/25	S	9-08	4-09						308	8 #8 V
8631	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
8632	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
8633	MT	MARK:08,10,11 (18X24) (3-LOC)																	
8634	TR	BF		60	8			3	7/22	S	9-08	3-03						634	8 #7 V
8635	TR	BF		60		9-08	1-02	3	3/10	L	2S90	1-03	1-09	1-03	1-09			75	#3 @14" TIES
8636	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-09	S135					27	#3 @14" LINKS
8637	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
8638	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
8639	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
8640	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
8641	MT	MARK:09, 15 (24X18) (2-LOC)																	
8642	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
8643	TR	BF		60		9-08	1-02	2	3/10	L	2S90	1-09	1-03	1-09	1-03			50	#3 @14" TIES
8644	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-09	S135					18	#3 @14" LINKS
8645	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-03	S135					14	#3 @14" LINKS
8646	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
8647	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
8648	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
8649	MT	MARK:12, 13 (20X14) (2-LOC)																	
8650	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
8651	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			44	#3 @12" TIES
8652	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
8653	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
8654	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
8655	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8656	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3 @3" LINKS@ T
8657	MT	MARK:14 (24X18)																	
8658	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
8659	TR	BF		60		9-08	1-02		3/10	L	2S90	1-09	1-03	1-09	1-03			25	#3 @14" TIES
8660	TR	BF		60		9-08	1-02		3/10	L	S90	1-09	S135					9	#3 @14" LINKS
8661	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
8662	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
8663	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
8664	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
8665	MT	MARK:16 (14X20)																	
8666	TR	BF		60	8				6/19	S	9-08	2-03						143	8 #6 V
8667	TR	BF		60		9-08	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			22	#3 @12" TIES
8668	TR	BF		60		9-08	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
8669	TR	BF		60		9-08	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
8670	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
8671	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3@3" LINKS@ T
8672	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3 @3" LINKS@ T
8673	MT	MARK:17 (20" DIA)																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
8674	TR	BF		60	8				6/19	S	9-08	2-03						143	8 #6 V
8675	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
8676	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
8677	MT	MARK:18 (20X14)																	
8678	TR	BF		60	8				6/19	S	9-08	2-03						143	8 #6 V
8679	TR	BF		60		9-08	1-00		3/10	L	2S90	1-05	0-11	1-05	0-11			22	#3 @12" TIES
8680	TR	BF		60		9-08	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
8681	TR	BF		60		9-08	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
8682	TR	BF		60	3				3/10	L	2S90	1-05	0-11	1-05	0-11			6	3 #3 @3" TIES@ T
8683	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3@3" LINKS@ T
8684	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3 @3" LINKS@ T
8685	MT	MARK:19,20 (14X20) (2-LOC)																	
8686	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
8687	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
8688	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
8689	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @ 12" LINKS
8690	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
8691	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
8692	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
8693	MT	MARK:21 (26X16)																	
8694	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
8695	TR	BF		60		9-08	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			23	#3 @16" TIES
8696	TR	BF		60		9-08	1-04		3/10	L	S90	1-11	S135					9	#3 @16" LINKS
8697	TR	BF		60		9-08	1-04		3/10	L	S90	1-01	S135					6	#3 @16" LINKS
8698	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
8699	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
8700	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
8701	MT	MARK:22 (24X18)																	
8702	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
8703	TR	BF		60		9-08	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
8704	TR	BF		60		9-08	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
8705	TR	BF		60		9-08	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
8706	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
8707	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
8708	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
8709	MT	MARK:23 (27X16)																	
8710	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
8711	TR	BF		60		9-08	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
8712	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
8713	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
8714	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8715	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8716	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
8717	MT	MARK:24 (20X20)																	
8718	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
8719	TR	BF		60		9-08	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			21	#3 @16" TIES
8720	TR	BF		60		9-08	1-04	2	3/10	L	S90	1-05	S135					14	#3 @16" LINKS
8721	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8722	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8723	MT	MARK:25 (20X20)																	
8724	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
8725	TR	BF		60		9-08	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
8726	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
8727	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8728	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8729	MT	MARK:26,30 (16X27)																	
8730	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
8731	TR	BF		60		9-08	1-02		3/10	L	2S90	1-01	2-00	1-01	2-00			26	#3 @14" TIES
8732	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
8733	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
8734	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8735	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8736	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8737	TR	BF		60		9-08	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			28	#3 @12" TIES
8738	TR	BF		60		9-08	1-00		3/10	L	S90	2-00	S135					11	#3 @12" LINKS
8739	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
8740	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8741	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8742	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8743	MT	MARK: 27,28, (20X20) (2-LOC)																	
8744	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
8745	TR	BF		60		9-08	1-02	2	3/10	L	2S90	1-05	1-05	1-05	1-05			48	#3 @14" TIES
8746	TR	BF		60		9-08	1-02	2*2	3/10	L	S90	1-05	S135					31	#3 @14" LINKS
8747	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
8748	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T
8749	MT	MARK:31 (20X20)																	
8750	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
8751	TR	BF		60		9-08	1-00		3/10	L	2S90	1-05	1-05	1-05	1-05			26	#3 @12" TIES
8752	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
8753	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8754	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8755	MT	MARK: 29,32 (20" DIA)																	
8756	TR	BF		60	6			2	6/19	S	9-08	2-03						215	6 #6 V
8757	TR	TC		60		9-08	1-00	2	3/10	L	1-08			0-012	0	40D		47	#3 @12" TIES
8758	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
8759	GI	Segment: 13TH FLOOR Sub-Segment: COLUMN																	
8760	MT	13TH FLOOR SEC:S-212.00																	
8761	MT	MARK:01 (20" DIA)																	
8762	TR	BF		60	6				7/22	S	9-08	3-03						158	6 #7 V
8763	TR	TC		60		9-08	1-02		3/10	L	1-08			0-012	0	40D		21	#3 @14" TIES
8764	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
8765	MT	MARK:02,04 (14X20) (2-LOC)																	
8766	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
8767	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
8768	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
8769	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
8770	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
8771	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
8772	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
8773	MT	MARK:03,05,07 (20X14) (3-LOC)																	
8774	TR	BF		60	8			3	6/19	S	9-08	2-03						430	8 #6 V
8775	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			66	#3 @12" TIES
8776	TR	BF		60		9-08	1-00	3	3/10	L	S90	0-11	S135					20	#3 @12" LINKS
8777	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-05	S135					26	#3 @12" LINKS
8778	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
8779	TR	BF		60	3			3	3/10	L	S90	0-11	S135					5	3 #3@3" LINKS@ T
8780	TR	BF		60	3			3	3/10	L	S90	1-05	S135					7	3 #3 @3" LINKS@ T
8781	MT	MARK:06 (20" DIA)																	
8782	TR	BF		80	8				8/25	S	9-08	4-09						308	8 #8 V
8783	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
8784	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
8785	MT	MARK:08,10,11 (18X24) (3-LOC)																	
8786	TR	BF		60	8			3	7/22	S	9-08	3-03						634	8 #7 V
8787	TR	BF		60		9-08	1-02	3	3/10	L	2S90	1-03	1-09	1-03	1-09			75	#3 @14" TIES
8788	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-09	S135					27	#3 @14" LINKS
8789	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
8790	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
8791	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
8792	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
8793	MT	MARK:09, 15 (24X18) (2-LOC)																	
8794	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
8795	TR	BF		60		9-08	1-02	2	3/10	L	2S90	1-09	1-03	1-09	1-03			50	#3 @14" TIES
8796	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-09	S135					18	#3 @14" LINKS
8797	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-03	S135					14	#3 @14" LINKS
8798	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
8799	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
8800	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
8801	MT	MARK:12, 13 (20X14) (2-LOC)																	
8802	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
8803	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			44	#3 @12" TIES
8804	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
8805	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
8806	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
8807	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8808	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3 @3" LINKS@ T
8809	MT	MARK:14 (24X18)																	
8810	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
8811	TR	BF		60		9-08	1-02		3/10	L	2S90	1-09	1-03	1-09	1-03			25	#3 @14" TIES
8812	TR	BF		60		9-08	1-02		3/10	L	S90	1-09	S135					9	#3 @14" LINKS
8813	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
8814	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
8815	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
8816	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
8817	MT	MARK:16 (14X20)																	
8818	TR	BF		60	8				6/19	S	9-08	2-03						143	8 #6 V
8819	TR	BF		60		9-08	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			22	#3 @12" TIES
8820	TR	BF		60		9-08	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
8821	TR	BF		60		9-08	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
8822	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
8823	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3@3" LINKS@ T
8824	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3 @3" LINKS@ T
8825	MT	MARK:17 (20" DIA)																	
8826	TR	BF		60	6				6/19	S	9-08	2-03						107	6 #6 V
8827	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
8828	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
8829	MT	MARK:18 (20X14)																	
8830	TR	BF		60	8				6/19	S	9-08	2-03						143	8 #6 V
8831	TR	BF		60		9-08	1-00		3/10	L	2S90	1-05	0-11	1-05	0-11			22	#3 @12" TIES
8832	TR	BF		60		9-08	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
8833	TR	BF		60		9-08	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
8834	TR	BF		60	3				3/10	L	2S90	1-05	0-11	1-05	0-11			6	3 #3 @3" TIES@ T
8835	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3@3" LINKS@ T
8836	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3 @3" LINKS@ T
8837	MT	MARK:19,20 (14X20) (2-LOC)																	
8838	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
8839	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
8840	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
8841	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @ 12" LINKS
8842	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
8843	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
8844	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
8845	MT	MARK:21 (26X16)																	
8846	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
8847	TR	BF		60		9-08	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			23	#3 @16" TIES
8848	TR	BF		60		9-08	1-04		3/10	L	S90	1-11	S135					9	#3 @16" LINKS
8849	TR	BF		60		9-08	1-04		3/10	L	S90	1-01	S135					6	#3 @16" LINKS
8850	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
8851	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
8852	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
8853	MT	MARK:22 (24X18)																	
8854	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
8855	TR	BF		60		9-08	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
8856	TR	BF		60		9-08	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
8857	TR	BF		60		9-08	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
8858	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
8859	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
8860	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
8861	MT	MARK:23 (27X16)																	
8862	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
8863	TR	BF		60		9-08	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
8864	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
8865	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
8866	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8867	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8868	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
8869	MT	MARK:24 (20X20)																	
8870	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
8871	TR	BF		60		9-08	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			21	#3 @16" TIES
8872	TR	BF		60		9-08	1-04	2	3/10	L	S90	1-05	S135					14	#3 @16" LINKS
8873	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8874	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8875	MT	MARK:25 (20X20)																	
8876	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
8877	TR	BF		60		9-08	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
8878	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
8879	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8880	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8881	MT	MARK:26,30 (16X27)																	
8882	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
8883	TR	BF		60		9-08	1-02		3/10	L	2S90	1-01	2-00	1-01	2-00			26	#3 @14" TIES
8884	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
8885	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
8886	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8887	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8888	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8889	TR	BF		60		9-08	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			28	#3 @12" TIES
8890	TR	BF		60		9-08	1-00		3/10	L	S90	2-00	S135					11	#3 @12" LINKS
8891	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
8892	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
8893	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
8894	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
8895	MT	MARK: 27,28, (20X20) (2-LOC)																	
8896	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
8897	TR	BF		60		9-08	1-02	2	3/10	L	2S90	1-05	1-05	1-05	1-05			48	#3 @14" TIES
8898	TR	BF		60		9-08	1-02	2*2	3/10	L	S90	1-05	S135					31	#3 @14" LINKS
8899	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
8900	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T
8901	MT	MARK:31 (20X20)																	
8902	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
8903	TR	BF		60		9-08	1-00		3/10	L	2S90	1-05	1-05	1-05	1-05			26	#3 @12" TIES
8904	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
8905	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
8906	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8907	MT	MARK: 29,32 (20" DIA)																	
8908	TR	BF		60	6			2	6/19	S	9-08	2-03						215	6 #6 V
8909	TR	TC		60		9-08	1-00	2	3/10	L	1-08			0-012	0	40D		47	#3 @12" TIES

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
8910	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
8911	GI	Segment: 14TH FLOOR Sub-Segment: COLUMN																	
8912	MT	14TH FLOOR SEC:S-212.00																	
8913	MT	MARK:01 (20" DIA)																	
8914	TR	BF		60	6				7/22	S	9-08	3-03						158	6 #7 V
8915	TR	TC		60		9-08	1-02		3/10	L	1-08			0-012	0	40D		21	#3 @14" TIES
8916	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
8917	MT	MARK:02,04 (14X20) (2-LOC)																	
8918	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
8919	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
8920	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
8921	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
8922	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
8923	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
8924	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
8925	MT	MARK:03,05,07 (20X14) (3-LOC)																	
8926	TR	BF		60	8			3	6/19	S	9-08	2-03						430	8 #6 V
8927	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			66	#3 @12" TIES
8928	TR	BF		60		9-08	1-00	3	3/10	L	S90	0-11	S135					20	#3 @12" LINKS
8929	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-05	S135					26	#3 @12" LINKS
8930	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
8931	TR	BF		60	3			3	3/10	L	S90	0-11	S135					5	3 #3@3" LINKS@ T
8932	TR	BF		60	3			3	3/10	L	S90	1-05	S135					7	3 #3 @3" LINKS@ T
8933	MT	MARK:06 (20" DIA)																	
8934	TR	BF		80	8				8/25	S	9-08	4-09						308	8 #8 V
8935	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
8936	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
8937	MT	MARK:08,10,11 (18X24) (3-LOC)																	
8938	TR	BF		60	8			3	7/22	S	9-08	3-03						634	8 #7 V
8939	TR	BF		60		9-08	1-02	3	3/10	L	2S90	1-03	1-09	1-03	1-09			75	#3 @14" TIES
8940	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-09	S135					27	#3 @14" LINKS
8941	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
8942	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
8943	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
8944	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
8945	MT	MARK:09, 15 (24X18) (2-LOC)																	
8946	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
8947	TR	BF		60		9-08	1-02	2	3/10	L	2S90	1-09	1-03	1-09	1-03			50	#3 @14" TIES
8948	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-09	S135					18	#3 @14" LINKS
8949	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-03	S135					14	#3 @14" LINKS
8950	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
8951	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
8952	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
8953	MT	MARK:12, 13 (20X14) (2-LOC)																	
8954	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
8955	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			44	#3 @12" TIES
8956	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
8957	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
8958	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
8959	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
8960	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3 @3" LINKS@ T
8961	MT	MARK:14 (24X18)																	
8962	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
8963	TR	BF		60		9-08	1-02		3/10	L	2S90	1-09	1-03	1-09	1-03			25	#3 @14" TIES
8964	TR	BF		60		9-08	1-02		3/10	L	S90	1-09	S135					9	#3 @14" LINKS
8965	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
8966	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
8967	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
8968	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
8969	MT	MARK:16 (14X20)																	
8970	TR	BF		60	8				6/19	S	9-08	2-03						143	8 #6 V
8971	TR	BF		60		9-08	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			22	#3 @12" TIES
8972	TR	BF		60		9-08	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
8973	TR	BF		60		9-08	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
8974	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
8975	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3@3" LINKS@ T
8976	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3 @3" LINKS@ T
8977	MT	MARK:17 (20" DIA)																	
8978	TR	BF		60	6				6/19	S	9-08	2-03						107	6 #6 V
8979	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
8980	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
8981	MT	MARK:18 (20X14)																	
8982	TR	BF		60	8				6/19	S	9-08	2-03						143	8 #6 V
8983	TR	BF		60		9-08	1-00		3/10	L	2S90	1-05	0-11	1-05	0-11			22	#3 @12" TIES
8984	TR	BF		60		9-08	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
8985	TR	BF		60		9-08	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
8986	TR	BF		60	3				3/10	L	2S90	1-05	0-11	1-05	0-11			6	3 #3 @3" TIES@ T
8987	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3@3" LINKS@ T
8988	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3 @3" LINKS@ T
8989	MT	MARK:19,20 (14X20) (2-LOC)																	
8990	TR	BF		60	8			2	6/19	S	9-08	2-03						286	8 #6 V
8991	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
8992	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
8993	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @ 12" LINKS
8994	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
8995	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
8996	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
8997	MT	MARK:21 (26X16)																	
8998	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
8999	TR	BF		60		9-08	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			23	#3 @16" TIES
9000	TR	BF		60		9-08	1-04		3/10	L	S90	1-11	S135					9	#3 @16" LINKS
9001	TR	BF		60		9-08	1-04		3/10	L	S90	1-01	S135					6	#3 @16" LINKS
9002	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
9003	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
9004	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
9005	MT	MARK:22 (24X18)																	
9006	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
9007	TR	BF		60		9-08	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
9008	TR	BF		60		9-08	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
9009	TR	BF		60		9-08	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
9010	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
9011	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
9012	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
9013	MT	MARK:23 (27X16)																	
9014	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
9015	TR	BF		60		9-08	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
9016	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
9017	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
9018	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
9019	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
9020	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
9021	MT	MARK:24 (20X20)																	
9022	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
9023	TR	BF		60		9-08	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			21	#3 @16" TIES
9024	TR	BF		60		9-08	1-04	2	3/10	L	S90	1-05	S135					14	#3 @16" LINKS
9025	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
9026	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9027	MT	MARK:25 (20X20)																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
9028	TR	BF		60	8				7/22	S	9-08	3-03						211	8 #7 V
9029	TR	BF		60		9-08	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
9030	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
9031	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
9032	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9033	MT	MARK:26,30 (16X27)																	
9034	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
9035	TR	BF		60		9-08	1-02		3/10	L	2S90	1-01	2-00	1-01	2-00			26	#3 @14" TIES
9036	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
9037	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
9038	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
9039	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
9040	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
9041	TR	BF		60		9-08	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			28	#3 @12" TIES
9042	TR	BF		60		9-08	1-00		3/10	L	S90	2-00	S135					11	#3 @12" LINKS
9043	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
9044	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
9045	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
9046	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
9047	MT	MARK: 27,28, (20X20) (2-LOC)																	
9048	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
9049	TR	BF		60		9-08	1-02	2	3/10	L	2S90	1-05	1-05	1-05	1-05			48	#3 @14" TIES
9050	TR	BF		60		9-08	1-02	2*2	3/10	L	S90	1-05	S135					31	#3 @14" LINKS
9051	TR	BF		60	3			2	3/10	L	2S90	1-05	1-05	1-05	1-05			14	3 #3 @3" TIES@ T
9052	TR	BF		60	3			2*2	3/10	L	S90	1-05	S135					9	3 #3@3" LINKS@ T
9053	MT	MARK:31 (20X20)																	
9054	TR	BF		60	8			2	7/22	S	9-08	3-03						422	8 #7 V
9055	TR	BF		60		9-08	1-00		3/10	L	2S90	1-05	1-05	1-05	1-05			26	#3 @12" TIES
9056	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
9057	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
9058	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9059	MT	MARK: 29,32 (20" DIA)																	
9060	TR	BF		60	6			2	6/19	S	9-08	2-03						215	6 #6 V
9061	TR	TC		60		9-08	1-00	2	3/10	L	1-08			0-012	0	40D		47	#3 @12" TIES
9062	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
9063	GI	Segment: 15TH FLOOR Sub-Segment: COLUMN																	
9064	MT	15TH FLOOR SEC:S-212.00																	
9065	MT	MARK:01 (20" DIA)																	
9066	TR	BF		60	6				7/22	S	12-00	3-03						187	6 #7 V
9067	TR	TC		60		12-00	1-02		3/10	L	1-08			0-012	0	40D		26	#3 @14" TIES
9068	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9069	MT	MARK:02,04 (14X20) (2-LOC)																	
9070	TR	BF		60	8			2	6/19	S	12-00	2-03						343	8 #6 V
9071	TR	BF		60		12-00	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			52	#3 @12" TIES
9072	TR	BF		60		12-00	1-00	2	3/10	L	S90	0-11	S135					15	#3 @12" LINKS
9073	TR	BF		60		12-00	1-00	2	3/10	L	S90	1-05	S135					20	#3 @12" LINKS
9074	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
9075	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
9076	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
9077	MT	MARK:03,05,07 (20X14) (3-LOC)																	
9078	TR	BF		60	8			3	6/19	S	12-00	2-03						514	8 #6 V
9079	TR	BF		60		12-00	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			78	#3 @12" TIES
9080	TR	BF		60		12-00	1-00	3	3/10	L	S90	0-11	S135					23	#3 @12" LINKS
9081	TR	BF		60		12-00	1-00	3	3/10	L	S90	1-05	S135					31	#3 @12" LINKS
9082	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
9083	TR	BF		60	3			3	3/10	L	S90	0-11	S135					5	3 #3@3" LINKS@ T
9084	TR	BF		60	3			3	3/10	L	S90	1-05	S135					7	3 #3 @3" LINKS@ T
9085	MT	MARK:06 (20" DIA)																	
9086	TR	BF		80	8				8/25	S	12-00	4-09						358	8 #8 V

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
9087	TR	TC		60		12-00	1-00		3/10	L	1-08			0-012	0	40D		28	#3 @12" TIES
9088	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9089	MT	MARK:08,10,11 (18X24) (3-LOC)																	
9090	TR	BF		60	8			3	7/22	S	12-00	3-03						748	8 #7 V
9091	TR	BF		60		12-00	1-02	3	3/10	L	2S90	1-03	1-09	1-03	1-09			90	#3 @14" TIES
9092	TR	BF		60		12-00	1-02	3	3/10	L	S90	1-09	S135					33	#3 @14" LINKS
9093	TR	BF		60		12-00	1-02	3	3/10	L	S90	1-03	S135					26	#3 @14" LINKS
9094	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
9095	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
9096	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
9097	MT	MARK:09, 15 (24X18) (2-LOC)																	
9098	TR	BF		60	8			2	7/22	S	12-00	3-03						499	8 #7 V
9099	TR	BF		60		12-00	1-02	2	3/10	L	2S90	1-09	1-03	1-09	1-03			60	#3 @14" TIES
9100	TR	BF		60		12-00	1-02	2	3/10	L	S90	1-09	S135					22	#3 @14" LINKS
9101	TR	BF		60		12-00	1-02	2	3/10	L	S90	1-03	S135					17	#3 @14" LINKS
9102	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
9103	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
9104	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
9105	MT	MARK:12, 13 (20X14) (2-LOC)																	
9106	TR	BF		60	8			2	6/19	S	12-00	2-03						343	8 #6 V
9107	TR	BF		60		12-00	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			52	#3 @12" TIES
9108	TR	BF		60		12-00	1-00	2	3/10	L	S90	1-05	S135					20	#3 @12" LINKS
9109	TR	BF		60		12-00	1-00	2	3/10	L	S90	0-11	S135					15	#3 @12" LINKS
9110	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
9111	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9112	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3 @3" LINKS@ T
9113	MT	MARK:14 (24X18)																	
9114	TR	BF		60	8				7/22	S	12-00	3-03						249	8 #7 V
9115	TR	BF		60		12-00	1-02		3/10	L	2S90	1-09	1-03	1-09	1-03			30	#3 @14" TIES
9116	TR	BF		60		12-00	1-02		3/10	L	S90	1-09	S135					11	#3 @14" LINKS
9117	TR	BF		60		12-00	1-02	3	3/10	L	S90	1-03	S135					26	#3 @14" LINKS
9118	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
9119	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
9120	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
9121	MT	MARK:16 (14X20)																	
9122	TR	BF		60	8				6/19	S	12-00	2-03						171	8 #6 V
9123	TR	BF		60		12-00	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			26	#3 @12" TIES
9124	TR	BF		60		12-00	1-00		3/10	L	S90	0-11	S135					8	#3 @12" LINKS
9125	TR	BF		60		12-00	1-00		3/10	L	S90	1-05	S135					10	#3 @12" LINKS
9126	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
9127	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3@3" LINKS@ T
9128	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3 @3" LINKS@ T
9129	MT	MARK:17 (20" DIA)																	
9130	TR	BF		60	6				6/19	S	12-00	2-03						128	6 #6 V
9131	TR	TC		60		12-00	1-00		3/10	L	1-08			0-012	0	40D		28	#3 @12" TIES
9132	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9133	MT	MARK:18 (20X14)																	
9134	TR	BF		60	8				6/19	S	12-00	2-03						171	8 #6 V
9135	TR	BF		60		12-00	1-00		3/10	L	2S90	1-05	0-11	1-05	0-11			26	#3 @12" TIES
9136	TR	BF		60		12-00	1-00		3/10	L	S90	1-05	S135					10	#3 @12" LINKS
9137	TR	BF		60		12-00	1-00		3/10	L	S90	0-11	S135					8	#3 @12" LINKS
9138	TR	BF		60	3				3/10	L	2S90	1-05	0-11	1-05	0-11			6	3 #3 @3" TIES@ T
9139	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3@3" LINKS@ T
9140	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3 @3" LINKS@ T
9141	MT	MARK:19,20 (14X20) (2-LOC)																	
9142	TR	BF		60	8			2	6/19	S	12-00	2-03						343	8 #6 V
9143	TR	BF		60		12-00	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			52	#3 @12" TIES
9144	TR	BF		60		12-00	1-00	2	3/10	L	S90	0-11	S135					15	#3 @12" LINKS
9145	TR	BF		60		12-00	1-00	2	3/10	L	S90	1-05	S135					20	#3 @ 12" LINKS

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
9146	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
9147	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
9148	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
9149	MT	MARK:21 (26X16)																	
9150	TR	BF		80	8				8/25	S	12-00	6-02						388	8 #8 V
9151	TR	BF		60		12-00	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			25	#3 @16" TIES
9152	TR	BF		60		12-00	1-04		3/10	L	S90	1-11	S135					10	#3 @16" LINKS
9153	TR	BF		60		12-00	1-04		3/10	L	S90	1-01	S135					7	#3 @16" LINKS
9154	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
9155	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
9156	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
9157	MT	MARK:22 (24X18)																	
9158	TR	BF		80	8				8/25	S	12-00	6-02						388	8 #8 V
9159	TR	BF		60		12-00	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			25	#3 @16" TIES
9160	TR	BF		60		12-00	1-04		3/10	L	S90	1-09	S135					9	#3 @16" LINKS
9161	TR	BF		60		12-00	1-04		3/10	L	S90	1-03	S135					7	#3 @16" LINKS
9162	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
9163	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
9164	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
9165	MT	MARK:23 (27X16)																	
9166	TR	BF		60	8				7/22	S	12-00	3-03						249	8 #7 V
9167	TR	BF		60		12-00	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			31	#3 @14" TIES
9168	TR	BF		60		12-00	1-02		3/10	L	S90	2-00	S135					12	#3 @14" LINKS
9169	TR	BF		60		12-00	1-02		3/10	L	S90	1-01	S135					8	#3 @14" LINKS
9170	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
9171	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
9172	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
9173	MT	MARK:24 (20X20)																	
9174	TR	BF		80	8				8/25	S	12-00	6-02						388	8 #8 V
9175	TR	BF		60		12-00	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @16" TIES
9176	TR	BF		60		12-00	1-04	2	3/10	L	S90	1-05	S135					16	#3 @16" LINKS
9177	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
9178	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9179	MT	MARK:25,28 (24X20) (2-LOC)																	
9180	TR	BF		60	8			2	7/22	S	12-00	3-03						499	8 #7 V
9181	TR	BF		60		12-00	1-02	2	3/10	L	2S90	1-09	1-05	1-09	1-05			63	#3 @14" TIES
9182	TR	BF		60		12-00	1-02	2	3/10	L	S90	1-09	S135					22	#3 @14" LINKS
9183	TR	BF		60		12-00	1-02	2	3/10	L	S90	1-05	S135					19	#3 @14" LINKS
9184	TR	BF		60	3			2	3/10	L	2S90	1-09	1-05	1-09	1-05			16	3 #3 @3" TIES@ T
9185	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3@3" LINKS@ T
9186	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9187	MT	MARK:26 (16X27)																	
9188	TR	BF		60	8				7/22	S	12-00	3-03						249	8 #7 V
9189	TR	BF		60		12-00	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			33	#3 @12" TIES
9190	TR	BF		60		12-00	1-00		3/10	L	S90	2-00	S135					13	#3 @12" LINKS
9191	TR	BF		60		12-00	1-00		3/10	L	S90	1-01	S135					9	#3 @12" LINKS
9192	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
9193	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
9194	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
9195	MT	MARK: 27 (20X20)																	
9196	TR	BF		60	8				7/22	S	12-00	3-03						249	8 #7 V
9197	TR	BF		60		12-00	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			29	#3 @14" TIES
9198	TR	BF		60		12-00	1-02	2	3/10	L	S90	1-05	S135					19	#3 @14" LINKS
9199	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
9200	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9201	MT	MARK:30 (20X20)																	
9202	TR	BF		60	8				7/22	H	12-00	S90						215	8 #7 V
9203	TR	BF		60		12-00	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			29	#3 @14" TIES
9204	TR	BF		60		12-00	1-02	2	3/10	L	S90	1-05	S135					19	#3 @14" LINKS

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
9205	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
9206	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9207	MT	MARK:31 (16X27)																	
9208	TR	BF		60	8				7/22	H	12-00	S90						215	8 #7 V
9209	TR	BF		60		12-00	1-02		3/10	L	2S90	1-01	2-00	1-01	2-00			31	#3 @14" TIES
9210	TR	BF		60		12-00	1-02		3/10	L	S90	2-00	S135					12	#3 @14" LINKS
9211	TR	BF		60		12-00	1-02		3/10	L	S90	1-01	S135					8	#3 @14" LINKS
9212	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
9213	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
9214	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
9215	MT	MARK: 29,32 (20" DIA)																	
9216	TR	BF		60	6			2	6/19	H	12-00	S90						234	6 #6 V
9217	TR	TC		60		12-00	1-00	2	3/10	L	1-08			0-012	0	40D		56	#3 @12" TIES
9218	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
9219	GI	Segment: 16TH FLOOR Sub-Segment: COLUMN																	
9220	MT	16TH FLOOR SEC:S-216.00																	
9221	MT	MARK:01 (20" DIA)																	
9222	TR	BF		60	6				7/22	S	10-02	3-10						172	6 #7 V
9223	TR	TC		60		10-02	1-02		3/10	L	1-08			0-012	0	40D		21	#3 @14" TIES
9224	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9225	MT	MARK:02,04 (14X20) (2-LOC)																	
9226	TR	BF		60	8			2	6/19	S	10-02	2-07						306	8 #6 V
9227	TR	BF		60		10-02	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			48	#3 @12" TIES
9228	TR	BF		60		10-02	1-00	2	3/10	L	S90	0-11	S135					14	#3 @12" LINKS
9229	TR	BF		60		10-02	1-00	2	3/10	L	S90	1-05	S135					19	#3 @12" LINKS
9230	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
9231	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
9232	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
9233	MT	MARK:03,05,07 (20X14) (3-LOC)																	
9234	TR	BF		60	8			3	6/19	S	10-02	2-07						460	8 #6 V
9235	TR	BF		60		10-02	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			72	#3 @12" TIES
9236	TR	BF		60		10-02	1-00	3	3/10	L	S90	0-11	S135					21	#3 @12" LINKS
9237	TR	BF		60		10-02	1-00	3	3/10	L	S90	1-05	S135					28	#3 @12" LINKS
9238	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
9239	TR	BF		60	3			3	3/10	L	S90	0-11	S135					5	3 #3@3" LINKS@ T
9240	TR	BF		60	3			3	3/10	L	S90	1-05	S135					7	3 #3 @3" LINKS@ T
9241	MT	MARK:06 (20" DIA)																	
9242	TR	BF		80	8				8/25	S	10-02	4-09						319	8 #8 V
9243	TR	TC		60		10-02	1-00		3/10	L	1-08			0-012	0	40D		26	#3 @12" TIES
9244	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9245	MT	MARK:08,10,11 (18X24) (3-LOC)																	
9246	TR	BF		60	8			3	7/22	S	10-02	3-10						687	8 #7 V
9247	TR	BF		60		10-02	1-02	3	3/10	L	2S90	1-03	1-09	1-03	1-09			75	#3 @14" TIES
9248	TR	BF		60		10-02	1-02	3	3/10	L	S90	1-09	S135					27	#3 @14" LINKS
9249	TR	BF		60		10-02	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
9250	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
9251	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
9252	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
9253	MT	MARK:09, 15 (24X18) (2-LOC)																	
9254	TR	BF		60	8			2	7/22	S	10-02	3-10						458	8 #7 V
9255	TR	BF		60		10-02	1-02	2	3/10	L	2S90	1-09	1-03	1-09	1-03			50	#3 @14" TIES
9256	TR	BF		60		10-02	1-02	2	3/10	L	S90	1-09	S135					18	#3 @14" LINKS
9257	TR	BF		60		10-02	1-02	2	3/10	L	S90	1-03	S135					14	#3 @14" LINKS
9258	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
9259	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
9260	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
9261	MT	MARK:12, 13 (20X14) (2-LOC)																	
9262	TR	BF		60	8			2	6/19	S	10-02	2-07						306	8 #6 V
9263	TR	BF		60		10-02	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			48	#3 @12" TIES

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
9264	TR	BF		60		10-02	1-00	2	3/10	L	S90	1-05	S135					19	#3 @12" LINKS
9265	TR	BF		60		10-02	1-00	2	3/10	L	S90	0-11	S135					14	#3 @12" LINKS
9266	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
9267	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9268	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3 @3" LINKS@ T
9269	MT	MARK:14 (24X18)																	
9270	TR	BF		60	8				7/22	S	10-02	3-03						219	8 #7 V
9271	TR	BF		60		10-02	1-02		3/10	L	2S90	1-09	1-03	1-09	1-03			25	#3 @14" TIES
9272	TR	BF		60		10-02	1-02		3/10	L	S90	1-09	S135					9	#3 @14" LINKS
9273	TR	BF		60		10-02	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
9274	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
9275	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
9276	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
9277	MT	MARK:16 (14X20)																	
9278	TR	BF		60	8				6/19	S	10-02	2-07						153	8 #6 V
9279	TR	BF		60		10-02	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			24	#3 @12" TIES
9280	TR	BF		60		10-02	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
9281	TR	BF		60		10-02	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
9282	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
9283	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3@3" LINKS@ T
9284	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3 @3" LINKS@ T
9285	MT	MARK:17 (20" DIA)																	
9286	TR	BF		60	6				6/19	S	10-02	2-07						115	6 #6 V
9287	TR	TC		60		10-02	1-00		3/10	L	1-08			0-012	0	40D		26	#3 @12" TIES
9288	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9289	MT	MARK:18 (20X14)																	
9290	TR	BF		60	8				6/19	S	10-02	2-07						153	8 #6 V
9291	TR	BF		60		10-02	1-00		3/10	L	2S90	1-05	0-11	1-05	0-11			24	#3 @12" TIES
9292	TR	BF		60		10-02	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
9293	TR	BF		60		10-02	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
9294	TR	BF		60	3				3/10	L	2S90	1-05	0-11	1-05	0-11			6	3 #3 @3" TIES@ T
9295	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3@3" LINKS@ T
9296	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3 @3" LINKS@ T
9297	MT	MARK:19,20 (14X20) (2-LOC)																	
9298	TR	BF		60	8			2	6/19	S	10-02	2-07						306	8 #6 V
9299	TR	BF		60		10-02	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			48	#3 @12" TIES
9300	TR	BF		60		10-02	1-00	2	3/10	L	S90	0-11	S135					14	#3 @12" LINKS
9301	TR	BF		60		10-02	1-00	2	3/10	L	S90	1-05	S135					19	#3 @ 12" LINKS
9302	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
9303	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
9304	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
9305	MT	MARK:21 (26X16)																	
9306	TR	BF		80	8				8/25	S	10-02	6-02						349	8 #8 V
9307	TR	BF		60		10-02	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			23	#3 @16" TIES
9308	TR	BF		60		10-02	1-04		3/10	L	S90	1-11	S135					9	#3 @16" LINKS
9309	TR	BF		60		10-02	1-04		3/10	L	S90	1-01	S135					6	#3 @16" LINKS
9310	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
9311	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
9312	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
9313	MT	MARK:22 (24X18)																	
9314	TR	BF		80	8				8/25	S	10-02	6-02						349	8 #8 V
9315	TR	BF		60		10-02	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
9316	TR	BF		60		10-02	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
9317	TR	BF		60		10-02	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
9318	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
9319	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
9320	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
9321	MT	MARK:23 (27X16)																	
9322	TR	BF		60	8				7/22	S	10-02	3-10						229	8 #7 V

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
9323	TR	BF		60		10-02	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
9324	TR	BF		60		10-02	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
9325	TR	BF		60		10-02	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
9326	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
9327	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
9328	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
9329	MT	MARK:24 (20X20)																	
9330	TR	BF		80	8				8/25	S	10-02	6-02						349	8 #8 V
9331	TR	BF		60		10-02	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			21	#3 @16" TIES
9332	TR	BF		60		10-02	1-04	2	3/10	L	S90	1-05	S135					14	#3 @16" LINKS
9333	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
9334	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9335	MT	MARK:25,28 (24X20) (2-LOC)																	
9336	TR	BF		60	8			2	6/19	H	S90	0-071	2-07					101	8 #6 DWL
9337	TR	BF		60	8			2	6/19	S	10-02	2-07						306	8 #6 V
9338	TR	TC		60		10-02	1-00	2	3/10	L	1-08			0-012	0	40D		51	#3 @12" TIES
9339	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
9340	MT	MARK:26 (16X27)																	
9341	TR	BF		60	8				7/22	S	10-02	3-10						229	8 #7 V
9342	TR	BF		60		10-02	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			31	#3 @12" TIES
9343	TR	BF		60		10-02	1-00		3/10	L	S90	2-00	S135					12	#3 @12" LINKS
9344	TR	BF		60		10-02	1-00		3/10	L	S90	1-01	S135					8	#3 @12" LINKS
9345	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
9346	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
9347	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
9348	MT	MARK: 27 (20X20)																	
9349	TR	BF		60	8				7/22	S	10-02	3-10						229	8 #7 V
9350	TR	BF		60		10-02	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
9351	TR	BF		60		10-02	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
9352	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
9353	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9354	GI	Segment: 17TH FLOOR Sub-Segment: COLUMN																	
9355	MT	17TH FLOOR SEC:S-217.00																	
9356	MT	MARK:01 (20" DIA)																	
9357	TR	BF		60	6				7/22	S	9-08	3-10						166	6 #7 V
9358	TR	TC		60		9-08	1-02		3/10	L	1-08			0-012	0	40D		21	#3 @14" TIES
9359	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9360	MT	MARK:02,04 (14X20) (2-LOC)																	
9361	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
9362	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
9363	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
9364	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
9365	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
9366	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
9367	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
9368	MT	MARK:03,05,07 (20X14) (3-LOC)																	
9369	TR	BF		60	8			3	6/19	S	9-08	2-07						441	8 #6 V
9370	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			66	#3 @12" TIES
9371	TR	BF		60		9-08	1-00	3	3/10	L	S90	0-11	S135					20	#3 @12" LINKS
9372	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-05	S135					26	#3 @12" LINKS
9373	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
9374	TR	BF		60	3			3	3/10	L	S90	0-11	S135					5	3 #3@3" LINKS@ T
9375	TR	BF		60	3			3	3/10	L	S90	1-05	S135					7	3 #3 @3" LINKS@ T
9376	MT	MARK:06 (20" DIA)																	
9377	TR	BF		80	8				8/25	S	9-08	4-09						308	8 #8 V
9378	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
9379	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9380	MT	MARK:08,10,11 (18X24) (3-LOC)																	
9381	TR	BF		60	8			3	7/22	S	9-08	3-10						662	8 #7 V

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
9382	TR	BF		60		9-08	1-02	3	3/10	L	2S90	1-03	1-09	1-03	1-09			75	#3 @14" TIES
9383	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-09	S135					27	#3 @14" LINKS
9384	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
9385	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
9386	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
9387	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
9388	MT	MARK:09, 15 (24X18) (2-LOC)																	
9389	TR	BF		60	8			2	7/22	S	9-08	3-10						441	8 #7 V
9390	TR	BF		60		9-08	1-02	2	3/10	L	2S90	1-09	1-03	1-09	1-03			50	#3 @14" TIES
9391	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-09	S135					18	#3 @14" LINKS
9392	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-03	S135					14	#3 @14" LINKS
9393	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
9394	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
9395	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
9396	MT	MARK:12, 13 (20X14) (2-LOC)																	
9397	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
9398	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			44	#3 @12" TIES
9399	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
9400	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
9401	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
9402	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9403	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3 @3" LINKS@ T
9404	MT	MARK:14 (24X18)																	
9405	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
9406	TR	BF		60		9-08	1-02		3/10	L	2S90	1-09	1-03	1-09	1-03			25	#3 @14" TIES
9407	TR	BF		60		9-08	1-02		3/10	L	S90	1-09	S135					9	#3 @14" LINKS
9408	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
9409	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
9410	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
9411	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
9412	MT	MARK:16 (14X20)																	
9413	TR	BF		60	8				6/19	S	9-08	2-07						147	8 #6 V
9414	TR	BF		60		9-08	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			22	#3 @12" TIES
9415	TR	BF		60		9-08	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
9416	TR	BF		60		9-08	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
9417	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
9418	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3@3" LINKS@ T
9419	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3 @3" LINKS@ T
9420	MT	MARK:17 (20" DIA)																	
9421	TR	BF		60	6				6/19	S	9-08	2-07						110	6 #6 V
9422	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
9423	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9424	MT	MARK:18 (20X14)																	
9425	TR	BF		60	8				6/19	S	9-08	2-07						147	8 #6 V
9426	TR	BF		60		9-08	1-00		3/10	L	2S90	1-05	0-11	1-05	0-11			22	#3 @12" TIES
9427	TR	BF		60		9-08	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
9428	TR	BF		60		9-08	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
9429	TR	BF		60	3				3/10	L	2S90	1-05	0-11	1-05	0-11			6	3 #3 @3" TIES@ T
9430	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3@3" LINKS@ T
9431	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3 @3" LINKS@ T
9432	MT	MARK:19,20 (14X20) (2-LOC)																	
9433	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
9434	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
9435	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
9436	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @ 12" LINKS
9437	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
9438	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
9439	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
9440	MT	MARK:21 (26X16)																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
9441	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
9442	TR	BF		60		9-08	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			23	#3 @16" TIES
9443	TR	BF		60		9-08	1-04		3/10	L	S90	1-11	S135					9	#3 @16" LINKS
9444	TR	BF		60		9-08	1-04		3/10	L	S90	1-01	S135					6	#3 @16" LINKS
9445	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
9446	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
9447	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
9448	MT	MARK:22 (24X18)																	
9449	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
9450	TR	BF		60		9-08	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
9451	TR	BF		60		9-08	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
9452	TR	BF		60		9-08	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
9453	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
9454	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
9455	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
9456	MT	MARK:23 (27X16)																	
9457	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
9458	TR	BF		60		9-08	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
9459	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
9460	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
9461	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
9462	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
9463	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
9464	MT	MARK:24 (20X20)																	
9465	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
9466	TR	BF		60		9-08	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			21	#3 @16" TIES
9467	TR	BF		60		9-08	1-04	2	3/10	L	S90	1-05	S135					14	#3 @16" LINKS
9468	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
9469	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9470	MT	MARK:25,28 (24X20) (2-LOC)																	
9471	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
9472	TR	TC		60		9-08	1-00	2	3/10	L	1-08			0-012	0	40D		47	#3 @12" TIES
9473	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
9474	MT	MARK:26 (16X27)																	
9475	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
9476	TR	BF		60		9-08	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			28	#3 @12" TIES
9477	TR	BF		60		9-08	1-00		3/10	L	S90	2-00	S135					11	#3 @12" LINKS
9478	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
9479	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
9480	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
9481	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
9482	MT	MARK: 27 (20X20)																	
9483	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
9484	TR	BF		60		9-08	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
9485	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
9486	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
9487	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9488	GI	Segment: 18TH FLOOR Sub-Segment: COLUMN																	
9489	MT	18TH FLOOR SEC:S-217.00																	
9490	MT	MARK:01 (20" DIA)																	
9491	TR	BF		60	6				7/22	S	9-08	3-10						166	6 #7 V
9492	TR	TC		60		9-08	1-02		3/10	L	1-08			0-012	0	40D		21	#3 @14" TIES
9493	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9494	MT	MARK:02,04 (14X20) (2-LOC)																	
9495	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
9496	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
9497	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
9498	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
9499	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
9500	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
9501	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
9502	MT	MARK:03,05,07 (20X14) (3-LOC)																	
9503	TR	BF		60	8			3	6/19	S	9-08	2-07						441	8 #6 V
9504	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			66	#3 @12" TIES
9505	TR	BF		60		9-08	1-00	3	3/10	L	S90	0-11	S135					20	#3 @12" LINKS
9506	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-05	S135					26	#3 @12" LINKS
9507	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
9508	TR	BF		60	3			3	3/10	L	S90	0-11	S135					5	3 #3@3" LINKS@ T
9509	TR	BF		60	3			3	3/10	L	S90	1-05	S135					7	3 #3 @3" LINKS@ T
9510	MT	MARK:06 (20" DIA)																	
9511	TR	BF		60	8				6/19	S	9-08	2-07						147	8 #6 V
9512	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
9513	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9514	MT	MARK:08,10,11 (18X24) (3-LOC)																	
9515	TR	BF		60	8			3	7/22	S	9-08	3-10						662	8 #7 V
9516	TR	BF		60		9-08	1-02	3	3/10	L	2S90	1-03	1-09	1-03	1-09			75	#3 @14" TIES
9517	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-09	S135					27	#3 @14" LINKS
9518	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
9519	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
9520	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
9521	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
9522	MT	MARK:09, 15 (24X18) (2-LOC)																	
9523	TR	BF		60	8			2	7/22	S	9-08	3-10						441	8 #7 V
9524	TR	BF		60		9-08	1-02	2	3/10	L	2S90	1-09	1-03	1-09	1-03			50	#3 @14" TIES
9525	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-09	S135					18	#3 @14" LINKS
9526	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-03	S135					14	#3 @14" LINKS
9527	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
9528	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
9529	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
9530	MT	MARK:12, 13 (20X14) (2-LOC)																	
9531	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
9532	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			44	#3 @12" TIES
9533	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
9534	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
9535	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
9536	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9537	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3 @3" LINKS@ T
9538	MT	MARK:14 (24X18)																	
9539	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
9540	TR	BF		60		9-08	1-02		3/10	L	2S90	1-09	1-03	1-09	1-03			25	#3 @14" TIES
9541	TR	BF		60		9-08	1-02		3/10	L	S90	1-09	S135					9	#3 @14" LINKS
9542	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
9543	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
9544	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
9545	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
9546	MT	MARK:16 (14X20)																	
9547	TR	BF		60	8				6/19	S	9-08	2-07						147	8 #6 V
9548	TR	BF		60		9-08	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			22	#3 @12" TIES
9549	TR	BF		60		9-08	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
9550	TR	BF		60		9-08	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
9551	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
9552	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3@3" LINKS@ T
9553	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3 @3" LINKS@ T
9554	MT	MARK:17 (20" DIA)																	
9555	TR	BF		60	6				6/19	S	9-08	2-07						110	6 #6 V
9556	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
9557	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9558	MT	MARK:18 (20X14)																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
9559	TR	BF		60	8				6/19	S	9-08	2-07						147	8 #6 V
9560	TR	BF		60		9-08	1-00		3/10	L	2S90	1-05	0-11	1-05	0-11			22	#3 @12" TIES
9561	TR	BF		60		9-08	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
9562	TR	BF		60		9-08	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
9563	TR	BF		60	3				3/10	L	2S90	1-05	0-11	1-05	0-11			6	3 #3 @3" TIES@ T
9564	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3@3" LINKS@ T
9565	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3 @3" LINKS@ T
9566	MT	MARK:19,20 (14X20) (2-LOC)																	
9567	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
9568	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
9569	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
9570	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @ 12" LINKS
9571	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
9572	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
9573	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
9574	MT	MARK:21 (26X16)																	
9575	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
9576	TR	BF		60		9-08	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			23	#3 @16" TIES
9577	TR	BF		60		9-08	1-04		3/10	L	S90	1-11	S135					9	#3 @16" LINKS
9578	TR	BF		60		9-08	1-04		3/10	L	S90	1-01	S135					6	#3 @16" LINKS
9579	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
9580	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
9581	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
9582	MT	MARK:22 (24X18)																	
9583	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
9584	TR	BF		60		9-08	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
9585	TR	BF		60		9-08	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
9586	TR	BF		60		9-08	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
9587	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
9588	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
9589	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
9590	MT	MARK:23 (27X16)																	
9591	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
9592	TR	BF		60		9-08	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
9593	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
9594	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
9595	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
9596	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
9597	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
9598	MT	MARK:24 (20X20)																	
9599	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
9600	TR	BF		60		9-08	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			21	#3 @16" TIES
9601	TR	BF		60		9-08	1-04	2	3/10	L	S90	1-05	S135					14	#3 @16" LINKS
9602	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
9603	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9604	MT	MARK:25,28 (24X20) (2-LOC)																	
9605	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
9606	TR	TC		60		9-08	1-00	2	3/10	L	1-08			0-012	0	40D		47	#3 @12" TIES
9607	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
9608	MT	MARK:26 (16X27)																	
9609	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
9610	TR	BF		60		9-08	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			28	#3 @12" TIES
9611	TR	BF		60		9-08	1-00		3/10	L	S90	2-00	S135					11	#3 @12" LINKS
9612	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
9613	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
9614	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
9615	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
9616	MT	MARK: 27 (20X20)																	
9617	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
9618	TR	BF		60		9-08	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
9619	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
9620	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
9621	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9622	GI	Segment: 19TH FLOOR Sub-Segment: COLUMN																	
9623	MT	19TH FLOOR SEC:S-217.00																	
9624	MT	MARK:01 (20" DIA)																	
9625	TR	BF		60	6				7/22	S	9-08	3-10						166	6 #7 V
9626	TR	TC		60		9-08	1-02		3/10	L	1-08			0-012	0	40D		21	#3 @14" TIES
9627	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9628	MT	MARK:02,04 (14X20) (2-LOC)																	
9629	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
9630	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
9631	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
9632	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
9633	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
9634	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
9635	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
9636	MT	MARK:03,05,07 (20X14) (3-LOC)																	
9637	TR	BF		60	8			3	6/19	S	9-08	2-07						441	8 #6 V
9638	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			66	#3 @12" TIES
9639	TR	BF		60		9-08	1-00	3	3/10	L	S90	0-11	S135					20	#3 @12" LINKS
9640	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-05	S135					26	#3 @12" LINKS
9641	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
9642	TR	BF		60	3			3	3/10	L	S90	0-11	S135					5	3 #3@3" LINKS@ T
9643	TR	BF		60	3			3	3/10	L	S90	1-05	S135					7	3 #3 @3" LINKS@ T
9644	MT	MARK:06 (20" DIA)																	
9645	TR	BF		60	6				6/19	S	9-08	2-07						110	6 #6 V
9646	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
9647	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9648	MT	MARK:08,10,11 (18X24) (3-LOC)																	
9649	TR	BF		60	8			3	7/22	S	9-08	3-10						662	8 #7 V
9650	TR	BF		60		9-08	1-02	3	3/10	L	2S90	1-03	1-09	1-03	1-09			75	#3 @14" TIES
9651	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-09	S135					27	#3 @14" LINKS
9652	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
9653	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
9654	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
9655	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
9656	MT	MARK:09, 15 (24X18) (2-LOC)																	
9657	TR	BF		60	8			2	7/22	S	9-08	3-10						441	8 #7 V
9658	TR	BF		60		9-08	1-02	2	3/10	L	2S90	1-09	1-03	1-09	1-03			50	#3 @14" TIES
9659	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-09	S135					18	#3 @14" LINKS
9660	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-03	S135					14	#3 @14" LINKS
9661	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
9662	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
9663	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
9664	MT	MARK:12, 13 (20X14) (2-LOC)																	
9665	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
9666	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			44	#3 @12" TIES
9667	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
9668	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
9669	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
9670	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9671	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3 @3" LINKS@ T
9672	MT	MARK:14 (24X18)																	
9673	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
9674	TR	BF		60		9-08	1-02		3/10	L	2S90	1-09	1-03	1-09	1-03			25	#3 @14" TIES
9675	TR	BF		60		9-08	1-02		3/10	L	S90	1-09	S135					9	#3 @14" LINKS
9676	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
9677	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
9678	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
9679	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
9680	MT	MARK:16 (14X20)																	
9681	TR	BF		60	8				6/19	S	9-08	2-07						147	8 #6 V
9682	TR	BF		60		9-08	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			22	#3 @12" TIES
9683	TR	BF		60		9-08	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
9684	TR	BF		60		9-08	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
9685	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
9686	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3@3" LINKS@ T
9687	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3 @3" LINKS@ T
9688	MT	MARK:17 (20" DIA)																	
9689	TR	BF		60	6				6/19	S	9-08	2-07						110	6 #6 V
9690	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
9691	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9692	MT	MARK:18 (20X14)																	
9693	TR	BF		60	8				6/19	S	9-08	2-07						147	8 #6 V
9694	TR	BF		60		9-08	1-00		3/10	L	2S90	1-05	0-11	1-05	0-11			22	#3 @12" TIES
9695	TR	BF		60		9-08	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
9696	TR	BF		60		9-08	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
9697	TR	BF		60	3				3/10	L	2S90	1-05	0-11	1-05	0-11			6	3 #3 @3" TIES@ T
9698	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3@3" LINKS@ T
9699	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3 @3" LINKS@ T
9700	MT	MARK:19,20 (14X20) (2-LOC)																	
9701	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
9702	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
9703	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
9704	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @ 12" LINKS
9705	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
9706	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
9707	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
9708	MT	MARK:21 (26X16)																	
9709	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
9710	TR	BF		60		9-08	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			23	#3 @16" TIES
9711	TR	BF		60		9-08	1-04		3/10	L	S90	1-11	S135					9	#3 @16" LINKS
9712	TR	BF		60		9-08	1-04		3/10	L	S90	1-01	S135					6	#3 @16" LINKS
9713	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
9714	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
9715	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
9716	MT	MARK:22 (24X18)																	
9717	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
9718	TR	BF		60		9-08	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
9719	TR	BF		60		9-08	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
9720	TR	BF		60		9-08	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
9721	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
9722	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
9723	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
9724	MT	MARK:23 (27X16)																	
9725	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
9726	TR	BF		60		9-08	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
9727	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
9728	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
9729	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
9730	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
9731	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
9732	MT	MARK:24 (20X20)																	
9733	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
9734	TR	BF		60		9-08	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			21	#3 @16" TIES
9735	TR	BF		60		9-08	1-04	2	3/10	L	S90	1-05	S135					14	#3 @16" LINKS

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
9736	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
9737	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9738	MT	MARK:25,28 (24X20) (2-LOC)																	
9739	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
9740	TR	TC		60		9-08	1-00	2	3/10	L	1-08			0-012	0	40D		47	#3 @12" TIES
9741	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
9742	MT	MARK:26 (16X27)																	
9743	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
9744	TR	BF		60		9-08	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			28	#3 @12" TIES
9745	TR	BF		60		9-08	1-00		3/10	L	S90	2-00	S135					11	#3 @12" LINKS
9746	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
9747	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
9748	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
9749	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
9750	MT	MARK: 27 (20X20)																	
9751	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
9752	TR	BF		60		9-08	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
9753	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
9754	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
9755	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9756	GI	Segment: 20TH FLOOR Sub-Segment: COLUMN																	
9757	MT	20TH FLOOR SEC:S-217.00																	
9758	MT	MARK:01 (20" DIA)																	
9759	TR	BF		60	6				7/22	S	9-08	3-10						166	6 #7 V
9760	TR	TC		60		9-08	1-02		3/10	L	1-08			0-012	0	40D		21	#3 @14" TIES
9761	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9762	MT	MARK:02,04 (14X20) (2-LOC)																	
9763	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
9764	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
9765	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
9766	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
9767	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
9768	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
9769	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
9770	MT	MARK:03,05,07 (20X14) (3-LOC)																	
9771	TR	BF		60	8			3	6/19	S	9-08	2-07						441	8 #6 V
9772	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			66	#3 @12" TIES
9773	TR	BF		60		9-08	1-00	3	3/10	L	S90	0-11	S135					20	#3 @12" LINKS
9774	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-05	S135					26	#3 @12" LINKS
9775	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
9776	TR	BF		60	3			3	3/10	L	S90	0-11	S135					5	3 #3@3" LINKS@ T
9777	TR	BF		60	3			3	3/10	L	S90	1-05	S135					7	3 #3 @3" LINKS@ T
9778	MT	MARK:06 (20" DIA)																	
9779	TR	BF		60	6				6/19	S	9-08	2-07						110	6 #6 V
9780	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
9781	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9782	MT	MARK:08,10,11 (18X24) (3-LOC)																	
9783	TR	BF		60	8			3	7/22	S	9-08	3-10						662	8 #7 V
9784	TR	BF		60		9-08	1-02	3	3/10	L	2S90	1-03	1-09	1-03	1-09			75	#3 @14" TIES
9785	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-09	S135					27	#3 @14" LINKS
9786	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
9787	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
9788	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
9789	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
9790	MT	MARK:09, 15 (24X18) (2-LOC)																	
9791	TR	BF		60	8			2	7/22	S	9-08	3-10						441	8 #7 V
9792	TR	BF		60		9-08	1-02	2	3/10	L	2S90	1-09	1-03	1-09	1-03			50	#3 @14" TIES
9793	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-09	S135					18	#3 @14" LINKS
9794	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-03	S135					14	#3 @14" LINKS

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
9795	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
9796	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
9797	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
9798	MT	MARK:12, 13 (20X14) (2-LOC)																	
9799	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
9800	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			44	#3 @12" TIES
9801	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
9802	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
9803	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
9804	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9805	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3 @3" LINKS@ T
9806	MT	MARK:14 (24X18)																	
9807	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
9808	TR	BF		60		9-08	1-02		3/10	L	2S90	1-09	1-03	1-09	1-03			25	#3 @14" TIES
9809	TR	BF		60		9-08	1-02		3/10	L	S90	1-09	S135					9	#3 @14" LINKS
9810	TR	BF		60		9-08	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
9811	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
9812	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
9813	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
9814	MT	MARK:16 (14X20)																	
9815	TR	BF		60	8				6/19	S	9-08	2-07						147	8 #6 V
9816	TR	BF		60		9-08	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			22	#3 @12" TIES
9817	TR	BF		60		9-08	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
9818	TR	BF		60		9-08	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
9819	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
9820	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3@3" LINKS@ T
9821	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3 @3" LINKS@ T
9822	MT	MARK:17 (20" DIA)																	
9823	TR	BF		60	6				6/19	S	9-08	2-07						110	6 #6 V
9824	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
9825	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9826	MT	MARK:18 (20X14)																	
9827	TR	BF		60	8				6/19	S	9-08	2-07						147	8 #6 V
9828	TR	BF		60		9-08	1-00		3/10	L	2S90	1-05	0-11	1-05	0-11			22	#3 @12" TIES
9829	TR	BF		60		9-08	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
9830	TR	BF		60		9-08	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
9831	TR	BF		60	3				3/10	L	2S90	1-05	0-11	1-05	0-11			6	3 #3 @3" TIES@ T
9832	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3@3" LINKS@ T
9833	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3 @3" LINKS@ T
9834	MT	MARK:19,20 (14X20) (2-LOC)																	
9835	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
9836	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
9837	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
9838	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @ 12" LINKS
9839	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
9840	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
9841	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
9842	MT	MARK:21 (26X16)																	
9843	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
9844	TR	BF		60		9-08	1-04		3/10	L	2S90	1-11	1-01	1-11	1-01			23	#3 @16" TIES
9845	TR	BF		60		9-08	1-04		3/10	L	S90	1-11	S135					9	#3 @16" LINKS
9846	TR	BF		60		9-08	1-04		3/10	L	S90	1-01	S135					6	#3 @16" LINKS
9847	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
9848	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
9849	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
9850	MT	MARK:22 (24X18)																	
9851	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
9852	TR	BF		60		9-08	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
9853	TR	BF		60		9-08	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
9854	TR	BF		60		9-08	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
9855	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
9856	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
9857	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
9858	MT	MARK:23 (27X16)																	
9859	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
9860	TR	BF		60		9-08	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
9861	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
9862	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
9863	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
9864	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
9865	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
9866	MT	MARK:24 (20X20)																	
9867	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
9868	TR	BF		60		9-08	1-04		3/10	L	2S90	1-05	1-05	1-05	1-05			21	#3 @16" TIES
9869	TR	BF		60		9-08	1-04	2	3/10	L	S90	1-05	S135					14	#3 @16" LINKS
9870	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
9871	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9872	MT	MARK:25,28 (24X20) (2-LOC)																	
9873	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
9874	TR	TC		60		9-08	1-00	2	3/10	L	1-08			0-012	0	40D		47	#3 @12" TIES
9875	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
9876	MT	MARK:26 (16X27)																	
9877	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
9878	TR	BF		60		9-08	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			28	#3 @12" TIES
9879	TR	BF		60		9-08	1-00		3/10	L	S90	2-00	S135					11	#3 @12" LINKS
9880	TR	BF		60		9-08	1-00		3/10	L	S90	1-01	S135					7	#3 @12" LINKS
9881	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
9882	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
9883	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
9884	MT	MARK: 27 (20X20)																	
9885	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
9886	TR	BF		60		9-08	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			24	#3 @14" TIES
9887	TR	BF		60		9-08	1-02	2	3/10	L	S90	1-05	S135					16	#3 @14" LINKS
9888	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
9889	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9890	GI	Segment: 21ST FLOOR Sub-Segment: COLUMN																	
9891	MT	21TH FLOOR SEC:S-217.00																	
9892	MT	MARK:01 (20" DIA)																	
9893	TR	BF		60	6				6/19	S	12-00	2-07						131	6 #6 V
9894	TR	TC		60		12-00	1-00		3/10	L	1-08			0-012	0	40D		28	#3 @12" TIES
9895	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9896	MT	MARK:02,04 (14X20) (2-LOC)																	
9897	TR	BF		60	8			2	6/19	S	12-00	2-07						350	8 #6 V
9898	TR	BF		60		12-00	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			52	#3 @12" TIES
9899	TR	BF		60		12-00	1-00	2	3/10	L	S90	0-11	S135					15	#3 @12" LINKS
9900	TR	BF		60		12-00	1-00	2	3/10	L	S90	1-05	S135					20	#3 @12" LINKS
9901	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
9902	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
9903	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
9904	MT	MARK:03,05,07 (20X14) (3-LOC)																	
9905	TR	BF		60	8			3	6/19	S	12-00	2-07						526	8 #6 V
9906	TR	BF		60		12-00	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			78	#3 @12" TIES
9907	TR	BF		60		12-00	1-00	3	3/10	L	S90	0-11	S135					23	#3 @12" LINKS
9908	TR	BF		60		12-00	1-00	3	3/10	L	S90	1-05	S135					31	#3 @12" LINKS
9909	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
9910	TR	BF		60	3			3	3/10	L	S90	0-11	S135					5	3 #3@3" LINKS@ T
9911	TR	BF		60	3			3	3/10	L	S90	1-05	S135					7	3 #3 @3" LINKS@ T
9912	MT	MARK:06 (20" DIA)																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
9913	TR	BF		60	6				6/19	S	12-00	2-07						131	6 #6 V
9914	TR	TC		60		12-00	1-00		3/10	L	1-08			0-012	0	40D		28	#3 @12" TIES
9915	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9916	MT	MARK:08,10,11 (18X24) (3-LOC)																	
9917	TR	BF		60	8			3	7/22	S	12-00	3-10						777	8 #7 V
9918	TR	BF		60		12-00	1-02	3	3/10	L	2S90	1-03	1-09	1-03	1-09			90	#3 @14" TIES
9919	TR	BF		60		12-00	1-02	3	3/10	L	S90	1-09	S135					33	#3 @14" LINKS
9920	TR	BF		60		12-00	1-02	3	3/10	L	S90	1-03	S135					26	#3 @14" LINKS
9921	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
9922	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
9923	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
9924	MT	MARK:09, 15 (24X18) (2-LOC)																	
9925	TR	BF		60	8			2	7/22	S	12-00	3-10						518	8 #7 V
9926	TR	BF		60		12-00	1-02	2	3/10	L	2S90	1-09	1-03	1-09	1-03			60	#3 @14" TIES
9927	TR	BF		60		12-00	1-02	2	3/10	L	S90	1-09	S135					22	#3 @14" LINKS
9928	TR	BF		60		12-00	1-02	2	3/10	L	S90	1-03	S135					17	#3 @14" LINKS
9929	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
9930	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
9931	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
9932	MT	MARK:12, 13 (20X14) (2-LOC)																	
9933	TR	BF		60	8			2	6/19	S	12-00	2-07						350	8 #6 V
9934	TR	BF		60		12-00	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			52	#3 @12" TIES
9935	TR	BF		60		12-00	1-00	2	3/10	L	S90	1-05	S135					20	#3 @12" LINKS
9936	TR	BF		60		12-00	1-00	2	3/10	L	S90	0-11	S135					15	#3 @12" LINKS
9937	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
9938	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
9939	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3 @3" LINKS@ T
9940	MT	MARK:14 (24X18)																	
9941	TR	BF		60	8				7/22	S	12-00	3-10						259	8 #7 V
9942	TR	BF		60		12-00	1-02		3/10	L	2S90	1-09	1-03	1-09	1-03			30	#3 @14" TIES
9943	TR	BF		60		12-00	1-02		3/10	L	S90	1-09	S135					11	#3 @14" LINKS
9944	TR	BF		60		12-00	1-02	3	3/10	L	S90	1-03	S135					26	#3 @14" LINKS
9945	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
9946	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
9947	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
9948	MT	MARK:16 (14X20)																	
9949	TR	BF		60	8				6/19	S	12-00	2-07						175	8 #6 V
9950	TR	BF		60		12-00	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			26	#3 @12" TIES
9951	TR	BF		60		12-00	1-00		3/10	L	S90	0-11	S135					8	#3 @12" LINKS
9952	TR	BF		60		12-00	1-00		3/10	L	S90	1-05	S135					10	#3 @12" LINKS
9953	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
9954	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3@3" LINKS@ T
9955	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3 @3" LINKS@ T
9956	MT	MARK:17 (20" DIA)																	
9957	TR	BF		60	6				6/19	S	12-00	2-07						131	6 #6 V
9958	TR	TC		60		12-00	1-00		3/10	L	1-08			0-012	0	40D		28	#3 @12" TIES
9959	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
9960	MT	MARK:18 (20X14)																	
9961	TR	BF		60	8				6/19	S	12-00	2-07						175	8 #6 V
9962	TR	BF		60		12-00	1-00		3/10	L	2S90	1-05	0-11	1-05	0-11			26	#3 @12" TIES
9963	TR	BF		60		12-00	1-00		3/10	L	S90	1-05	S135					10	#3 @12" LINKS
9964	TR	BF		60		12-00	1-00		3/10	L	S90	0-11	S135					8	#3 @12" LINKS
9965	TR	BF		60	3				3/10	L	2S90	1-05	0-11	1-05	0-11			6	3 #3 @3" TIES@ T
9966	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3@3" LINKS@ T
9967	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3 @3" LINKS@ T
9968	MT	MARK:19,20 (14X20) (2-LOC)																	
9969	TR	BF		60	8			2	6/19	S	12-00	2-07						350	8 #6 V
9970	TR	BF		60		12-00	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			52	#3 @12" TIES
9971	TR	BF		60		12-00	1-00	2	3/10	L	S90	0-11	S135					15	#3 @12" LINKS

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
9972	TR	BF		60		12-00	1-00	2	3/10	L	S90	1-05	S135					20	#3 @ 12" LINKS
9973	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
9974	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
9975	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
9976	MT	MARK:21 (26X20)																	
9977	TR	BF		60	8				6/19	H	12-00	S90						156	8 #6 V
9978	TR	BF		60		12-00	1-00		3/10	L	2S90	1-11	1-01	1-11	1-01			33	#3 @12" TIES
9979	TR	BF		60		12-00	1-00		3/10	L	S90	1-11	S135					13	#3 @12" LINKS
9980	TR	BF		60		12-00	1-00		3/10	L	S90	1-01	S135					9	#3 @12" LINKS
9981	TR	BF		60	3				3/10	L	2S90	1-11	1-01	1-11	1-01			8	3 #3 @3" TIES@ T
9982	TR	BF		60	3				3/10	L	S90	1-11	S135					3	3 #3@3" LINKS@ T
9983	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
9984	MT	MARK:22 (24X18)																	
9985	TR	BF		80	8				8/25	S	12-00	6-02						388	8 #8 V
9986	TR	BF		60		12-00	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			25	#3 @16" TIES
9987	TR	BF		60		12-00	1-04		3/10	L	S90	1-09	S135					9	#3 @16" LINKS
9988	TR	BF		60		12-00	1-04		3/10	L	S90	1-03	S135					7	#3 @16" LINKS
9989	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
9990	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
9991	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
9992	MT	MARK:23 (27X16)																	
9993	TR	BF		60	8				7/22	S	12-00	3-10						259	8 #7 V
9994	TR	BF		60		12-00	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			31	#3 @14" TIES
9995	TR	BF		60		12-00	1-02		3/10	L	S90	2-00	S135					12	#3 @14" LINKS
9996	TR	BF		60		12-00	1-02		3/10	L	S90	1-01	S135					8	#3 @14" LINKS
9997	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
9998	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
9999	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
10000	MT	MARK:24 (24X20)																	
10001	TR	BF		80	8				8/25	H	12-00	S90						285	8 #8 V
10002	TR	BF		60		12-00	1-04		3/10	L	2S90	1-09	1-05	1-09	1-05			26	#3 @16" TIES
10003	TR	BF		60		12-00	1-04		3/10	L	S90	1-09	S135					9	#3 @16" LINKS
10004	TR	BF		60		12-00	1-04		3/10	L	S90	1-05	S135					8	#3 @16" LINKS
10005	TR	BF		60	3				3/10	L	2S90	1-09	1-05	1-09	1-05			8	3 #3 @3" TIES@ T
10006	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3@3" LINKS@ T
10007	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
10008	MT	MARK:25,28 (24X20) (2-LOC)																	
10009	TR	BF		60	8			2	6/19	H	12-00	S90						312	8 #6 V
10010	TR	TC		60		12-00	1-00	2	3/10	L	1-08			0-012	0	40D		56	#3 @12" TIES
10011	TR	TC		60	3			2	3/10	L	1-08			0-012	0	40D		13	3 #3 @3" TIES@ T
10012	MT	MARK:26 (16X27)																	
10013	TR	BF		60	8				7/22	H	12-00	S90						215	8 #7 V
10014	TR	BF		60		12-00	1-00		3/10	L	2S90	1-01	2-00	1-01	2-00			33	#3 @12" TIES
10015	TR	BF		60		12-00	1-00		3/10	L	S90	2-00	S135					13	#3 @12" LINKS
10016	TR	BF		60		12-00	1-00		3/10	L	S90	1-01	S135					9	#3 @12" LINKS
10017	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
10018	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
10019	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3@3" LINKS@ T
10020	MT	MARK: 27 (20X20)																	
10021	TR	BF		60	8				7/22	H	12-00	S90						215	8 #7 V
10022	TR	BF		60		12-00	1-02		3/10	L	2S90	1-05	1-05	1-05	1-05			29	#3 @14" TIES
10023	TR	BF		60		12-00	1-02	2	3/10	L	S90	1-05	S135					19	#3 @14" LINKS
10024	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
10025	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
10026	GI	Segment: 22ND FLOOR Sub-Segment: COLUMN																	
10027	MT	22ND FLOOR SEC:S-222.00																	
10028	MT	MARK:01 (20" DIA)																	
10029	TR	BF		60	6				6/19	S	10-02	2-07						115	6 #6 V
10030	TR	TC		60		10-02	1-00		3/10	L	1-08			0-012	0	40D		26	#3 @12" TIES

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
10031	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10032	MT	MARK:02,04 (14X20) (2-LOC)																	
10033	TR	BF		60	8			2	6/19	S	10-02	2-07						306	8 #6 V
10034	TR	BF		60		10-02	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			48	#3 @12" TIES
10035	TR	BF		60		10-02	1-00	2	3/10	L	S90	0-11	S135					14	#3 @12" LINKS
10036	TR	BF		60		10-02	1-00	2	3/10	L	S90	1-05	S135					19	#3 @12" LINKS
10037	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
10038	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
10039	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
10040	MT	MARK:03,05,07 (20X14) (3-LOC)																	
10041	TR	BF		60	8			3	6/19	S	10-02	2-07						460	8 #6 V
10042	TR	BF		60		10-02	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			72	#3 @12" TIES
10043	TR	BF		60		10-02	1-00	3	3/10	L	S90	0-11	S135					21	#3 @12" LINKS
10044	TR	BF		60		10-02	1-00	3	3/10	L	S90	1-05	S135					28	#3 @12" LINKS
10045	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
10046	TR	BF		60	3			3	3/10	L	S90	0-11	S135					5	3 #3@3" LINKS@ T
10047	TR	BF		60	3			3	3/10	L	S90	1-05	S135					7	3 #3 @3" LINKS@ T
10048	MT	MARK:06 (20" DIA)																	
10049	TR	BF		60	6				6/19	S	10-02							92	6 #6 V
10050	TR	TC		60		10-02	1-00		3/10	L	1-08			0-012	0	40D		26	#3 @12" TIES
10051	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10052	MT	MARK:08,10,11 (18X24) (3-LOC)																	
10053	TR	BF		60	8			3	7/22	S	10-02	3-10						687	8 #7 V
10054	TR	BF		60		10-02	1-02	3	3/10	L	2S90	1-03	1-09	1-03	1-09			75	#3 @14" TIES
10055	TR	BF		60		10-02	1-02	3	3/10	L	S90	1-09	S135					27	#3 @14" LINKS
10056	TR	BF		60		10-02	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
10057	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
10058	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
10059	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
10060	MT	MARK:09, 15 (24X18) (2-LOC)																	
10061	TR	BF		60	8			2	7/22	S	10-02	3-10						458	8 #7 V
10062	TR	BF		60		10-02	1-02	2	3/10	L	2S90	1-09	1-03	1-09	1-03			50	#3 @14" TIES
10063	TR	BF		60		10-02	1-02	2	3/10	L	S90	1-09	S135					18	#3 @14" LINKS
10064	TR	BF		60		10-02	1-02	2	3/10	L	S90	1-03	S135					14	#3 @14" LINKS
10065	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
10066	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
10067	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
10068	MT	MARK:12, 13 (20X14) (2-LOC)																	
10069	TR	BF		60	8			2	6/19	S	10-02	2-07						306	8 #6 V
10070	TR	BF		60		10-02	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			48	#3 @12" TIES
10071	TR	BF		60		10-02	1-00	2	3/10	L	S90	1-05	S135					19	#3 @12" LINKS
10072	TR	BF		60		10-02	1-00	2	3/10	L	S90	0-11	S135					14	#3 @12" LINKS
10073	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
10074	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
10075	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3 @3" LINKS@ T
10076	MT	MARK:14 (24X18)																	
10077	TR	BF		60	8				7/22	S	10-02	3-10						229	8 #7 V
10078	TR	BF		60		10-02	1-02		3/10	L	2S90	1-09	1-03	1-09	1-03			25	#3 @14" TIES
10079	TR	BF		60		10-02	1-02		3/10	L	S90	1-09	S135					9	#3 @14" LINKS
10080	TR	BF		60		10-02	1-02	3	3/10	L	S90	1-03	S135					22	#3 @14" LINKS
10081	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
10082	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
10083	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
10084	MT	MARK:16 (14X20)																	
10085	TR	BF		60	8				6/19	S	10-02	2-07						153	8 #6 V
10086	TR	BF		60		10-02	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			24	#3 @12" TIES
10087	TR	BF		60		10-02	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
10088	TR	BF		60		10-02	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
10089	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
10090	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3@3" LINKS@ T
10091	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3 @3" LINKS@ T
10092	MT	MARK:17 (20" DIA)																	
10093	TR	BF		60	6				6/19	S	10-02							92	6 #6 V
10094	TR	TC		60		10-02	1-00		3/10	L	1-08			0-012	0	40D		26	#3 @12" TIES
10095	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10096	MT	MARK:18 (20X14)																	
10097	TR	BF		60	8				6/19	S	10-02	2-07						153	8 #6 V
10098	TR	BF		60		10-02	1-00		3/10	L	2S90	1-05	0-11	1-05	0-11			24	#3 @12" TIES
10099	TR	BF		60		10-02	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
10100	TR	BF		60		10-02	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
10101	TR	BF		60	3				3/10	L	2S90	1-05	0-11	1-05	0-11			6	3 #3 @3" TIES@ T
10102	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3@3" LINKS@ T
10103	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3 @3" LINKS@ T
10104	MT	MARK:19,20 (14X20) (2-LOC)																	
10105	TR	BF		60	8			2	6/19	S	10-02	2-07						306	8 #6 V
10106	TR	BF		60		10-02	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			48	#3 @12" TIES
10107	TR	BF		60		10-02	1-00	2	3/10	L	S90	0-11	S135					14	#3 @12" LINKS
10108	TR	BF		60		10-02	1-00	2	3/10	L	S90	1-05	S135					19	#3 @ 12" LINKS
10109	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
10110	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
10111	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
10112	MT	MARK:21 (20" DIA)																	
10113	TR	BF		60	6				6/19	H	2-07	2-07						47	6 #6 DWL
10114	TR	BF		60	6				6/19	H	10-02	2-07						115	6 #6 V
10115	TR	TC		60		10-02	1-00		3/10	L	1-08			0-012	0	40D		26	#3 @12" TIES
10116	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES
10117	MT	MARK:22 (24X18)																	
10118	TR	BF		80	8				8/25	S	10-02	6-02						349	8 #8 V
10119	TR	BF		60		10-02	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
10120	TR	BF		60		10-02	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
10121	TR	BF		60		10-02	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
10122	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
10123	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
10124	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
10125	MT	MARK:23 (27X16)																	
10126	TR	BF		60	8				7/22	S	10-02	3-10						229	8 #7 V
10127	TR	BF		60		10-02	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
10128	TR	BF		60		10-02	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
10129	TR	BF		60		10-02	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
10130	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
10131	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
10132	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
10133	MT	MARK:24 (20" DIA)																	
10134	TR	BF		60	8				6/19	H	2-07	2-07						62	8 #6 DWL
10135	TR	BF		60	8				6/19	H	10-02	2-07						153	8 #6 V
10136	TR	TC		60		10-02	1-00		3/10	L	1-08			0-012	0	40D		26	#3 @12" TIES
10137	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES
10138	GI	Segment: 23RD FLOOR Sub-Segment: COLUMN																	
10139	MT	23RD FLOOR SEC:S-223.00																	
10140	MT	MARK:01 (20" DIA)																	
10141	TR	BF		60	6				6/19	S	9-08	2-07						110	6 #6 V
10142	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10143	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10144	MT	MARK:02,04 (14X20) (2-LOC)																	
10145	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
10146	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
10147	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
10148	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
10149	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
10150	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
10151	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
10152	MT	MARK:03,05,07 (20X14) (3-LOC)																	
10153	TR	BF		60	8			3	6/19	S	9-08	2-07						441	8 #6 V
10154	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			66	#3 @12" TIES
10155	TR	BF		60		9-08	1-00	3	3/10	L	S90	0-11	S135					20	#3 @12" LINKS
10156	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-05	S135					26	#3 @12" LINKS
10157	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
10158	TR	BF		60	3			3	3/10	L	S90	0-11	S135					5	3 #3@3" LINKS@ T
10159	TR	BF		60	3			3	3/10	L	S90	1-05	S135					7	3 #3 @3" LINKS@ T
10160	MT	MARK:06 (20" DIA)																	
10161	TR	BF		80	8				8/25	S	4-09	4-09						203	8 #8 DWL
10162	TR	BF		80	8				8/25	S	9-08	4-09						308	8 #8 V
10163	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10164	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10165	MT	MARK:08,10,11 (18X24) (3-LOC)																	
10166	TR	BF		60	8			3	6/19	S	9-08	2-07						441	8 #6 V
10167	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-03	1-09	1-03	1-09			83	#3 @12" TIES
10168	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-09	S135					30	#3 @12" LINKS
10169	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-03	S135					24	#3 @12" LINKS
10170	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
10171	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
10172	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
10173	MT	MARK:09, 15 (24X18) (2-LOC)																	
10174	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
10175	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-09	1-03	1-09	1-03			55	#3 @12" TIES
10176	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-09	S135					20	#3 @12" LINKS
10177	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-03	S135					16	#3 @12" LINKS
10178	TR	BF		60	3			2	3/10	L	2S90	1-09	1-03	1-09	1-03			15	3 #3 @3" TIES@ T
10179	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
10180	TR	BF		60	3			2	3/10	L	S90	1-03	S135					4	3 #3 @3" LINKS@ T
10181	MT	MARK:12, 13 (20X14) (2-LOC)																	
10182	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
10183	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			44	#3 @12" TIES
10184	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
10185	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
10186	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
10187	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3@3" LINKS@ T
10188	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3 @3" LINKS@ T
10189	MT	MARK:14 (24X18)																	
10190	TR	BF		60	8				6/19	S	9-08	2-07						147	8 #6 V
10191	TR	BF		60		9-08	1-00		3/10	L	2S90	1-09	1-03	1-09	1-03			28	#3 @12" TIES
10192	TR	BF		60		9-08	1-00		3/10	L	S90	1-09	S135					10	#3 @12" LINKS
10193	TR	BF		60		9-08	1-00		3/10	L	S90	1-03	S135					8	#3 @12" LINKS
10194	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
10195	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
10196	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3 @3" LINKS@ T
10197	MT	MARK:16 (14X20)																	
10198	TR	BF		60	8				6/19	S	9-08	2-07						147	8 #6 V
10199	TR	BF		60		9-08	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			22	#3 @12" TIES
10200	TR	BF		60		9-08	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
10201	TR	BF		60		9-08	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
10202	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
10203	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3@3" LINKS@ T
10204	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3 @3" LINKS@ T
10205	MT	MARK:17 (20" DIA)																	
10206	TR	BF		80	8				8/25	S	6-02	6-02						263	8 #8 DWL
10207	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
10208	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10209	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10210	MT	MARK:18 (20X14)																	
10211	TR	BF		60	8				6/19	S	9-08	2-07						147	8 #6 V
10212	TR	BF		60		9-08	1-00		3/10	L	2S90	1-05	0-11	1-05	0-11			22	#3 @12" TIES
10213	TR	BF		60		9-08	1-00		3/10	L	S90	1-05	S135					9	#3 @12" LINKS
10214	TR	BF		60		9-08	1-00		3/10	L	S90	0-11	S135					7	#3 @12" LINKS
10215	TR	BF		60	3				3/10	L	2S90	1-05	0-11	1-05	0-11			6	3 #3 @3" TIES@ T
10216	TR	BF		60	3				3/10	L	S90	1-05	S135					2	3 #3@3" LINKS@ T
10217	TR	BF		60	3				3/10	L	S90	0-11	S135					2	3 #3 @3" LINKS@ T
10218	MT	MARK:19,20 (14X20) (2-LOC)																	
10219	TR	BF		60	8			2	6/19	S	9-08	2-07						294	8 #6 V
10220	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
10221	TR	BF		60		9-08	1-00	2	3/10	L	S90	0-11	S135					13	#3 @12" LINKS
10222	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @ 12" LINKS
10223	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
10224	TR	BF		60	3			2	3/10	L	S90	0-11	S135					4	3 #3@3" LINKS@ T
10225	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
10226	MT	MARK:21 (20" DIA)																	
10227	TR	BF		60	6				6/19	H	9-08	2-07						110	6 #6 V
10228	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10229	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES
10230	MT	MARK:22 (24X18)																	
10231	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
10232	TR	BF		60		9-08	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
10233	TR	BF		60		9-08	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
10234	TR	BF		60		9-08	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
10235	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
10236	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
10237	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
10238	MT	MARK:23 (27X16)																	
10239	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
10240	TR	BF		60		9-08	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
10241	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
10242	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
10243	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
10244	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
10245	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
10246	MT	MARK:24 (20" DIA)																	
10247	TR	BF		60	8				6/19	H	9-08	2-07						147	8 #6 V
10248	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10249	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES
10250	GI	Segment: 24TH FLOOR Sub-Segment: COLUMN																	
10251	MT	24TH FLOOR SEC:S-223.00																	
10252	MT	MARK:01 (20" DIA)																	
10253	TR	BF		60	6				6/19	S	9-08	2-07						110	6 #6 V
10254	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10255	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10256	MT	MARK:02,04 (14X20) (2-LOC)																	
10257	TR	BF		60	4			2	6/19	S	9-08	2-07						147	4 #6 V
10258	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
10259	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
10260	MT	MARK:03,05,07 (20X14) (3-LOC)																	
10261	TR	BF		60	4			3	6/19	S	9-08	2-07						221	4 #6 V
10262	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			66	#3 @12" TIES
10263	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
10264	MT	MARK:06 (20" DIA)																	
10265	TR	BF		80	8				8/25	S	9-08	4-09						308	8 #8 V
10266	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
10267	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10268	MT	MARK:08,10,11 (18X24) (3-LOC)																	
10269	TR	BF		80	8			3	8/25	S	6-02	6-02						790	8 #8 DWL
10270	TR	BF		80	8			3	8/25	S	9-08	6-02						1,015	8 #8 V
10271	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-03	1-09	1-03	1-09			83	#3 @12" TIES
10272	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-09	S135					30	#3 @12" LINKS
10273	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-03	S135					24	#3 @12" LINKS
10274	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
10275	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
10276	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
10277	MT	MARK:09,14, 15 (24X18) (3-LOC)																	
10278	TR	BF		80	8			3	8/25	S	6-02	6-02						790	8 #8 DWL
10279	TR	BF		80	8			3	8/25	S	9-08	6-02						1,015	8 #8 V
10280	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-09	1-03	1-09	1-03			83	#3 @12" TIES
10281	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-09	S135					30	#3 @12" LINKS
10282	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-03	S135					24	#3 @12" LINKS
10283	TR	BF		60	3			3	3/10	L	2S90	1-09	1-03	1-09	1-03			23	3 #3 @3" TIES@ T
10284	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
10285	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
10286	MT	MARK:12, 13 (20X14) (2-LOC)																	
10287	TR	BF		60	4			2	6/19	S	9-08	2-07						147	4 #6 V
10288	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			44	#3 @12" TIES
10289	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
10290	MT	MARK:16 (14X20)																	
10291	TR	BF		60	4				6/19	S	9-08	2-07						74	4 #6 V
10292	TR	BF		60		9-08	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			22	#3 @12" TIES
10293	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
10294	MT	MARK:17 (20" DIA)																	
10295	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
10296	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10297	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10298	MT	MARK:18 (20X14)																	
10299	TR	BF		60	4				6/19	S	9-08	2-07						74	4 #6 V
10300	TR	BF		60		9-08	1-00		3/10	L	2S90	1-05	0-11	1-05	0-11			22	#3 @12" TIES
10301	TR	BF		60	3				3/10	L	2S90	1-05	0-11	1-05	0-11			6	3 #3 @3" TIES@ T
10302	MT	MARK:19,20 (14X20) (2-LOC)																	
10303	TR	BF		60	4			2	6/19	S	9-08	2-07						147	4 #6 V
10304	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
10305	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
10306	MT	MARK:21 (20" DIA)																	
10307	TR	BF		60	6				6/19	H	9-08	2-07						110	6 #6 V
10308	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10309	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES
10310	MT	MARK:22 (24X18)																	
10311	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
10312	TR	BF		60		9-08	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
10313	TR	BF		60		9-08	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
10314	TR	BF		60		9-08	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
10315	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
10316	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
10317	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
10318	MT	MARK:23 (27X16)																	
10319	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
10320	TR	BF		60		9-08	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
10321	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
10322	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
10323	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
10324	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
10325	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
10326	MT	MARK:24 (20" DIA)																	
10327	TR	BF		60	8				6/19	H	9-08	2-07						147	8 #6 V
10328	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10329	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES
10330	GI	Segment: 25TH FLOOR Sub-Segment: COLUMN																	
10331	MT	25TH FLOOR SEC:S-223.00																	
10332	MT	MARK:01 (20" DIA)																	
10333	TR	BF		60	6				6/19	S	9-08	2-07						110	6 #6 V
10334	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10335	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10336	MT	MARK:02,04 (14X20) (2-LOC)																	
10337	TR	BF		60	4			2	6/19	S	9-08	2-07						147	4 #6 V
10338	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
10339	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
10340	MT	MARK:03,05,07 (20X14) (3-LOC)																	
10341	TR	BF		60	4			3	6/19	S	9-08	2-07						221	4 #6 V
10342	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			66	#3 @12" TIES
10343	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
10344	MT	MARK:06 (20" DIA)																	
10345	TR	BF		80	8				8/25	S	9-08	4-09						308	8 #8 V
10346	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10347	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10348	MT	MARK:08,10,11 (18X24) (3-LOC)																	
10349	TR	BF		80	8			3	8/25	S	9-08	6-02						1,015	8 #8 V
10350	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-03	1-09	1-03	1-09			83	#3 @12" TIES
10351	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-09	S135					30	#3 @12" LINKS
10352	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-03	S135					24	#3 @12" LINKS
10353	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
10354	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
10355	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
10356	MT	MARK:09,14, 15 (24X18) (3-LOC)																	
10357	TR	BF		80	8			3	8/25	S	9-08	6-02						1,015	8 #8 V
10358	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-09	1-03	1-09	1-03			83	#3 @12" TIES
10359	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-09	S135					30	#3 @12" LINKS
10360	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-03	S135					24	#3 @12" LINKS
10361	TR	BF		60	3			3	3/10	L	2S90	1-09	1-03	1-09	1-03			23	3 #3 @3" TIES@ T
10362	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
10363	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
10364	MT	MARK:12, 13 (20X14) (2-LOC)																	
10365	TR	BF		60	4			2	6/19	S	9-08	2-07						147	4 #6 V
10366	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			44	#3 @12" TIES
10367	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
10368	MT	MARK:16 (14X20)																	
10369	TR	BF		60	4				6/19	S	9-08	2-07						74	4 #6 V
10370	TR	BF		60		9-08	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			22	#3 @12" TIES
10371	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
10372	MT	MARK:17 (20" DIA)																	
10373	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
10374	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10375	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10376	MT	MARK:18 (20X14)																	
10377	TR	BF		60	4				6/19	S	9-08	2-07						74	4 #6 V
10378	TR	BF		60		9-08	1-00		3/10	L	2S90	1-05	0-11	1-05	0-11			22	#3 @12" TIES
10379	TR	BF		60	3				3/10	L	2S90	1-05	0-11	1-05	0-11			6	3 #3 @3" TIES@ T
10380	MT	MARK:19,20 (14X20) (2-LOC)																	
10381	TR	BF		60	4			2	6/19	S	9-08	2-07						147	4 #6 V
10382	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
10383	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
10384	MT	MARK:21 (20" DIA)																	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
10385	TR	BF		60	6				6/19	H	9-08	2-07						110	6 #6 V
10386	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10387	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES
10388	MT	MARK:22 (24X18)																	
10389	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
10390	TR	BF		60		9-08	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
10391	TR	BF		60		9-08	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
10392	TR	BF		60		9-08	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
10393	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
10394	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
10395	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
10396	MT	MARK:23 (27X16)																	
10397	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
10398	TR	BF		60		9-08	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
10399	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
10400	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
10401	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
10402	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
10403	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
10404	MT	MARK:24 (20" DIA)																	
10405	TR	BF		60	8				6/19	H	9-08	2-07						147	8 #6 V
10406	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10407	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES
10408	GI	Segment: 26TH FLOOR Sub-Segment: COLUMN																	
10409	MT	26TH FLOOR SEC:S-223.00																	
10410	MT	MARK:01 (20" DIA)																	
10411	TR	BF		60	6				6/19	S	9-08	2-07						110	6 #6 V
10412	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10413	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10414	MT	MARK:02,04 (14X20) (2-LOC)																	
10415	TR	BF		60	4			2	6/19	S	9-08	2-07						147	4 #6 V
10416	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
10417	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
10418	MT	MARK:03,05,07 (20X14) (3-LOC)																	
10419	TR	BF		60	4			3	6/19	S	9-08	2-07						221	4 #6 V
10420	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			66	#3 @12" TIES
10421	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
10422	MT	MARK:06 (20" DIA)																	
10423	TR	BF		60	6				6/19	H	9-08	S90						96	6 #6 V
10424	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10425	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10426	MT	MARK:08,10,11 (18X24) (3-LOC)																	
10427	TR	BF		80	8			3	8/25	S	9-08	6-02						1,015	8 #8 V
10428	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-03	1-09	1-03	1-09			83	#3 @12" TIES
10429	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-09	S135					30	#3 @12" LINKS
10430	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-03	S135					24	#3 @12" LINKS
10431	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
10432	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
10433	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
10434	MT	MARK:09,14, 15 (24X18) (3-LOC)																	
10435	TR	BF		80	8			3	8/25	S	9-08	6-02						1,015	8 #8 V
10436	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-09	1-03	1-09	1-03			83	#3 @12" TIES
10437	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-09	S135					30	#3 @12" LINKS
10438	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-03	S135					24	#3 @12" LINKS
10439	TR	BF		60	3			3	3/10	L	2S90	1-09	1-03	1-09	1-03			23	3 #3 @3" TIES@ T
10440	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
10441	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
10442	MT	MARK:12, 13 (20X14) (2-LOC)																	
10443	TR	BF		60	4			2	6/19	S	9-08	2-07						147	4 #6 V

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
10444	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			44	#3 @12" TIES
10445	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
10446	MT	MARK:16 (14X20)																	
10447	TR	BF		60	4				6/19	S	9-08	2-07						74	4 #6 V
10448	TR	BF		60		9-08	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			22	#3 @12" TIES
10449	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
10450	MT	MARK:17 (20" DIA)																	
10451	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
10452	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10453	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10454	MT	MARK:18 (20X14)																	
10455	TR	BF		60	4				6/19	S	9-08	2-07						74	4 #6 V
10456	TR	BF		60		9-08	1-00		3/10	L	2S90	1-05	0-11	1-05	0-11			22	#3 @12" TIES
10457	TR	BF		60	3				3/10	L	2S90	1-05	0-11	1-05	0-11			6	3 #3 @3" TIES@ T
10458	MT	MARK:19,20 (14X20) (2-LOC)																	
10459	TR	BF		60	4			2	6/19	S	9-08	2-07						147	4 #6 V
10460	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
10461	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
10462	MT	MARK:21 (20" DIA)																	
10463	TR	BF		60	6				6/19	H	9-08	2-07						110	6 #6 V
10464	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10465	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES
10466	MT	MARK:22 (24X18)																	
10467	TR	BF		80	8				8/25	S	9-08	6-02						338	8 #8 V
10468	TR	BF		60		9-08	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			23	#3 @16" TIES
10469	TR	BF		60		9-08	1-04		3/10	L	S90	1-09	S135					8	#3 @16" LINKS
10470	TR	BF		60		9-08	1-04		3/10	L	S90	1-03	S135					6	#3 @16" LINKS
10471	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
10472	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
10473	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
10474	MT	MARK:23 (27X16)																	
10475	TR	BF		60	8				7/22	S	9-08	3-10						221	8 #7 V
10476	TR	BF		60		9-08	1-02		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @14" TIES
10477	TR	BF		60		9-08	1-02		3/10	L	S90	2-00	S135					10	#3 @14" LINKS
10478	TR	BF		60		9-08	1-02		3/10	L	S90	1-01	S135					7	#3 @14" LINKS
10479	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
10480	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T
10481	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
10482	MT	MARK:24 (20" DIA)																	
10483	TR	BF		60	8				6/19	H	9-08	2-07						147	8 #6 V
10484	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10485	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES
10486	GI	Segment: 27TH FLOOR Sub-Segment: COLUMN																	
10487	MT	27TH FLOOR SEC:S-227.00																	
10488	MT	MARK:01 (20" DIA)																	
10489	TR	BF		60	6				6/19	S	12-00	2-07						131	6 #6 V
10490	TR	TC		60		12-00	1-00		3/10	L	1-08			0-012	0	40D		28	#3 @12" TIES
10491	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10492	MT	MARK:02,04 (14X20) (2-LOC)																	
10493	TR	BF		60	4			2	6/19	S	12-00	2-07						175	4 #6 V
10494	TR	BF		60		12-00	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			52	#3 @12" TIES
10495	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
10496	MT	MARK:03,05,07 (20X14) (3-LOC)																	
10497	TR	BF		60	4			3	6/19	S	12-00	2-07						263	4 #6 V
10498	TR	BF		60		12-00	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			78	#3 @12" TIES
10499	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
10500	MT	MARK:06 (24X24)																	
10501	TR	BF		60	8				6/19	H	S90	0-071	2-07					50	8 #6 DWL
10502	TR	BF		60	8				6/19	S	12-00	2-07						175	8 #6 V

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
10503	TR	BF		60		12-00	1-00		3/10	L	2S90	1-09	1-09	1-09	1-09			37	#3 @12" TIES
10504	TR	BF		60		12-00	1-00	2	3/10	L	S90	1-09	S135					24	#3 @12" LINKS
10505	TR	BF		60	3				3/10	L	2S90	1-09	1-09	1-09	1-09			9	3 #3 @3" TIES@ T
10506	TR	BF		60	3			2	3/10	L	S90	1-09	S135					5	3 #3 @3" LINKS@ T
10507	MT	MARK:08,10,11 (18X24) (3-LOC)																	
10508	TR	BF		80	8			3	8/25	S	12-00	6-02						1,164	8 #8 V
10509	TR	BF		60		12-00	1-00	3	3/10	L	2S90	1-03	1-09	1-03	1-09			98	#3 @12" TIES
10510	TR	BF		60		12-00	1-00	3	3/10	L	S90	1-09	S135					35	#3 @12" LINKS
10511	TR	BF		60		12-00	1-00	3	3/10	L	S90	1-03	S135					28	#3 @12" LINKS
10512	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
10513	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
10514	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
10515	MT	MARK:09,14, 15 (24X18) (3-LOC)																	
10516	TR	BF		80	8			3	8/25	S	12-00	6-02						1,164	8 #8 V
10517	TR	BF		60		12-00	1-00	3	3/10	L	2S90	1-09	1-03	1-09	1-03			98	#3 @12" TIES
10518	TR	BF		60		12-00	1-00	3	3/10	L	S90	1-09	S135					35	#3 @12" LINKS
10519	TR	BF		60		12-00	1-00	3	3/10	L	S90	1-03	S135					28	#3 @12" LINKS
10520	TR	BF		60	3			3	3/10	L	2S90	1-09	1-03	1-09	1-03			23	3 #3 @3" TIES@ T
10521	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
10522	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
10523	MT	MARK:12, 13 (20X14) (2-LOC)																	
10524	TR	BF		60	4			2	6/19	S	12-00	2-07						175	4 #6 V
10525	TR	BF		60		12-00	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			52	#3 @12" TIES
10526	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
10527	MT	MARK:16 (14X20)																	
10528	TR	BF		60	4				6/19	S	12-00	2-07						88	4 #6 V
10529	TR	BF		60		12-00	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			26	#3 @12" TIES
10530	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
10531	MT	MARK:17 (20" DIA)																	
10532	TR	BF		80	8				8/25	S	12-00	6-02						388	8 #8 V
10533	TR	TC		60		12-00	1-00		3/10	L	1-08			0-012	0	40D		28	#3 @12" TIES
10534	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10535	MT	MARK:18 (20X14)																	
10536	TR	BF		60	4				6/19	S	12-00	2-07						88	4 #6 V
10537	TR	BF		60		12-00	1-00		3/10	L	2S90	1-05	0-11	1-05	0-11			26	#3 @12" TIES
10538	TR	BF		60	3				3/10	L	2S90	1-05	0-11	1-05	0-11			6	3 #3 @3" TIES@ T
10539	MT	MARK:19,20 (14X20) (2-LOC)																	
10540	TR	BF		60	4			2	6/19	S	12-00	2-07						175	4 #6 V
10541	TR	BF		60		12-00	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			52	#3 @12" TIES
10542	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
10543	MT	MARK:21 (20" DIA)																	
10544	TR	BF		60	6				6/19	H	12-00	S90						117	6 #6 V
10545	TR	TC		60		12-00	1-00		3/10	L	1-08			0-012	0	40D		28	#3 @12" TIES
10546	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES
10547	MT	MARK:22 (24X18)																	
10548	TR	BF		80	8				8/25	H	12-00	S90						285	8 #8 V
10549	TR	BF		60		12-00	1-04		3/10	L	2S90	1-09	1-03	1-09	1-03			25	#3 @16" TIES
10550	TR	BF		60		12-00	1-04		3/10	L	S90	1-09	S135					9	#3 @16" LINKS
10551	TR	BF		60		12-00	1-04		3/10	L	S90	1-03	S135					7	#3 @16" LINKS
10552	TR	BF		60	3				3/10	L	2S90	1-09	1-03	1-09	1-03			8	3 #3 @3" TIES@ T
10553	TR	BF		60	3				3/10	L	S90	1-09	S135					3	3 #3@3" LINKS@ T
10554	TR	BF		60	3				3/10	L	S90	1-03	S135					2	3 #3 @3" LINKS@ T
10555	MT	MARK:23 (27X16)																	
10556	TR	BF		60	8				7/22	H	12-00	S90						215	8 #7 V
10557	TR	BF		60		12-00	1-04		3/10	L	2S90	2-00	1-01	2-00	1-01			26	#3 @16" TIES
10558	TR	BF		60		12-00	1-04		3/10	L	S90	2-00	S135					10	#3 @16" LINKS
10559	TR	BF		60		12-00	1-04		3/10	L	S90	1-01	S135					7	#3 @16" LINKS
10560	TR	BF		60	3				3/10	L	2S90	2-00	1-01	2-00	1-01			8	3 #3 @3" TIES@ T
10561	TR	BF		60	3				3/10	L	S90	2-00	S135					3	3 #3@3" LINKS@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
10562	TR	BF		60	3				3/10	L	S90	1-01	S135					2	3 #3 @3" LINKS@ T
10563	MT	MARK:24 (20" DIA)																	
10564	TR	BF		60	8				6/19	H	12-00	S90						156	8 #6 V
10565	TR	TC		60		12-00	1-00		3/10	L	1-08			0-012	0	40D		28	#3 @12" TIES
10566	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES
10567	GI	Segment: 28TH FLOOR Sub-Segment: COLUMN																	
10568	MT	28TH FLOOR SEC:S-227.00																	
10569	MT	MARK:01 (20" DIA)																	
10570	TR	BF		60	6				6/19	S	12-00	2-07						131	6 #6 V
10571	TR	TC		60		12-00	1-00		3/10	L	1-08			0-012	0	40D		28	#3 @12" TIES
10572	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10573	MT	MARK:02,04 (14X20) (2-LOC)																	
10574	TR	BF		60	4			2	6/19	S	12-00	2-07						175	4 #6 V
10575	TR	BF		60		12-00	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			52	#3 @12" TIES
10576	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
10577	MT	MARK:03,05,07 (20X14) (3-LOC)																	
10578	TR	BF		60	4			3	6/19	S	12-00	2-07						263	4 #6 V
10579	TR	BF		60		12-00	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			78	#3 @12" TIES
10580	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
10581	MT	MARK:06 (20X20)																	
10582	TR	BF		60	8				6/19	S	12-00	2-07						175	8 #6 V
10583	TR	BF		60		12-00	1-00		3/10	L	2S90	1-05	1-05	1-05	1-05			31	#3 @12" TIES
10584	TR	BF		60		12-00	1-00	2	3/10	L	S90	1-05	S135					20	#3 @12" LINKS
10585	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
10586	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
10587	MT	MARK:08,10,11 (18X24) (3-LOC)																	
10588	TR	BF		80	8			3	8/25	S	12-00	6-02						1,164	8 #8 V
10589	TR	BF		60		12-00	1-00	3	3/10	L	2S90	1-03	1-09	1-03	1-09			98	#3 @12" TIES
10590	TR	BF		60		12-00	1-00	3	3/10	L	S90	1-09	S135					35	#3 @12" LINKS
10591	TR	BF		60		12-00	1-00	3	3/10	L	S90	1-03	S135					28	#3 @12" LINKS
10592	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
10593	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
10594	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
10595	MT	MARK:09,14, 15 (24X18) (3-LOC)																	
10596	TR	BF		80	8			3	8/25	S	12-00	6-02						1,164	8 #8 V
10597	TR	BF		60		12-00	1-00	3	3/10	L	2S90	1-09	1-03	1-09	1-03			98	#3 @12" TIES
10598	TR	BF		60		12-00	1-00	3	3/10	L	S90	1-09	S135					35	#3 @12" LINKS
10599	TR	BF		60		12-00	1-00	3	3/10	L	S90	1-03	S135					28	#3 @12" LINKS
10600	TR	BF		60	3			3	3/10	L	2S90	1-09	1-03	1-09	1-03			23	3 #3 @3" TIES@ T
10601	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
10602	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
10603	MT	MARK:12, 13 (20X14) (2-LOC)																	
10604	TR	BF		60	4			2	6/19	S	12-00	2-07						175	4 #6 V
10605	TR	BF		60		12-00	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			52	#3 @12" TIES
10606	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
10607	MT	MARK:16 (14X20)																	
10608	TR	BF		60	4				6/19	S	12-00	2-07						88	4 #6 V
10609	TR	BF		60		12-00	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			26	#3 @12" TIES
10610	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
10611	MT	MARK:17 (20" DIA)																	
10612	TR	BF		60	6				6/19	H	12-00	S90						117	6 #6 V
10613	TR	TC		60		12-00	1-00		3/10	L	1-08			0-012	0	40D		28	#3 @12" TIES
10614	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10615	MT	MARK:19 (14X20)																	
10616	TR	BF		60	4				6/19	H	12-00	S90						78	4 #6 V
10617	TR	BF		60		12-00	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			26	#3 @12" TIES
10618	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
10619	MT	MARK:18 (20X14)																	
10620	TR	BF		60	4				6/19	H	12-00	S90						78	4 #6 V

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
10621	TR	BF		60		12-00	1-00		3/10	L	2S90	1-05	0-11	1-05	0-11			26	#3 @12" TIES
10622	TR	BF		60	3				3/10	L	2S90	1-05	0-11	1-05	0-11			6	3 #3 @3" TIES@ T
10623	MT	MARK:20 (14X20)																	
10624	TR	BF		60	4				6/19	S	12-00	2-07						88	4 #6 V
10625	TR	BF		60		12-00	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			26	#3 @12" TIES
10626	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
10627	GI	Segment: 29TH FLOOR Sub-Segment: COLUMN																	
10628	MT	29TH FLOOR SEC:S-229.00																	
10629	MT	MARK:01 (20" DIA)																	
10630	TR	BF		60	6				6/19	S	9-08	2-07						110	6 #6 V
10631	TR	TC		60		9-08	1-00		3/10	L	1-08			0-012	0	40D		24	#3 @12" TIES
10632	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10633	MT	MARK:02,04 (14X20) (2-LOC)																	
10634	TR	BF		60	4			2	6/19	S	9-08	2-07						147	4 #6 V
10635	TR	BF		60		9-08	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			44	#3 @12" TIES
10636	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
10637	MT	MARK:03,05,07 (20X14) (3-LOC)																	
10638	TR	BF		60	4			3	6/19	S	9-08	2-07						221	4 #6 V
10639	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			66	#3 @12" TIES
10640	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
10641	MT	MARK:06 (20X20)																	
10642	TR	BF		60	8				6/19	S	9-08	2-07						147	8 #6 V
10643	TR	BF		60		9-08	1-00		3/10	L	2S90	1-05	1-05	1-05	1-05			26	#3 @12" TIES
10644	TR	BF		60		9-08	1-00	2	3/10	L	S90	1-05	S135					17	#3 @12" LINKS
10645	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
10646	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
10647	MT	MARK:08,10,11 (18X24) (3-LOC)																	
10648	TR	BF		80	8			3	8/25	S	9-08	6-02						1,015	8 #8 V
10649	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-03	1-09	1-03	1-09			83	#3 @12" TIES
10650	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-09	S135					30	#3 @12" LINKS
10651	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-03	S135					24	#3 @12" LINKS
10652	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
10653	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
10654	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
10655	MT	MARK:09,14, 15 (24X18) (3-LOC)																	
10656	TR	BF		80	8			3	8/25	S	9-08	6-02						1,015	8 #8 V
10657	TR	BF		60		9-08	1-00	3	3/10	L	2S90	1-09	1-03	1-09	1-03			83	#3 @12" TIES
10658	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-09	S135					30	#3 @12" LINKS
10659	TR	BF		60		9-08	1-00	3	3/10	L	S90	1-03	S135					24	#3 @12" LINKS
10660	TR	BF		60	3			3	3/10	L	2S90	1-09	1-03	1-09	1-03			23	3 #3 @3" TIES@ T
10661	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
10662	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
10663	MT	MARK:12, 13 (20X14) (2-LOC)																	
10664	TR	BF		60	4			2	6/19	S	9-08	2-07						147	4 #6 V
10665	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			44	#3 @12" TIES
10666	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
10667	MT	MARK:16 (14X20)																	
10668	TR	BF		60	4				6/19	S	9-08	2-07						74	4 #6 V
10669	TR	BF		60		9-08	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			22	#3 @12" TIES
10670	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
10671	MT	MARK:20 (14X20)																	
10672	TR	BF		60	4				6/19	S	9-08	2-07						74	4 #6 V
10673	TR	BF		60		9-08	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			22	#3 @12" TIES
10674	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
10675	MT	MARK:18A, 19A (20X14) (2-LOC)																	
10676	TR	BF		60	4			2	6/19	H	S90	0-071	2-07					50	4 #6 DWL
10677	TR	BF		60	4			2	6/19	S	9-08	2-07						147	4 #6 V
10678	TR	BF		60		9-08	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			44	#3 @12" TIES
10679	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
10680	GI	Segment: 30TH FLOOR Sub-Segment: COLUMN																	
10681	MT	30TH FLOOR SEC:S-229.00																	
10682	MT	MARK:01 (20" DIA)																	
10683	TR	BF		60	6				6/19	H	16-00	S90						153	6 #6 V
10684	TR	TC		60		16-00	1-00		3/10	L	1-08			0-012	0	40D		36	#3 @12" TIES
10685	TR	TC		60	3				3/10	L	1-08			0-012	0	40D		6	3 #3 @3" TIES@ T
10686	MT	MARK:02,04 (14X20) (2-LOC)																	
10687	TR	BF		60	4			2	6/19	H	16-00	S90						204	4 #6 V
10688	TR	BF		60		16-00	1-00	2	3/10	L	2S90	0-11	1-05	0-11	1-05			68	#3 @12" TIES
10689	TR	BF		60	3			2	3/10	L	2S90	0-11	1-05	0-11	1-05			12	3 #3 @3" TIES@ T
10690	MT	MARK:03,05,07 (20X14) (3-LOC)																	
10691	TR	BF		60	4			3	6/19	H	16-00	S90						306	4 #6 V
10692	TR	BF		60		16-00	1-00	3	3/10	L	2S90	1-05	0-11	1-05	0-11			102	#3 @12" TIES
10693	TR	BF		60	3			3	3/10	L	2S90	0-11	1-05	0-11	1-05			18	3 #3 @3" TIES@ T
10694	MT	MARK:06 (20X20)																	
10695	TR	BF		60	8				6/19	H	16-00	S90						204	8 #6 V
10696	TR	BF		60		16-00	1-00		3/10	L	2S90	1-05	1-05	1-05	1-05			40	#3 @12" TIES
10697	TR	BF		60		16-00	1-00	2	3/10	L	S90	1-05	S135					27	#3 @12" LINKS
10698	TR	BF		60	3				3/10	L	2S90	1-05	1-05	1-05	1-05			7	3 #3 @3" TIES@ T
10699	TR	BF		60	3			2	3/10	L	S90	1-05	S135					5	3 #3 @3" LINKS@ T
10700	MT	MARK:08,10,11 (18X24) (3-LOC)																	
10701	TR	BF		60	8			3	6/19	H	16-00	S90						613	8 #6 V
10702	TR	BF		60		16-00	1-00	3	3/10	L	2S90	1-03	1-09	1-03	1-09			128	#3 @12" TIES
10703	TR	BF		60		16-00	1-00	3	3/10	L	S90	1-09	S135					46	#3 @12" LINKS
10704	TR	BF		60		16-00	1-00	3	3/10	L	S90	1-03	S135					37	#3 @12" LINKS
10705	TR	BF		60	3			3	3/10	L	2S90	1-03	1-09	1-03	1-09			23	3 #3 @3" TIES@ T
10706	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
10707	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
10708	MT	MARK:09,14, 15 (24X18) (3-LOC)																	
10709	TR	BF		60	8			3	6/19	H	16-00	S90						613	8 #6 V
10710	TR	BF		60		16-00	1-00	3	3/10	L	2S90	1-09	1-03	1-09	1-03			128	#3 @12" TIES
10711	TR	BF		60		16-00	1-00	3	3/10	L	S90	1-09	S135					46	#3 @12" LINKS
10712	TR	BF		60		16-00	1-00	3	3/10	L	S90	1-03	S135					37	#3 @12" LINKS
10713	TR	BF		60	3			3	3/10	L	2S90	1-09	1-03	1-09	1-03			23	3 #3 @3" TIES@ T
10714	TR	BF		60	3			3	3/10	L	S90	1-09	S135					8	3 #3 @3" LINKS@ T
10715	TR	BF		60	3			3	3/10	L	S90	1-03	S135					6	3 #3 @3" LINKS@ T
10716	MT	MARK:12, 13 (20X14) (2-LOC)																	
10717	TR	BF		60	4			2	6/19	H	16-00	S90						204	4 #6 V
10718	TR	BF		60		16-00	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			68	#3 @12" TIES
10719	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
10720	MT	MARK:16 (14X20)																	
10721	TR	BF		60	4				6/19	H	16-00	S90						102	4 #6 V
10722	TR	BF		60		16-00	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			34	#3 @12" TIES
10723	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
10724	MT	MARK:20 (14X20)																	
10725	TR	BF		60	4				6/19	H	16-00	S90						102	4 #6 V
10726	TR	BF		60		16-00	1-00		3/10	L	2S90	0-11	1-05	0-11	1-05			34	#3 @12" TIES
10727	TR	BF		60	3				3/10	L	2S90	0-11	1-05	0-11	1-05			6	3 #3 @3" TIES@ T
10728	MT	MARK:18A, 19A (20X14) (2-LOC)																	
10729	TR	BF		60	4			2	6/19	H	16-00	S90						204	4 #6 V
10730	TR	BF		60		16-00	1-00	2	3/10	L	2S90	1-05	0-11	1-05	0-11			68	#3 @12" TIES
10731	TR	BF		60	3			2	3/10	L	2S90	1-05	0-11	1-05	0-11			12	3 #3 @3" TIES@ T
10732	GI	Segment: CELLAR Sub-Segment: LINK BEAM																	
10733	MT	LINK BEAM (REF: S-320)																	
10734	MT	MARK: LB01 (18"x36")																	
10735	TR	BF		80	2			2	8/25	S	4-09	6-06	4-09					171	2 #8 B
10736	TR	BF		80	2			2	8/25	S	6-03	6-06	6-03					203	2 #8 T
10737	TR	BF		60		1-04	0-10	2*2	4/13	S	2-00	6-06	2-00					84	#4 @10" EF
10738	TR	BF		80	2				8/25	S	4-09	5-04	4-09					79	2 #8 B

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
10739	TR	BF		80	2				8/25	S	6-03	5-04	6-03					95	2 #8 T
10740	TR	BF		60		1-04	0-10	2	4/13	S	2-00	5-04	2-00					37	#4 @10" EF
10741	TR	BF		80	2				8/25	S	4-09	3-08	4-09					70	2 #8 B
10742	TR	BF		80	2				8/25	S	6-03	3-08	6-03					86	2 #8 T
10743	TR	BF		60		1-04	0-10	2	4/13	S	2-00	3-08	2-00					31	#4 @10" EF
10744	TR	TA		60		22-00	1-00		4/13	L	1-06	3-00		0-012	0			134	#4 @12" STRPS
10745	TI	lf			45				BB 1.5									0	
10746	GI	Segment: 1ST FLOOR Sub-Segment: LINK BEAM																	
10747	MT	MARK: LB01 (18"x60")																	
10748	TR	BF		80	4			2	9/29	S	5-04	6-06	5-04					467	4 #9 B
10749	TR	BF		80	4			2	9/29	S	7-00	6-06	7-00					558	4 #9 T
10750	TR	BF		60		3-06	0-09	2*2	4/13	S	2-00	6-06	2-00					168	#4 @9" EF
10751	TR	TA		60		13-00	0-06		5/16	L	1-06	5-00		0-012	0			366	#5 @6" STRPS
10752	TR	BF		60		13-00	0-06		5/16	L	S90	4-09	S135					161	#5 @6" LINK
10753	TI	lf			26				BB 1.5									0	
10754	GI	Segment: 2ND FLOOR Sub-Segment: LINK BEAM																	
10755	MT	MARK: LB01 (18"x48")																	
10756	TR	BF		80	4			2	9/29	S	5-04	6-06	5-04					467	4 #9 B
10757	TR	BF		80	4			2	9/29	S	7-00	6-06	7-00					558	4 #9 T
10758	TR	BF		60		3-00	0-06	2*2	4/13	S	2-00	6-06	2-00					196	#4 @6" EF
10759	TR	TA		60		13-00	0-06		5/16	L	1-06	4-00		0-012	0			310	#5 @6" STRPS
10760	TR	BF		60		13-00	0-06	2	5/16	L	S90	3-09	S135					265	#5 @6" LINK
10761	TI	lf			26				BB 1.5									0	
10762	GI	Segment: 3RD FLOOR Sub-Segment: LINK BEAM																	
10763	MT	MARK: LB01 (18"x72")																	
10764	TR	BF		80	8			2	9/29	S	5-04	6-06	5-04					934	8 #9 B
10765	TR	BF		80	8			2	9/29	S	7-00	6-06	7-00					1,115	8 #9 T
10766	TR	BF		60		5-02	0-06	2*2	4/13	S	2-00	6-06	2-00					337	#4 @5" EF
10767	TR	TA		60		13-00	0-06		5/16	L	1-06	6-00		0-012	0			422	#5 @6" STRPS
10768	TR	BF		60		13-00	0-06	2	5/16	L	S90	5-09	S135					378	#5 @6" LINK
10769	TR	BF		80	3			2	9/29	L	2-00							41	#9 SPACER
10770	TI	lf			26				BB 1.5									0	
10771	GI	Segment: 4TH FLOOR Sub-Segment: LINK BEAM																	
10772	MT	MARK: LB01 (18"x48")																	
10773	TR	BF		80	8			2	9/29	S	5-04	6-06	5-04					934	8 #9 B
10774	TR	BF		80	8			2	9/29	S	7-00	6-06	7-00					1,115	8 #9 T
10775	TR	BF		60		5-02	0-05	2*2	4/13	S	2-00	6-06	2-00					393	#4 @5" EF
10776	TR	TA		60		13-00	0-06		5/16	L	1-06	4-00		0-012	0			310	#5 @6" STRPS
10777	TR	BF		60		13-00	0-06	2	5/16	L	S90	3-09	S135					265	#5 @6" LINK
10778	TR	BF		80	3			2	9/29	L	2-00							41	#9 SPACER
10779	TI	lf			26				BB 1.5									0	
10780	GI	Segment: 5TH FLOOR Sub-Segment: LINK BEAM																	
10781	MT	MARK: LB01 (14"x26")																	
10782	TR	BF		80	3			2	11/36	S	6-08	6-06	6-08					632	3 #11 B
10783	TR	BF		80	3			2	11/36	S	8-08	6-06	8-08					760	3 #11 T
10784	TR	TA		60		13-00	0-06		5/16	L	1-02	2-02		0-012	0			188	#5 @6" STRPS
10785	TI	lf			26				BB 1.5									0	
10786	GI	Segment: 6TH FLOOR Sub-Segment: LINK BEAM																	
10787	MT	MARK: LB01 (14"x24")																	
10788	TR	BF		80	3			2	11/36	S	6-08	6-06	6-08					632	3 #11 B
10789	TR	BF		80	3			2	11/36	S	8-08	6-06	8-08					760	3 #11 T
10790	TR	TA		60		13-00	0-06		5/16	L	1-02	2-00		0-012	0			179	#5 @6" STRPS
10791	TI	lf			26				BB 1.5									0	
10792	GI	Segment: 7TH FLOOR Sub-Segment: LINK BEAM																	
10793	MT	MARK: LB01 (14"x24")																	
10794	TR	BF		80	3			2	11/36	S	6-08	6-06	6-08					632	3 #11 B
10795	TR	BF		80	3			2	11/36	S	8-08	6-06	8-08					760	3 #11 T
10796	TR	TA		60		13-00	0-06		5/16	L	1-02	2-00		0-012	0			179	#5 @6" STRPS
10797	TI	lf			26				BB 1.5									0	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
10798	GI	Segment: 8TH FLOOR Sub-Segment: LINK BEAM																	
10799	MT	MARK: LB01 (14"x24")																	
10800	TR	BF		80	3			2	11/36	S	6-08	6-06	6-08					632	3 #11 B
10801	TR	BF		80	3			2	11/36	S	8-08	6-06	8-08					760	3 #11 T
10802	TR	TA		60		13-00	0-06		5/16	L	1-02	2-00		0-012	0			179	#5 @6" STRPS
10803	TR	BF		60		13-00	0-06	2	5/16	L	S90	1-09	S135					152	#5 @6" LINK
10804	TI	lf			26				BB 1.5									0	
10805	GI	Segment: 9TH FLOOR Sub-Segment: LINK BEAM																	
10806	MT	MARK: LB01 (14"x48")																	
10807	TR	BF		80	6			2	11/36	S	6-08	6-06	6-08					1,264	6 #11 B
10808	TR	BF		80	6			2	11/36	S	8-08	6-06	8-08					1,520	6 #11 T
10809	TR	TA		60		13-00	0-06		5/16	L	1-02	4-00		0-012	0			291	#5 @6" STRPS
10810	TR	BF		60		13-00	0-06	2	5/16	L	S90	1-09	S135					152	#5 @6" LINK
10811	TR	BF		80	3			2	11/36	S	2-00							64	#11 SPACER
10812	TI	lf			26				BB 1.5									0	
10813	GI	Segment: 10TH FLOOR Sub-Segment: LINK BEAM																	
10814	MT	MARK: LB01 (14"x24")																	
10815	TR	BF		80	3			2	11/36	S	6-08	6-06	6-08					632	3 #11 B
10816	TR	BF		80	3			2	11/36	S	8-08	6-06	8-08					760	3 #11 T
10817	TR	TA		60		13-00	0-06		5/16	L	1-02	2-00		0-012	0			179	#5 @6" STRPS
10818	TR	BF		60		13-00	0-06	2	5/16	L	S90	1-09	S135					152	#5 @6" LINK
10819	TI	lf			26				BB 1.5									0	
10820	GI	Segment: 11TH FLOOR Sub-Segment: LINK BEAM																	
10821	MT	MARK: LB01 (14"x24")																	
10822	TR	BF		80	3			2	11/36	S	6-08	6-06	6-08					632	3 #11 B
10823	TR	BF		80	3			2	11/36	S	8-08	6-06	8-08					760	3 #11 T
10824	TR	TA		60		13-00	0-06		5/16	L	1-02	2-00		0-012	0			179	#5 @6" STRPS
10825	TR	BF		60		13-00	0-06	2	5/16	L	S90	1-09	S135					152	#5 @6" LINK
10826	TI	lf			26				BB 1.5									0	
10827	GI	Segment: 12TH FLOOR Sub-Segment: LINK BEAM																	
10828	MT	MARK: LB01 (14"x24")																	
10829	TR	BF		80	3			2	11/36	S	6-08	6-06	6-08					632	3 #11 B
10830	TR	BF		80	3			2	11/36	S	8-08	6-06	8-08					760	3 #11 T
10831	TR	TA		60		13-00	0-06		5/16	L	1-02	2-00		0-012	0			179	#5 @6" STRPS
10832	TR	BF		60		13-00	0-06	2	5/16	L	S90	1-09	S135					152	#5 @6" LINK
10833	TI	lf			26				BB 1.5									0	
10834	GI	Segment: 13TH FLOOR Sub-Segment: LINK BEAM																	
10835	MT	MARK: LB01 (14"x24")																	
10836	TR	BF		80	3			2	11/36	S	6-08	6-06	6-08					632	3 #11 B
10837	TR	BF		80	3			2	11/36	S	8-08	6-06	8-08					760	3 #11 T
10838	TR	TA		60		13-00	0-06		5/16	L	1-02	2-00		0-012	0			179	#5 @6" STRPS
10839	TR	BF		60		13-00	0-06	2	5/16	L	S90	1-09	S135					152	#5 @6" LINK
10840	TI	lf			26				BB 1.5									0	
10841	GI	Segment: 14TH FLOOR Sub-Segment: LINK BEAM																	
10842	MT	MARK: LB01 (14"x24")																	
10843	TR	BF		80	3			2	11/36	S	6-08	6-06	6-08					632	3 #11 B
10844	TR	BF		80	3			2	11/36	S	8-08	6-06	8-08					760	3 #11 T
10845	TR	TA		60		13-00	0-06		5/16	L	1-02	2-00		0-012	0			179	#5 @6" STRPS
10846	TI	lf			26				BB 1.5									0	
10847	GI	Segment: 15TH FLOOR Sub-Segment: LINK BEAM																	
10848	MT	MARK: LB01 (14"x48")																	
10849	TR	BF		80	3			2	11/36	S	6-08	6-06	6-08					632	3 #11 B
10850	TR	BF		80	3			2	11/36	S	8-08	6-06	8-08					760	3 #11 T
10851	TR	BF		60		3-00	0-06	2*2	4/13	S	2-00	6-06	2-00					196	#4 @6" EF
10852	TR	TA		60		13-00	0-06		4/13	L	1-02	4-00		0-012	0			182	#4 @6" STRPS
10853	TI	lf			26				BB 1.5									0	
10854	GI	Segment: 16TH FLOOR Sub-Segment: LINK BEAM																	
10855	MT	MARK: LB01 (14"x26")																	
10856	TR	BF		80	3			2	10/32	S	6-00	6-06	6-00					478	3 #10 B

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
10857	TR	BF		80	3			2	10/32	S	8-00	6-06	8-00					581	3 #10 T
10858	TR	TA		60		13-00	0-06		5/16	L	1-02	2-02		0-012	0			188	#5 @6" STRPS
10859	TR	BF		60		13-00	0-06	2	5/16	L	S90	1-11	S135					162	#5 @6" LINK
10860	TI	If			26				BB 1.5									0	
10861	GI	Segment: 17TH FLOOR Sub-Segment: LINK BEAM																	
10862	MT	MARK: LB01 (14"x24")																	
10863	TR	BF		80	3			2	9/29	S	5-04	6-06	5-04					350	3 #9 B
10864	TR	BF		80	3			2	9/29	S	7-00	6-06	7-00					418	3 #9 T
10865	TR	TA		60		13-00	0-06		5/16	L	1-02	2-00		0-012	0			179	#5 @6" STRPS
10866	TI	If			26				BB 1.5									0	
10867	GI	Segment: 18TH FLOOR Sub-Segment: LINK BEAM																	
10868	MT	MARK: LB01 (14"x24")																	
10869	TR	BF		80	3			2	10/32	S	6-00	6-06	6-00					478	3 #10 B
10870	TR	BF		80	3			2	10/32	S	8-00	6-06	8-00					581	3 #10 T
10871	TR	TA		60		13-00	0-08		5/16	L	1-02	2-00		0-012	0			139	#5 @8" STRPS
10872	TI	If			26				BB 1.5									0	
10873	GI	Segment: 19TH FLOOR Sub-Segment: LINK BEAM																	
10874	MT	MARK: LB01 (14"x24")																	
10875	TR	BF		80	3			2	10/32	S	6-00	6-06	6-00					478	3 #10 B
10876	TR	BF		80	3			2	10/32	S	8-00	6-06	8-00					581	3 #10 T
10877	TR	TA		60		13-00	0-10		5/16	L	1-02	2-00		0-012	0			112	#5 @10" STRPS
10878	TI	If			26				BB 1.5									0	
10879	GI	Segment: 20TH FLOOR Sub-Segment: LINK BEAM																	
10880	MT	MARK: LB01 (14"x24")																	
10881	TR	BF		80	3			2	10/32	S	6-00	6-06	6-00					478	3 #10 B
10882	TR	BF		80	3			2	10/32	S	8-00	6-06	8-00					581	3 #10 T
10883	TR	TA		60		13-00	0-10		5/16	L	1-02	2-00		0-012	0			112	#5 @10" STRPS
10884	TI	If			26				BB 1.5									0	
10885	GI	Segment: 21ST FLOOR Sub-Segment: LINK BEAM																	
10886	MT	MARK: LB01 (14"x48")																	
10887	TR	BF		80	3			2	11/36	S	6-08	6-06	6-08					632	3 #11 B
10888	TR	BF		80	3			2	11/36	S	8-08	6-06	8-08					760	3 #11 T
10889	TR	BF		60		3-00	0-09	2*2	4/13	S	2-00	6-06	2-00					140	#4 @9" EF
10890	TR	TA		60		13-00	0-06		5/16	L	1-02	4-00		0-012	0			291	#5 @6" STRPS
10891	TR	BF		60		13-00	0-06	2	5/16	L	S90	3-09	S135					265	#5 @6" LINK
10892	TI	If			26				BB 1.5									0	
10893	GI	Segment: 22ND FLOOR Sub-Segment: LINK BEAM																	
10894	MT	MARK: LB01 (14"x26")																	
10895	TR	BF		80	3			2	9/29	S	5-04	6-06	5-04					350	3 #9 B
10896	TR	BF		80	3			2	9/29	S	7-00	6-06	7-00					418	3 #9 T
10897	TR	TA		60		13-00	0-08		4/13	L	1-02	2-02		0-012	0			90	#4 @8" STRPS
10898	TI	If			26				BB 1.5									0	
10899	GI	Segment: 23RD FLOOR Sub-Segment: LINK BEAM																	
10900	MT	MARK: LB01 (14"x24")																	
10901	TR	BF		80	3			2	8/25	S	4-09	6-06	4-09					256	3 #8 B
10902	TR	BF		80	3			2	8/25	S	6-03	6-06	6-03					304	3 #8 T
10903	TR	TA		60		13-00	0-10		4/13	L	1-02	2-00		0-012	0			69	#4 @10" STRPS
10904	TI	If			26				BB 1.5									0	
10905	GI	Segment: 24TH FLOOR Sub-Segment: LINK BEAM																	
10906	MT	MARK: LB01 (14"x24")																	
10907	TR	BF		80	3			2	8/25	S	4-09	6-06	4-09					256	3 #8 B
10908	TR	BF		80	3			2	8/25	S	6-03	6-06	6-03					304	3 #8 T
10909	TR	TA		60		13-00	0-09		4/13	L	1-02	2-00		0-012	0			77	#4 @9" STRPS
10910	TI	If			26				BB 1.5									0	
10911	GI	Segment: 25TH FLOOR Sub-Segment: LINK BEAM																	
10912	MT	MARK: LB01 (14"x24")																	
10913	TR	BF		60	3			2*2	7/22	S	3-09	6-06	3-09					343	3 #7 T&B
10914	TR	TA		60		13-00	0-09		4/13	L	1-02	2-00		0-012	0			77	#4 @9" STRPS
10915	TI	If			26				BB 1.5									0	

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Lbs	Notes
10916	GI	Segment: 26TH FLOOR Sub-Segment: LINK BEAM																	
10917	MT	MARK: LB01 (14"x24")																	
10918	TR	BF		80	2			2	8/25	S	4-09	6-06	4-09					171	2 #8 B
10919	TR	BF		80	2			2	8/25	S	6-03	6-06	6-03					203	2 #8 T
10920	TR	TA		60		13-00	0-09		4/13	L	1-02	2-00		0-012	0			77	#4 @9" STRPS
10921	TI	lf			26				BB 1.5									0	
10922	GI	Segment: 27TH FLOOR Sub-Segment: LINK BEAM																	
10923	MT	MARK: LB01 (14"x48")																	
10924	TR	BF		80	3			2	8/25	S	4-09	6-06	4-09					256	3 #8 B
10925	TR	BF		80	3			2	8/25	S	6-03	6-06	6-03					304	3 #8 T
10926	TR	BF		60		2-04	0-10	2*2	4/13	S	2-00	6-06	2-00					112	#4 @10" EF
10927	TR	TA		60		13-00	0-10		4/13	L	1-02	4-00		0-012	0			115	#4 @10" STRPS
10928	TI	lf			26				BB 1.5									0	
10929	GI	Segment: 28TH FLOOR Sub-Segment: LINK BEAM																	
10930	MT	MARK: LB01 (14"x48")																	
10931	TR	BF		80	2			2	8/25	S	4-09	6-06	4-09					171	2 #8 B
10932	TR	BF		80	2			2	8/25	S	6-03	6-06	6-03					203	2 #8 T
10933	TR	BF		60		2-04	0-10	2*2	4/13	S	2-00	6-06	2-00					112	#4 @10" EF
10934	TR	TA		60		13-00	1-00		4/13	L	1-02	4-00		0-012	0			94	#4 @12" STRPS
10935	TI	lf			26				BB 1.5									0	
10936	GI	Segment: 29TH FLOOR Sub-Segment: LINK BEAM																	
10937	MT	MARK: LB01 (14"x24")																	
10938	TR	BF		60	2			2*2	7/22	S	3-09	6-06	3-09					229	2 #7 T&B
10939	TR	BF		60		1-02	0-10	2*2	5/16	S	2-09	6-06	2-09					150	#5 @10" EF
10940	TR	TA		60		13-00	0-06		4/13	L	1-02	2-00		0-012	0			110	#4 @6" STRPS
10941	TI	lf			26				BB 1.5									0	
10942	GI	Segment: 30TH FLOOR Sub-Segment: LINK BEAM																	
10943	MT	MARK: LB01 (14"x96")																	
10944	TR	BF		60	2			2*2	6/19	S	2-06	6-06	2-06					138	2 #6 T&B
10945	TR	BF		60		6-04	0-10	2*2	4/13	S	2-00	6-06	2-00					253	#4 @10" EF
10946	TR	TA		60		13-00	1-00		4/13	L	1-02	8-00		0-012	0			169	#4 @12" STRPS
10947	TI	lf			26				BB 1.5									0	
10948	GI	Segment: ROOF Sub-Segment: LINK BEAM																	
10949	MT	ROOF																	
10950	MT	MARK: LB01 (14"x58")																	
10951	TR	BF		60	2			2*2	6/19	S	2-06	6-06	2-06					138	2 #6 T&B
10952	TR	BF		60		6-04	0-10	2*2	4/13	S	2-00	6-06	2-00					253	#4 @10" EF
10953	TR	TA		60		13-00	1-00		4/13	L	1-02	4-10		0-012	0			110	#4 @12" STRPS
10954	TI	lf			26				BB 1.5									0	
10955	GI	Segment: EMR LEVEL Sub-Segment: LINK BEAM																	
10956	MT	EMR LEVEL																	
10957	MT	MARK: LB01 (14"x30")																	
10958	TR	BF		80	3			2	10/32	S	6-00	6-06	6-00					478	3 #10 B
10959	TR	BF		80	3			2	10/32	S	8-00	6-06	8-00					581	3 #10 T
10960	TR	BF		60		1-08	0-10	2*2	4/13	S	2-00	6-06	2-00					84	#4 @10" EF
10961	TR	TA		60		13-00	0-09		4/13	L	1-02	2-06		0-012	0			90	#4 @9" STRPS
10962	TR	BF		60		13-00	0-09	2	4/13	L	S90	2-03	S135					76	#4 @9" LINK
10963	TI	lf			26				BB 1.5									0	
10964	GI	Segment: ZECKENDORF ROOF Sub-Segment: SLAB ON METAL DECK																	
10965	MT	ZECKENDORF ROOF																	
10966	TI	SqFt			3720				6X6 W1.4XW1.4 WWF							15.000%		0	
10967	TI	lf			930				SB 1.75									0	
10968	TR	BF		60		361-02	1-00		4/13	S	3-00							727	#4 @12" T

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: CELLAR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,800	0	0	1,800	0
4/13	179	0	0	179	0
5/16	7,300	5,284	2,016	0	876
6/19	880	457	423	0	0
7/22	4,853	4,326	527	0	0
8/25	11,986	11,986	0	0	0
11/36	2,533	2,533	0	0	0
	29,531	24,586	2,966	1,979	876

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

Total for WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	2,712	2,487	225	0	2,244
5/16	4,194	3,443	751	0	0
	6,906	5,930	976	0	2,244

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,573	0	0	1,573	0
4/13	746	0	0	746	0
6/19	781	781	0	0	0
7/22	3,007	3,007	0	0	0
	6,107	3,788	0	2,319	0
**** Grade 80, Black ****					
8/25	1,308	1,308	0	0	0
9/29	3,401	3,401	0	0	0
11/36	5,462	5,462	0	0	0
	10,171	10,171	0	0	0
**** Grand Totals ****					
3/10	1,573	0	0	1,573	0
4/13	746	0	0	746	0
6/19	781	781	0	0	0
7/22	3,007	3,007	0	0	0
8/25	1,308	1,308	0	0	0
9/29	3,401	3,401	0	0	0
11/36	5,462	5,462	0	0	0
	16,278	13,959	0	2,319	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'MECH CPLR' **

#11 MECH CPLR	#11 MECHANICAL COUPLER	72.000	EA	=	72.000	EA	@	0.000 / EA	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
4/13	286	152	0	134	0
	286	152	0	134	0
**** Grade 80, Black ****					
8/25	704	704	0	0	0
	704	704	0	0	0
**** Grand Totals ****					
4/13	286	152	0	134	0
8/25	704	704	0	0	0
	990	856	0	134	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	45.000 lf	=	45.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: CELLAR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	3,373	0	0	3,373	0
4/13	3,923	2,639	225	1,059	2,244
5/16	13,497	10,730	2,767	0	2,879
6/19	1,661	1,238	423	0	0
7/22	7,860	7,333	527	0	0
8/25	11,986	11,986	0	0	0
11/36	2,533	2,533	0	0	0
	44,833	36,459	3,942	4,432	5,123
**** Grade 80, Black ****					
8/25	2,012	2,012	0	0	0
9/29	3,401	3,401	0	0	0
11/36	5,462	5,462	0	0	0
	10,875	10,875	0	0	0
**** Grand Totals ****					
3/10	3,373	0	0	3,373	0
4/13	3,923	2,639	225	1,059	2,244
5/16	13,497	10,730	2,767	0	2,879
6/19	1,661	1,238	423	0	0
7/22	7,860	7,333	527	0	0
8/25	13,998	13,998	0	0	0
9/29	3,401	3,401	0	0	0
11/36	7,995	7,995	0	0	0
	55,708	47,334	3,942	4,432	5,123

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	45.000	lf	=	45.000	lf	@	0.000	/ lf	= $	0.00	0 Lbs
Subtotal										= $	0.00	0 Lbs

** Undefined Item Class - 'MECH CPLR' **

#11 MECH CPLR	#11 MECHANICAL COUPLER	72.000	EA	=	72.000	EA	@	0.000	/ EA	= $	0.00	0 Lbs
Subtotal										= $	0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000	/ lf	= $	0.00	0 Lbs
Subtotal										= $	0.00	0 Lbs
Grand Total										= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 1ST FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	2,329	0	0	2,329	0
4/13	3,792	2,482	858	452	0
5/16	6,225	4,412	1,813	0	0
8/25	21,015	21,015	0	0	0
9/29	1,418	1,418	0	0	0
11/36	6,468	6,468	0	0	0
	41,247	35,795	2,671	2,781	0

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	13,427	4,680	7,607	1,140	4,008
5/16	84,008	78,561	5,447	0	50,815
	97,435	83,241	13,054	1,140	54,823

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	4,890.000	lf	=	4,890.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	3,850	0	0	3,850	0
4/13	925	0	0	925	0
6/19	1,787	1,787	0	0	0
7/22	8,542	8,005	537	0	0
	15,104	9,792	537	4,775	0
**** Grade 80, Black ****					
8/25	1,614	1,614	0	0	0
9/29	7,712	7,712	0	0	0
11/36	7,268	7,268	0	0	0
	16,594	16,594	0	0	0
**** Grand Totals ****					
3/10	3,850	0	0	3,850	0
4/13	925	0	0	925	0
6/19	1,787	1,787	0	0	0
7/22	8,542	8,005	537	0	0
8/25	1,614	1,614	0	0	0
9/29	7,712	7,712	0	0	0
11/36	7,268	7,268	0	0	0
	31,698	26,386	537	4,775	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'MECH CPLR' **

#11/#10 TRANS CPLR	#11/#10 TRANSITION COUPLER	72.000	EA	=	72.000	EA	@	0.000 / EA	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
4/13	168	168	0	0	0
5/16	527	0	0	527	0
	695	168	0	527	0
**** Grade 80, Black ****					
9/29	1,025	1,025	0	0	0
	1,025	1,025	0	0	0
**** Grand Totals ****					
4/13	168	168	0	0	0
5/16	527	0	0	527	0
9/29	1,025	1,025	0	0	0
	1,720	1,193	0	527	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 1ST FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	6,179	0	0	6,179	0
4/13	18,312	7,330	8,465	2,517	4,008
5/16	92,763	84,976	7,260	527	52,818
6/19	1,787	1,787	0	0	0
7/22	8,542	8,005	537	0	0
8/25	21,015	21,015	0	0	0
9/29	1,418	1,418	0	0	0
11/36	6,468	6,468	0	0	0
	156,484	130,999	16,262	9,223	56,826
**** Grade 80, Black ****					
8/25	1,614	1,614	0	0	0
9/29	8,737	8,737	0	0	0
11/36	7,268	7,268	0	0	0
	17,619	17,619	0	0	0
**** Grand Totals ****					
3/10	6,179	0	0	6,179	0
4/13	18,312	7,330	8,465	2,517	4,008
5/16	92,763	84,976	7,260	527	52,818
6/19	1,787	1,787	0	0	0
7/22	8,542	8,005	537	0	0
8/25	22,629	22,629	0	0	0
9/29	10,155	10,155	0	0	0
11/36	13,736	13,736	0	0	0
	174,103	148,618	16,262	9,223	56,826

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **											
BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
** Undefined Item Class - 'MECH CPLR' **											
#11/#10 TRANS CPLR	#11/#10 TRANSITION COUPLER	72.000	EA	=	72.000	EA	@	0.000 / EA	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
** Undefined Item Class - 'SB' **											
SB 0.75	3/4" SLAB BOLSTER	5,040.000	lf	=	5,040.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 2ND FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	2,136	0	0	2,136	0
4/13	2,119	1,495	624	0	0
5/16	8,350	6,822	1,528	0	2,002
6/19	2,682	0	2,682	0	0
7/22	8,208	8,208	0	0	0
	23,495	16,525	4,834	2,136	2,002

Total for BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	357	0	0	357	0
7/22	1,840	1,472	368	0	1,472
	2,197	1,472	368	357	1,472

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	120.000	lf	=	120.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
4/13	10,547	4,283	6,264	0	3,547
5/16	99,493	93,677	5,816	0	57,824
	110,040	97,960	12,080	0	61,371
**** Grade 80, Black ****					
8/25	7,573	2,242	5,331	0	0
	7,573	2,242	5,331	0	0
**** Grand Totals ****					
4/13	10,547	4,283	6,264	0	3,547
5/16	99,493	93,677	5,816	0	57,824
8/25	7,573	2,242	5,331	0	0
	117,613	100,202	17,411	0	61,371

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	6,590.000	lf	=	6,590.000	lf	@	0.000 /	lf	= $	0.00	0 Lbs
Subtotal										= $	0.00	0 Lbs
Grand Total										= $	0.00	0 Lbs

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	3,456	0	0	3,456	0
6/19	1,788	622	1,166	0	0
7/22	6,144	4,028	2,116	0	0
	11,388	4,650	3,282	3,456	0
**** Grade 80, Black ****					
8/25	2,712	2,712	0	0	0
9/29	4,725	4,725	0	0	0
10/32	7,117	7,117	0	0	0
	14,554	14,554	0	0	0
**** Grand Totals ****					
3/10	3,456	0	0	3,456	0
6/19	1,788	622	1,166	0	0
7/22	6,144	4,028	2,116	0	0
8/25	2,712	2,712	0	0	0
9/29	4,725	4,725	0	0	0
10/32	7,117	7,117	0	0	0
	25,942	19,204	3,282	3,456	0

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
4/13	196	196	0	0	0
5/16	575	0	0	575	0
	771	196	0	575	0
**** Grade 80, Black ****					
9/29	1,025	1,025	0	0	0
	1,025	1,025	0	0	0
**** Grand Totals ****					
4/13	196	196	0	0	0
5/16	575	0	0	575	0
9/29	1,025	1,025	0	0	0
	1,796	1,221	0	575	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 2ND FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	5,592	0	0	5,592	0
4/13	13,219	5,974	6,888	357	3,547
5/16	110,421	102,502	7,344	575	61,829
6/19	4,470	622	3,848	0	0
7/22	16,192	13,708	2,484	0	1,472
	149,894	122,806	20,564	6,524	66,848
**** Grade 80, Black ****					
8/25	10,285	4,954	5,331	0	0
9/29	5,750	5,750	0	0	0
10/32	7,117	7,117	0	0	0
	23,152	17,821	5,331	0	0
**** Grand Totals ****					
3/10	5,592	0	0	5,592	0
4/13	13,219	5,974	6,888	357	3,547
5/16	110,421	102,502	7,344	575	61,829
6/19	4,470	622	3,848	0	0
7/22	16,192	13,708	2,484	0	1,472
8/25	10,285	4,954	5,331	0	0
9/29	5,750	5,750	0	0	0
10/32	7,117	7,117	0	0	0
	173,046	140,627	25,895	6,524	66,848

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	146.000	lf	=	146.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	6,740.000	lf	=	6,740.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 3RD FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,839	0	0	1,839	0
4/13	2,603	1,273	1,330	0	721
5/16	4,348	3,286	1,062	0	1,126
6/19	2,976	2,223	753	0	0
7/22	6,206	6,206	0	0	0
	17,972	12,988	3,145	1,839	1,847

Total for BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	656	0	0	656	0
7/22	3,470	2,454	1,016	0	2,454
	4,126	2,454	1,016	656	2,454

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	204.000	lf	=	204.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
4/13	9,780	3,768	6,012	0	3,246
5/16	86,851	81,981	4,870	0	54,444
	96,631	85,749	10,882	0	57,690
**** Grade 80, Black ****					
8/25	5,049	1,495	3,554	0	0
	5,049	1,495	3,554	0	0
**** Grand Totals ****					
4/13	9,780	3,768	6,012	0	3,246
5/16	86,851	81,981	4,870	0	54,444
8/25	5,049	1,495	3,554	0	0
	101,680	87,244	14,436	0	57,690

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	6,430.000	lf	=	6,430.000	lf	@	0.000 /	lf	= $	0.00	0 Lbs
Subtotal										= $	0.00	0 Lbs
Grand Total										= $	0.00	0 Lbs

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,615	0	0	2,615	0
6/19	1,281	0	1,281	0	0
7/22	3,688	2,820	868	0	0
	7,584	2,820	2,149	2,615	0
**** Grade 80, Black ****					
8/25	2,187	2,187	0	0	0
9/29	5,121	5,121	0	0	0
10/32	6,807	6,807	0	0	0
	14,115	14,115	0	0	0
**** Grand Totals ****					
3/10	2,615	0	0	2,615	0
6/19	1,281	0	1,281	0	0
7/22	3,688	2,820	868	0	0
8/25	2,187	2,187	0	0	0
9/29	5,121	5,121	0	0	0
10/32	6,807	6,807	0	0	0
	21,699	16,935	2,149	2,615	0

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
4/13	337	337	0	0	0
5/16	800	0	0	800	0
	1,137	337	0	800	0
**** Grade 80, Black ****					
9/29	2,090	2,049	0	41	0
	2,090	2,049	0	41	0
**** Grand Totals ****					
4/13	337	337	0	0	0
5/16	800	0	0	800	0
9/29	2,090	2,049	0	41	0
	3,227	2,386	0	841	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 3RD FLOOR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	4,454	0	0	4,454	0
4/13	13,376	5,378	7,342	656	3,967
5/16	94,002	87,270	5,932	800	57,573
6/19	4,257	2,223	2,034	0	0
7/22	13,364	11,480	1,884	0	2,454
	129,453	106,351	17,192	5,910	63,994

** Grade 80, Black **

8/25	7,236	3,682	3,554	0	0
9/29	7,211	7,170	0	41	0
10/32	6,807	6,807	0	0	0
	21,254	17,659	3,554	41	0

** Grand Totals **

3/10	4,454	0	0	4,454	0
4/13	13,376	5,378	7,342	656	3,967
5/16	94,002	87,270	5,932	800	57,573
6/19	4,257	2,223	2,034	0	0
7/22	13,364	11,480	1,884	0	2,454
8/25	7,236	3,682	3,554	0	0
9/29	7,211	7,170	0	41	0
10/32	6,807	6,807	0	0	0
	150,707	124,010	20,746	5,951	63,994

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	230.000	lf	=	230.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	6,580.000	lf	=	6,580.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 4TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,072	0	0	1,072	0
5/16	4,175	3,257	918	0	1,815
6/19	2,949	2,949	0	0	0
7/22	4,451	3,935	516	0	0
	12,647	10,141	1,434	1,072	1,815

Total for BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	2,362	0	0	2,362	0
7/22	12,454	10,916	1,538	0	10,916
	14,816	10,916	1,538	2,362	10,916

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	786.000 lf	=	786.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000 lf	=	150.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
4/13	8,260	4,111	4,149	0	3,486
5/16	66,686	63,980	2,706	0	49,625
	74,946	68,091	6,855	0	53,111
			** Grade 80, Black **		
8/25	5,049	1,495	3,554	0	0
	5,049	1,495	3,554	0	0
			** Grand Totals **		
4/13	8,260	4,111	4,149	0	3,486
5/16	66,686	63,980	2,706	0	49,625
8/25	5,049	1,495	3,554	0	0
	79,995	69,586	10,409	0	53,111

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	4,615.000	lf	=	4,615.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,248	0	0	2,248	0
6/19	1,308	0	1,308	0	0
7/22	3,184	2,992	192	0	0
	6,740	2,992	1,500	2,248	0
			** Grade 80, Black **		
8/25	4,268	4,268	0	0	0
9/29	1,483	1,483	0	0	0
10/32	6,146	6,146	0	0	0
	11,897	11,897	0	0	0
			** Grand Totals **		
3/10	2,248	0	0	2,248	0
6/19	1,308	0	1,308	0	0
7/22	3,184	2,992	192	0	0
8/25	4,268	4,268	0	0	0
9/29	1,483	1,483	0	0	0
10/32	6,146	6,146	0	0	0
	18,637	14,889	1,500	2,248	0

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
4/13	393	393	0	0	0
5/16	575	0	0	575	0
	968	393	0	575	0
**** Grade 80, Black ****					
9/29	2,090	2,049	0	41	0
	2,090	2,049	0	41	0
**** Grand Totals ****					
4/13	393	393	0	0	0
5/16	575	0	0	575	0
9/29	2,090	2,049	0	41	0
	3,058	2,442	0	616	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 4TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	3,320	0	0	3,320	0
4/13	11,015	4,504	4,149	2,362	3,486
5/16	73,439	69,240	3,624	575	53,443
6/19	4,257	2,949	1,308	0	0
7/22	20,089	17,843	2,246	0	10,916
	112,120	94,536	11,327	6,257	67,845
**** Grade 80, Black ****					
8/25	9,317	5,763	3,554	0	0
9/29	3,573	3,532	0	41	0
10/32	6,146	6,146	0	0	0
	19,036	15,441	3,554	41	0
**** Grand Totals ****					
3/10	3,320	0	0	3,320	0
4/13	11,015	4,504	4,149	2,362	3,486
5/16	73,439	69,240	3,624	575	53,443
6/19	4,257	2,949	1,308	0	0
7/22	20,089	17,843	2,246	0	10,916
8/25	9,317	5,763	3,554	0	0
9/29	3,573	3,532	0	41	0
10/32	6,146	6,146	0	0	0
	131,156	109,977	14,881	6,298	67,845

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	812.000	lf	=	812.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	4,765.000	lf	=	4,765.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 5TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	882	0	0	882	0
4/13	1,274	992	282	0	561
5/16	2,419	2,075	344	0	876
6/19	3,971	3,682	289	0	0
	8,546	6,749	915	882	1,437

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	16,176	10,137	6,039	0	2,044
5/16	37,078	33,197	3,881	0	33,167
6/19	6,489	4,617	1,872	0	0
7/22	3,473	2,461	1,012	0	2,208
	63,216	50,412	12,804	0	37,419

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	3,451.000	lf	=	3,451.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	1,839	0	0	1,839	0
4/13	36	0	0	36	0
6/19	522	0	522	0	0
7/22	2,632	2,632	0	0	0
	5,029	2,632	522	1,875	0
			** Grade 80, Black **		
8/25	4,886	4,886	0	0	0
10/32	5,578	5,578	0	0	0
	10,464	10,464	0	0	0
			** Grand Totals **		
3/10	1,839	0	0	1,839	0
4/13	36	0	0	36	0
6/19	522	0	522	0	0
7/22	2,632	2,632	0	0	0
8/25	4,886	4,886	0	0	0
10/32	5,578	5,578	0	0	0
	15,493	13,096	522	1,875	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
5/16	188	0	0	188	0
	188	0	0	188	0
			** Grade 80, Black **		
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
			** Grand Totals **		
5/16	188	0	0	188	0
11/36	1,392	1,392	0	0	0
	1,580	1,392	0	188	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 5TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,721	0	0	2,721	0
4/13	17,486	11,129	6,321	36	2,605
5/16	41,688	37,275	4,225	188	36,046
6/19	10,982	8,299	2,683	0	0
7/22	6,105	5,093	1,012	0	2,208
	78,982	61,796	14,241	2,945	40,859
**** Grade 80, Black ****					
8/25	4,886	4,886	0	0	0
10/32	5,578	5,578	0	0	0
11/36	1,392	1,392	0	0	0
	11,856	11,856	0	0	0
**** Grand Totals ****					
3/10	2,721	0	0	2,721	0
4/13	17,486	11,129	6,321	36	2,605
5/16	41,688	37,275	4,225	188	36,046
6/19	10,982	8,299	2,683	0	0
7/22	6,105	5,093	1,012	0	2,208
8/25	4,886	4,886	0	0	0
10/32	5,578	5,578	0	0	0
11/36	1,392	1,392	0	0	0
	90,838	73,652	14,241	2,945	40,859

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	3,601.000	lf	=	3,601.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 6TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	1,184	920	264	0	521
5/16	4,835	4,358	477	0	814
	6,839	5,278	741	820	1,335

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000 lf	=	150.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	14,607	9,810	4,797	0	2,424
5/16	26,884	20,651	6,233	0	20,651
6/19	6,061	4,216	1,845	0	0
	47,552	34,677	12,875	0	23,075

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,795.000 lf	=	2,795.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	1,914	0	0	1,914	0
6/19	2,075	1,574	501	0	0
7/22	2,533	2,533	0	0	0
	6,522	4,107	501	1,914	0
			** Grade 80, Black **		
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
	5,074	5,074	0	0	0
			** Grand Totals **		
3/10	1,914	0	0	1,914	0
6/19	2,075	1,574	501	0	0
7/22	2,533	2,533	0	0	0
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
	11,596	9,181	501	1,914	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
5/16	179	0	0	179	0
	179	0	0	179	0
			** Grade 80, Black **		
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
			** Grand Totals **		
5/16	179	0	0	179	0
11/36	1,392	1,392	0	0	0
	1,571	1,392	0	179	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 6TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,734	0	0	2,734	0
4/13	15,791	10,730	5,061	0	2,945
5/16	33,901	27,012	6,710	179	23,468
6/19	8,136	5,790	2,346	0	0
7/22	2,533	2,533	0	0	0
	63,095	46,065	14,117	2,913	26,413
**** Grade 80, Black ****					
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
11/36	1,392	1,392	0	0	0
	6,466	6,466	0	0	0
**** Grand Totals ****					
3/10	2,734	0	0	2,734	0
4/13	15,791	10,730	5,061	0	2,945
5/16	33,901	27,012	6,710	179	23,468
6/19	8,136	5,790	2,346	0	0
7/22	2,533	2,533	0	0	0
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
11/36	1,392	1,392	0	0	0
	69,561	52,531	14,117	2,913	26,413

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,945.000	lf	=	2,945.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 7TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	1,184	920	264	0	521
5/16	4,835	4,358	477	0	814
	6,839	5,278	741	820	1,335

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000 lf	=	150.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	14,235	9,438	4,797	0	2,044
5/16	30,832	29,287	1,545	0	29,287
6/19	6,061	4,216	1,845	0	0
	51,128	42,941	8,187	0	31,331

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,790.000 lf	=	2,790.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,914	0	0	1,914	0
6/19	2,075	1,574	501	0	0
7/22	2,533	2,533	0	0	0
	6,522	4,107	501	1,914	0
**** Grade 80, Black ****					
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
	5,074	5,074	0	0	0
**** Grand Totals ****					
3/10	1,914	0	0	1,914	0
6/19	2,075	1,574	501	0	0
7/22	2,533	2,533	0	0	0
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
	11,596	9,181	501	1,914	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
5/16	179	0	0	179	0
	179	0	0	179	0
**** Grade 80, Black ****					
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
**** Grand Totals ****					
5/16	179	0	0	179	0
11/36	1,392	1,392	0	0	0
	1,571	1,392	0	179	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 7TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,734	0	0	2,734	0
4/13	15,419	10,358	5,061	0	2,565
5/16	37,849	35,648	2,022	179	32,104
6/19	8,136	5,790	2,346	0	0
7/22	2,533	2,533	0	0	0
	66,671	54,329	9,429	2,913	34,669
**** Grade 80, Black ****					
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
11/36	1,392	1,392	0	0	0
	6,466	6,466	0	0	0
**** Grand Totals ****					
3/10	2,734	0	0	2,734	0
4/13	15,419	10,358	5,061	0	2,565
5/16	37,849	35,648	2,022	179	32,104
6/19	8,136	5,790	2,346	0	0
7/22	2,533	2,533	0	0	0
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
11/36	1,392	1,392	0	0	0
	73,137	60,795	9,429	2,913	34,669

**** Miscellaneous Item Summary ****

**** Undefined Item Class - 'BB' ****

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs

**** Undefined Item Class - 'SB' ****

SB 0.75	3/4" SLAB BOLSTER	2,940.000	lf	=	2,940.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 8TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	1,184	920	264	0	521
5/16	4,835	4,358	477	0	814
	6,839	5,278	741	820	1,335

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000 lf	=	150.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	14,235	9,438	4,797	0	2,044
5/16	30,832	29,287	1,545	0	29,287
6/19	6,061	4,216	1,845	0	0
	51,128	42,941	8,187	0	31,331

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,790.000 lf	=	2,790.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	1,911	0	0	1,911	0
6/19	2,075	1,574	501	0	0
7/22	2,533	2,533	0	0	0
	6,519	4,107	501	1,911	0
			** Grade 80, Black **		
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
	5,074	5,074	0	0	0
			** Grand Totals **		
3/10	1,911	0	0	1,911	0
6/19	2,075	1,574	501	0	0
7/22	2,533	2,533	0	0	0
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
	11,593	9,181	501	1,911	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
5/16	331	0	0	331	0
	331	0	0	331	0
			** Grade 80, Black **		
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
			** Grand Totals **		
5/16	331	0	0	331	0
11/36	1,392	1,392	0	0	0
	1,723	1,392	0	331	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 8TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,731	0	0	2,731	0
4/13	15,419	10,358	5,061	0	2,565
5/16	38,001	35,648	2,022	331	32,104
6/19	8,136	5,790	2,346	0	0
7/22	2,533	2,533	0	0	0
	66,820	54,329	9,429	3,062	34,669
**** Grade 80, Black ****					
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
11/36	1,392	1,392	0	0	0
	6,466	6,466	0	0	0
**** Grand Totals ****					
3/10	2,731	0	0	2,731	0
4/13	15,419	10,358	5,061	0	2,565
5/16	38,001	35,648	2,022	331	32,104
6/19	8,136	5,790	2,346	0	0
7/22	2,533	2,533	0	0	0
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
11/36	1,392	1,392	0	0	0
	73,286	60,795	9,429	3,062	34,669

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000 lf	=	26.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,940.000 lf	=	2,940.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 9TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,010	0	0	1,010	0
4/13	1,456	1,132	324	0	641
5/16	5,832	5,244	588	0	1,001
	8,298	6,376	912	1,010	1,642

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	14,235	9,438	4,797	0	2,044
5/16	30,832	29,287	1,545	0	29,287
6/19	6,061	4,216	1,845	0	0
	51,128	42,941	8,187	0	31,331

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,790.000	lf	=	2,790.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,340	0	0	2,340	0
6/19	2,431	1,885	546	0	0
7/22	5,735	5,735	0	0	0
	10,506	7,620	546	2,340	0
**** Grade 80, Black ****					
8/25	1,164	1,164	0	0	0
	1,164	1,164	0	0	0
**** Grand Totals ****					
3/10	2,340	0	0	2,340	0
6/19	2,431	1,885	546	0	0
7/22	5,735	5,735	0	0	0
8/25	1,164	1,164	0	0	0
	11,670	8,784	546	2,340	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
5/16	443	0	0	443	0
	443	0	0	443	0
**** Grade 80, Black ****					
11/36	2,848	2,848	0	0	0
	2,848	2,848	0	0	0
**** Grand Totals ****					
5/16	443	0	0	443	0
11/36	2,848	2,848	0	0	0
	3,291	2,848	0	443	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000 lf	=	26.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 9TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	3,350	0	0	3,350	0
4/13	15,691	10,570	5,121	0	2,685
5/16	39,110	36,534	2,133	443	32,291
6/19	8,492	6,101	2,391	0	0
7/22	5,735	5,735	0	0	0
	72,378	58,940	9,645	3,793	34,976
**** Grade 80, Black ****					
8/25	1,164	1,164	0	0	0
11/36	2,848	2,848	0	0	0
	4,012	4,012	0	0	0
**** Grand Totals ****					
3/10	3,350	0	0	3,350	0
4/13	15,691	10,570	5,121	0	2,685
5/16	39,110	36,534	2,133	443	32,291
6/19	8,492	6,101	2,391	0	0
7/22	5,735	5,735	0	0	0
8/25	1,164	1,164	0	0	0
11/36	2,848	2,848	0	0	0
	76,390	62,952	9,645	3,793	34,976

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,940.000	lf	=	2,940.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 10TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	882	0	0	882	0
4/13	2,500	1,936	564	0	1,122
5/16	3,027	3,027	0	0	0
	6,409	4,963	564	882	1,122

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000 lf	=	150.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	14,821	9,438	5,383	0	2,044
5/16	31,237	29,692	1,545	0	29,662
6/19	6,061	4,216	1,845	0	0
	52,119	43,346	8,773	0	31,706

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,790.000 lf	=	2,790.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,657	0	0	1,657	0
6/19	2,323	2,162	161	0	0
7/22	3,298	3,236	62	0	0
	7,278	5,398	223	1,657	0
**** Grade 80, Black ****					
8/25	1,047	1,047	0	0	0
	1,047	1,047	0	0	0
**** Grand Totals ****					
3/10	1,657	0	0	1,657	0
6/19	2,323	2,162	161	0	0
7/22	3,298	3,236	62	0	0
8/25	1,047	1,047	0	0	0
	8,325	6,445	223	1,657	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
5/16	331	0	0	331	0
	331	0	0	331	0
**** Grade 80, Black ****					
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
**** Grand Totals ****					
5/16	331	0	0	331	0
11/36	1,392	1,392	0	0	0
	1,723	1,392	0	331	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 10TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,539	0	0	2,539	0
4/13	17,321	11,374	5,947	0	3,166
5/16	36,598	34,722	1,545	331	31,665
6/19	8,384	6,378	2,006	0	0
7/22	3,298	3,236	62	0	0
	68,140	55,710	9,560	2,870	34,831
**** Grade 80, Black ****					
8/25	1,047	1,047	0	0	0
11/36	1,392	1,392	0	0	0
	2,439	2,439	0	0	0
**** Grand Totals ****					
3/10	2,539	0	0	2,539	0
4/13	17,321	11,374	5,947	0	3,166
5/16	36,598	34,722	1,545	331	31,665
6/19	8,384	6,378	2,006	0	0
7/22	3,298	3,236	62	0	0
8/25	1,047	1,047	0	0	0
11/36	1,392	1,392	0	0	0
	70,579	58,149	9,560	2,870	34,831

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,940.000	lf	=	2,940.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 11TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	2,324	1,798	526	0	1,042
5/16	2,677	2,677	0	0	0
	5,821	4,475	526	820	1,042

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000 lf	=	150.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	13,449	9,094	4,355	0	2,285
5/16	26,884	20,651	6,233	0	20,651
6/19	5,498	3,670	1,828	0	0
	45,831	33,415	12,416	0	22,936

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,477.000 lf	=	2,477.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,598	0	0	1,598	0
6/19	1,932	1,932	0	0	0
7/22	3,113	3,113	0	0	0
	6,643	5,045	0	1,598	0
**** Grade 80, Black ****					
8/25	1,322	1,322	0	0	0
	1,322	1,322	0	0	0
**** Grand Totals ****					
3/10	1,598	0	0	1,598	0
6/19	1,932	1,932	0	0	0
7/22	3,113	3,113	0	0	0
8/25	1,322	1,322	0	0	0
	7,965	6,367	0	1,598	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
5/16	331	0	0	331	0
	331	0	0	331	0
**** Grade 80, Black ****					
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
**** Grand Totals ****					
5/16	331	0	0	331	0
11/36	1,392	1,392	0	0	0
	1,723	1,392	0	331	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 11TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,418	0	0	2,418	0
4/13	15,773	10,892	4,881	0	3,327
5/16	31,895	25,331	6,233	331	22,654
6/19	7,430	5,602	1,828	0	0
7/22	3,113	3,113	0	0	0
	60,629	44,938	12,942	2,749	25,981
**** Grade 80, Black ****					
8/25	1,322	1,322	0	0	0
11/36	1,392	1,392	0	0	0
	2,714	2,714	0	0	0
**** Grand Totals ****					
3/10	2,418	0	0	2,418	0
4/13	15,773	10,892	4,881	0	3,327
5/16	31,895	25,331	6,233	331	22,654
6/19	7,430	5,602	1,828	0	0
7/22	3,113	3,113	0	0	0
8/25	1,322	1,322	0	0	0
11/36	1,392	1,392	0	0	0
	63,343	47,652	12,942	2,749	25,981

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,627.000	lf	=	2,627.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 12TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	2,324	1,798	526	0	1,042
5/16	2,907	2,907	0	0	0
	6,051	4,705	526	820	1,042

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000 lf	=	150.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	13,445	9,094	4,351	0	2,285
5/16	26,884	20,651	6,233	0	20,651
6/19	5,498	3,670	1,828	0	0
	45,827	33,415	12,412	0	22,936

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,476.000 lf	=	2,476.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,539	0	0	1,539	0
6/19	1,932	1,932	0	0	0
7/22	3,113	3,113	0	0	0
	6,584	5,045	0	1,539	0
**** Grade 80, Black ****					
8/25	1,322	1,322	0	0	0
	1,322	1,322	0	0	0
**** Grand Totals ****					
3/10	1,539	0	0	1,539	0
6/19	1,932	1,932	0	0	0
7/22	3,113	3,113	0	0	0
8/25	1,322	1,322	0	0	0
	7,906	6,367	0	1,539	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
5/16	331	0	0	331	0
	331	0	0	331	0
**** Grade 80, Black ****					
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
**** Grand Totals ****					
5/16	331	0	0	331	0
11/36	1,392	1,392	0	0	0
	1,723	1,392	0	331	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 12TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,359	0	0	2,359	0
4/13	15,769	10,892	4,877	0	3,327
5/16	32,125	25,561	6,233	331	22,654
6/19	7,430	5,602	1,828	0	0
7/22	3,113	3,113	0	0	0
	60,796	45,168	12,938	2,690	25,981
**** Grade 80, Black ****					
8/25	1,322	1,322	0	0	0
11/36	1,392	1,392	0	0	0
	2,714	2,714	0	0	0
**** Grand Totals ****					
3/10	2,359	0	0	2,359	0
4/13	15,769	10,892	4,877	0	3,327
5/16	32,125	25,561	6,233	331	22,654
6/19	7,430	5,602	1,828	0	0
7/22	3,113	3,113	0	0	0
8/25	1,322	1,322	0	0	0
11/36	1,392	1,392	0	0	0
	63,510	47,882	12,938	2,690	25,981

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,626.000	lf	=	2,626.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 13TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	2,324	1,798	526	0	1,042
5/16	2,907	2,907	0	0	0
	6,051	4,705	526	820	1,042

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000 lf	=	150.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	13,445	9,094	4,351	0	2,285
5/16	26,884	20,651	6,233	0	20,651
6/19	5,498	3,670	1,828	0	0
	45,827	33,415	12,412	0	22,936

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,476.000 lf	=	2,476.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,539	0	0	1,539	0
6/19	1,896	1,896	0	0	0
7/22	3,113	3,113	0	0	0
	6,548	5,009	0	1,539	0
**** Grade 80, Black ****					
8/25	1,322	1,322	0	0	0
	1,322	1,322	0	0	0
**** Grand Totals ****					
3/10	1,539	0	0	1,539	0
6/19	1,896	1,896	0	0	0
7/22	3,113	3,113	0	0	0
8/25	1,322	1,322	0	0	0
	7,870	6,331	0	1,539	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
5/16	331	0	0	331	0
	331	0	0	331	0
**** Grade 80, Black ****					
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
**** Grand Totals ****					
5/16	331	0	0	331	0
11/36	1,392	1,392	0	0	0
	1,723	1,392	0	331	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 13TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,359	0	0	2,359	0
4/13	15,769	10,892	4,877	0	3,327
5/16	32,125	25,561	6,233	331	22,654
6/19	7,394	5,566	1,828	0	0
7/22	3,113	3,113	0	0	0
	60,760	45,132	12,938	2,690	25,981
**** Grade 80, Black ****					
8/25	1,322	1,322	0	0	0
11/36	1,392	1,392	0	0	0
	2,714	2,714	0	0	0
**** Grand Totals ****					
3/10	2,359	0	0	2,359	0
4/13	15,769	10,892	4,877	0	3,327
5/16	32,125	25,561	6,233	331	22,654
6/19	7,394	5,566	1,828	0	0
7/22	3,113	3,113	0	0	0
8/25	1,322	1,322	0	0	0
11/36	1,392	1,392	0	0	0
	63,474	47,846	12,938	2,690	25,981

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,626.000	lf	=	2,626.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 14TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	2,324	1,798	526	0	1,042
5/16	2,907	2,907	0	0	0
	6,051	4,705	526	820	1,042

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000 lf	=	150.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	13,445	9,094	4,351	0	2,285
5/16	26,884	20,651	6,233	0	20,651
6/19	5,498	3,670	1,828	0	0
	45,827	33,415	12,412	0	22,936

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,476.000 lf	=	2,476.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,539	0	0	1,539	0
6/19	1,896	1,896	0	0	0
7/22	3,113	3,113	0	0	0
	6,548	5,009	0	1,539	0
** Grade 80, Black **					
8/25	1,322	1,322	0	0	0
	1,322	1,322	0	0	0
** Grand Totals **					
3/10	1,539	0	0	1,539	0
6/19	1,896	1,896	0	0	0
7/22	3,113	3,113	0	0	0
8/25	1,322	1,322	0	0	0
	7,870	6,331	0	1,539	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	179	0	0	179	0
	179	0	0	179	0
** Grade 80, Black **					
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
** Grand Totals **					
5/16	179	0	0	179	0
11/36	1,392	1,392	0	0	0
	1,571	1,392	0	179	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000 lf	=	26.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 14TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,359	0	0	2,359	0
4/13	15,769	10,892	4,877	0	3,327
5/16	31,973	25,561	6,233	179	22,654
6/19	7,394	5,566	1,828	0	0
7/22	3,113	3,113	0	0	0
	60,608	45,132	12,938	2,538	25,981
**** Grade 80, Black ****					
8/25	1,322	1,322	0	0	0
11/36	1,392	1,392	0	0	0
	2,714	2,714	0	0	0
**** Grand Totals ****					
3/10	2,359	0	0	2,359	0
4/13	15,769	10,892	4,877	0	3,327
5/16	31,973	25,561	6,233	179	22,654
6/19	7,394	5,566	1,828	0	0
7/22	3,113	3,113	0	0	0
8/25	1,322	1,322	0	0	0
11/36	1,392	1,392	0	0	0
	63,322	47,846	12,938	2,538	25,981

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	= 26.000	lf	@ 0.000	/ lf	= $	0.00	0 Lbs
Subtotal								= $	0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,626.000	lf	= 2,626.000	lf	@ 0.000	/ lf	= $	0.00	0 Lbs
Subtotal								= $	0.00	0 Lbs
Grand Total								= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 15TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,010	0	0	1,010	0
4/13	2,860	2,213	647	0	1,283
5/16	3,463	3,463	0	0	0
	7,333	5,676	647	1,010	1,283

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	13,445	9,094	4,351	0	2,285
5/16	26,884	20,651	6,233	0	20,651
6/19	5,498	3,670	1,828	0	0
	45,827	33,415	12,412	0	22,936

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,476.000	lf	=	2,476.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,764	0	0	1,764	0
6/19	2,247	2,013	234	0	0
7/22	3,359	2,929	430	0	0
	7,370	4,942	664	1,764	0
**** Grade 80, Black ****					
8/25	1,522	1,522	0	0	0
	1,522	1,522	0	0	0
**** Grand Totals ****					
3/10	1,764	0	0	1,764	0
6/19	2,247	2,013	234	0	0
7/22	3,359	2,929	430	0	0
8/25	1,522	1,522	0	0	0
	8,892	6,464	664	1,764	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
4/13	378	196	0	182	0
	378	196	0	182	0
**** Grade 80, Black ****					
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
**** Grand Totals ****					
4/13	378	196	0	182	0
11/36	1,392	1,392	0	0	0
	1,770	1,588	0	182	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000 lf	=	26.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 15TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,774	0	0	2,774	0
4/13	16,683	11,503	4,998	182	3,568
5/16	32,350	26,117	6,233	0	22,654
6/19	7,745	5,683	2,062	0	0
7/22	3,359	2,929	430	0	0
	62,911	46,232	13,723	2,956	26,222
**** Grade 80, Black ****					
8/25	1,522	1,522	0	0	0
11/36	1,392	1,392	0	0	0
	2,914	2,914	0	0	0
**** Grand Totals ****					
3/10	2,774	0	0	2,774	0
4/13	16,683	11,503	4,998	182	3,568
5/16	32,350	26,117	6,233	0	22,654
6/19	7,745	5,683	2,062	0	0
7/22	3,359	2,929	430	0	0
8/25	1,522	1,522	0	0	0
11/36	1,392	1,392	0	0	0
	65,825	49,146	13,723	2,956	26,222

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	= 26.000	lf	@ 0.000	/ lf	= $	0.00	0 Lbs
Subtotal								= $	0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,626.000	lf	= 2,626.000	lf	@ 0.000	/ lf	= $	0.00	0 Lbs
Subtotal								= $	0.00	0 Lbs
Grand Total								= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 16TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	884	0	0	884	0
4/13	2,503	1,936	567	0	1,122
5/16	3,027	3,027	0	0	0
	6,414	4,963	567	884	1,122

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	14,207	9,094	5,113	0	2,285
5/16	26,278	21,682	4,596	0	21,652
6/19	5,498	3,670	1,828	0	0
7/22	2,009	1,604	405	0	1,411
	47,992	36,050	11,942	0	25,348

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,474.000	lf	=	2,474.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,373	0	0	1,373	0
6/19	2,206	2,105	101	0	0
7/22	2,223	2,223	0	0	0
	5,802	4,328	101	1,373	0
** Grade 80, Black **					
8/25	1,366	1,366	0	0	0
	1,366	1,366	0	0	0
** Grand Totals **					
3/10	1,373	0	0	1,373	0
6/19	2,206	2,105	101	0	0
7/22	2,223	2,223	0	0	0
8/25	1,366	1,366	0	0	0
	7,168	5,694	101	1,373	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	350	0	0	350	0
	350	0	0	350	0
** Grade 80, Black **					
10/32	1,059	1,059	0	0	0
	1,059	1,059	0	0	0
** Grand Totals **					
5/16	350	0	0	350	0
10/32	1,059	1,059	0	0	0
	1,409	1,059	0	350	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 16TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,257	0	0	2,257	0
4/13	16,710	11,030	5,680	0	3,407
5/16	31,658	26,712	4,596	350	23,655
6/19	7,704	5,775	1,929	0	0
7/22	4,232	3,827	405	0	1,411
	62,561	47,344	12,610	2,607	28,473
**** Grade 80, Black ****					
8/25	1,366	1,366	0	0	0
10/32	1,059	1,059	0	0	0
	2,425	2,425	0	0	0
**** Grand Totals ****					
3/10	2,257	0	0	2,257	0
4/13	16,710	11,030	5,680	0	3,407
5/16	31,658	26,712	4,596	350	23,655
6/19	7,704	5,775	1,929	0	0
7/22	4,232	3,827	405	0	1,411
8/25	1,366	1,366	0	0	0
10/32	1,059	1,059	0	0	0
	64,986	49,769	12,610	2,607	28,473

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,624.000	lf	=	2,624.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 17TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	2,324	1,798	526	0	1,042
5/16	2,907	2,907	0	0	0
	6,051	4,705	526	820	1,042

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000 lf	=	150.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	12,234	8,309	3,925	0	2,084
5/16	19,416	17,460	1,956	0	17,460
6/19	6,474	4,629	1,845	0	0
	38,124	30,398	7,726	0	19,544

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,114.000 lf	=	2,114.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,326	0	0	1,326	0
6/19	2,021	2,021	0	0	0
7/22	2,153	2,153	0	0	0
	5,500	4,174	0	1,326	0
**** Grade 80, Black ****					
8/25	1,322	1,322	0	0	0
	1,322	1,322	0	0	0
**** Grand Totals ****					
3/10	1,326	0	0	1,326	0
6/19	2,021	2,021	0	0	0
7/22	2,153	2,153	0	0	0
8/25	1,322	1,322	0	0	0
	6,822	5,496	0	1,326	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
5/16	179	0	0	179	0
	179	0	0	179	0
**** Grade 80, Black ****					
9/29	768	768	0	0	0
	768	768	0	0	0
**** Grand Totals ****					
5/16	179	0	0	179	0
9/29	768	768	0	0	0
	947	768	0	179	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 17TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,146	0	0	2,146	0
4/13	14,558	10,107	4,451	0	3,126
5/16	24,505	22,370	1,956	179	19,463
6/19	8,495	6,650	1,845	0	0
7/22	2,153	2,153	0	0	0
	51,857	41,280	8,252	2,325	22,589
**** Grade 80, Black ****					
8/25	1,322	1,322	0	0	0
9/29	768	768	0	0	0
	2,090	2,090	0	0	0
**** Grand Totals ****					
3/10	2,146	0	0	2,146	0
4/13	14,558	10,107	4,451	0	3,126
5/16	24,505	22,370	1,956	179	19,463
6/19	8,495	6,650	1,845	0	0
7/22	2,153	2,153	0	0	0
8/25	1,322	1,322	0	0	0
9/29	768	768	0	0	0
	53,947	43,370	8,252	2,325	22,589

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	= 26.000	lf	@ 0.000	/ lf	= $	0.00	0 Lbs
Subtotal								= $	0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,264.000	lf	= 2,264.000	lf	@ 0.000	/ lf	= $	0.00	0 Lbs
Subtotal								= $	0.00	0 Lbs
Grand Total								= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 18TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	2,385	1,807	578	0	1,042
5/16	2,947	2,947	0	0	0
	6,152	4,754	578	820	1,042

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	12,234	8,309	3,925	0	2,084
5/16	19,416	17,460	1,956	0	17,460
6/19	6,474	4,629	1,845	0	0
	38,124	30,398	7,726	0	19,544

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,114.000	lf	=	2,114.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,326	0	0	1,326	0
6/19	2,168	2,168	0	0	0
7/22	2,153	2,153	0	0	0
	5,647	4,321	0	1,326	0
**** Grade 80, Black ****					
8/25	1,014	1,014	0	0	0
	1,014	1,014	0	0	0
**** Grand Totals ****					
3/10	1,326	0	0	1,326	0
6/19	2,168	2,168	0	0	0
7/22	2,153	2,153	0	0	0
8/25	1,014	1,014	0	0	0
	6,661	5,335	0	1,326	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
5/16	139	0	0	139	0
	139	0	0	139	0
**** Grade 80, Black ****					
10/32	1,059	1,059	0	0	0
	1,059	1,059	0	0	0
**** Grand Totals ****					
5/16	139	0	0	139	0
10/32	1,059	1,059	0	0	0
	1,198	1,059	0	139	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 18TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,146	0	0	2,146	0
4/13	14,619	10,116	4,503	0	3,126
5/16	24,505	22,410	1,956	139	19,463
6/19	8,642	6,797	1,845	0	0
7/22	2,153	2,153	0	0	0
	52,065	41,476	8,304	2,285	22,589
**** Grade 80, Black ****					
8/25	1,014	1,014	0	0	0
10/32	1,059	1,059	0	0	0
	2,073	2,073	0	0	0
**** Grand Totals ****					
3/10	2,146	0	0	2,146	0
4/13	14,619	10,116	4,503	0	3,126
5/16	24,505	22,410	1,956	139	19,463
6/19	8,642	6,797	1,845	0	0
7/22	2,153	2,153	0	0	0
8/25	1,014	1,014	0	0	0
10/32	1,059	1,059	0	0	0
	54,138	43,549	8,304	2,285	22,589

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	= 26.000	lf	@ 0.000	/ lf	= $	0.00	0 Lbs
Subtotal								= $	0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,264.000	lf	= 2,264.000	lf	@ 0.000	/ lf	= $	0.00	0 Lbs
Subtotal								= $	0.00	0 Lbs
Grand Total								= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 19TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	2,385	1,807	578	0	1,042
5/16	2,947	2,947	0	0	0
	6,152	4,754	578	820	1,042

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000 lf	=	150.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	12,234	8,309	3,925	0	2,084
5/16	19,416	17,460	1,956	0	17,460
6/19	6,474	4,629	1,845	0	0
	38,124	30,398	7,726	0	19,544

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,114.000 lf	=	2,114.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,326	0	0	1,326	0
6/19	2,131	2,131	0	0	0
7/22	2,153	2,153	0	0	0
	5,610	4,284	0	1,326	0
**** Grade 80, Black ****					
8/25	1,014	1,014	0	0	0
	1,014	1,014	0	0	0
**** Grand Totals ****					
3/10	1,326	0	0	1,326	0
6/19	2,131	2,131	0	0	0
7/22	2,153	2,153	0	0	0
8/25	1,014	1,014	0	0	0
	6,624	5,298	0	1,326	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
5/16	112	0	0	112	0
	112	0	0	112	0
**** Grade 80, Black ****					
10/32	1,059	1,059	0	0	0
	1,059	1,059	0	0	0
**** Grand Totals ****					
5/16	112	0	0	112	0
10/32	1,059	1,059	0	0	0
	1,171	1,059	0	112	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000 lf	=	26.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 19TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,146	0	0	2,146	0
4/13	14,619	10,116	4,503	0	3,126
5/16	24,478	22,410	1,956	112	19,463
6/19	8,605	6,760	1,845	0	0
7/22	2,153	2,153	0	0	0
	52,001	41,439	8,304	2,258	22,589
**** Grade 80, Black ****					
8/25	1,014	1,014	0	0	0
10/32	1,059	1,059	0	0	0
	2,073	2,073	0	0	0
**** Grand Totals ****					
3/10	2,146	0	0	2,146	0
4/13	14,619	10,116	4,503	0	3,126
5/16	24,478	22,410	1,956	112	19,463
6/19	8,605	6,760	1,845	0	0
7/22	2,153	2,153	0	0	0
8/25	1,014	1,014	0	0	0
10/32	1,059	1,059	0	0	0
	54,074	43,512	8,304	2,258	22,589

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,264.000	lf	=	2,264.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 20TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	2,385	1,807	578	0	1,042
5/16	2,947	2,947	0	0	0
	6,152	4,754	578	820	1,042

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	12,234	8,309	3,925	0	2,084
5/16	19,416	17,460	1,956	0	17,460
6/19	6,474	4,629	1,845	0	0
	38,124	30,398	7,726	0	19,544

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,114.000	lf	=	2,114.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,326	0	0	1,326	0
6/19	2,131	2,131	0	0	0
7/22	2,153	2,153	0	0	0
	5,610	4,284	0	1,326	0
** Grade 80, Black **					
8/25	1,014	1,014	0	0	0
	1,014	1,014	0	0	0
** Grand Totals **					
3/10	1,326	0	0	1,326	0
6/19	2,131	2,131	0	0	0
7/22	2,153	2,153	0	0	0
8/25	1,014	1,014	0	0	0
	6,624	5,298	0	1,326	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	112	0	0	112	0
	112	0	0	112	0
** Grade 80, Black **					
10/32	1,059	1,059	0	0	0
	1,059	1,059	0	0	0
** Grand Totals **					
5/16	112	0	0	112	0
10/32	1,059	1,059	0	0	0
	1,171	1,059	0	112	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000 lf	=	26.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 20TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,146	0	0	2,146	0
4/13	14,619	10,116	4,503	0	3,126
5/16	24,478	22,410	1,956	112	19,463
6/19	8,605	6,760	1,845	0	0
7/22	2,153	2,153	0	0	0
	52,001	41,439	8,304	2,258	22,589
**** Grade 80, Black ****					
8/25	1,014	1,014	0	0	0
10/32	1,059	1,059	0	0	0
	2,073	2,073	0	0	0
**** Grand Totals ****					
3/10	2,146	0	0	2,146	0
4/13	14,619	10,116	4,503	0	3,126
5/16	24,478	22,410	1,956	112	19,463
6/19	8,605	6,760	1,845	0	0
7/22	2,153	2,153	0	0	0
8/25	1,014	1,014	0	0	0
10/32	1,059	1,059	0	0	0
	54,074	43,512	8,304	2,258	22,589

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,264.000	lf	=	2,264.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 21ST FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,010	0	0	1,010	0
4/13	2,935	2,224	711	0	1,283
5/16	3,501	3,501	0	0	0
	7,446	5,725	711	1,010	1,283

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	12,234	8,309	3,925	0	2,084
5/16	19,416	17,460	1,956	0	17,460
6/19	6,474	4,629	1,845	0	0
	38,124	30,398	7,726	0	19,544

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,114.000	lf	=	2,114.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,529	0	0	1,529	0
6/19	2,787	2,319	468	0	0
7/22	2,243	1,813	430	0	0
	6,559	4,132	898	1,529	0
**** Grade 80, Black ****					
8/25	673	388	285	0	0
	673	388	285	0	0
**** Grand Totals ****					
3/10	1,529	0	0	1,529	0
6/19	2,787	2,319	468	0	0
7/22	2,243	1,813	430	0	0
8/25	673	388	285	0	0
	7,232	4,520	1,183	1,529	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
4/13	140	140	0	0	0
5/16	556	0	0	556	0
	696	140	0	556	0
**** Grade 80, Black ****					
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
**** Grand Totals ****					
4/13	140	140	0	0	0
5/16	556	0	0	556	0
11/36	1,392	1,392	0	0	0
	2,088	1,532	0	556	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 21ST FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	2,539	0	0	2,539	0
4/13	15,309	10,673	4,636	0	3,367
5/16	25,476	22,964	1,956	556	19,463
6/19	9,261	6,948	2,313	0	0
7/22	2,243	1,813	430	0	0
	54,828	42,398	9,335	3,095	22,830
**** Grade 80, Black ****					
8/25	673	388	285	0	0
11/36	1,392	1,392	0	0	0
	2,065	1,780	285	0	0
**** Grand Totals ****					
3/10	2,539	0	0	2,539	0
4/13	15,309	10,673	4,636	0	3,367
5/16	25,476	22,964	1,956	556	19,463
6/19	9,261	6,948	2,313	0	0
7/22	2,243	1,813	430	0	0
8/25	673	388	285	0	0
11/36	1,392	1,392	0	0	0
	56,893	44,178	9,620	3,095	22,830

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,264.000	lf	=	2,264.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 22ND FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	884	0	0	884	0
4/13	2,567	1,945	622	0	1,122
5/16	3,066	3,066	0	0	0
	6,517	5,011	622	884	1,122

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	12,635	8,114	4,521	0	1,924
5/16	20,121	18,866	1,255	0	18,836
6/19	6,474	4,629	1,845	0	0
7/22	2,009	1,604	405	0	1,411
	41,239	33,213	8,026	0	22,171

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,112.000	lf	=	2,112.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,164	0	0	1,164	0
6/19	2,360	1,983	377	0	0
7/22	1,603	1,603	0	0	0
	5,127	3,586	377	1,164	0
**** Grade 80, Black ****					
8/25	349	349	0	0	0
	349	349	0	0	0
**** Grand Totals ****					
3/10	1,164	0	0	1,164	0
6/19	2,360	1,983	377	0	0
7/22	1,603	1,603	0	0	0
8/25	349	349	0	0	0
	5,476	3,935	377	1,164	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
4/13	90	0	0	90	0
	90	0	0	90	0
**** Grade 80, Black ****					
9/29	768	768	0	0	0
	768	768	0	0	0
**** Grand Totals ****					
4/13	90	0	0	90	0
9/29	768	768	0	0	0
	858	768	0	90	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 22ND FLOOR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	2,048	0	0	2,048	0
4/13	15,292	10,059	5,143	90	3,046
5/16	25,190	23,935	1,255	0	20,839
6/19	8,834	6,612	2,222	0	0
7/22	3,612	3,207	405	0	1,411
	54,976	43,813	9,025	2,138	25,296

** Grade 80, Black **

8/25	349	349	0	0	0
9/29	768	768	0	0	0
	1,117	1,117	0	0	0

** Grand Totals **

3/10	2,048	0	0	2,048	0
4/13	15,292	10,059	5,143	90	3,046
5/16	25,190	23,935	1,255	0	20,839
6/19	8,834	6,612	2,222	0	0
7/22	3,612	3,207	405	0	1,411
8/25	349	349	0	0	0
9/29	768	768	0	0	0
	56,093	44,930	9,025	2,138	25,296

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	2,262.000	lf	=	2,262.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 23RD FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	2,385	1,807	578	0	1,042
5/16	2,947	2,947	0	0	0
	6,152	4,754	578	820	1,042

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000 lf	=	150.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	11,827	8,114	3,713	0	1,924
5/16	16,684	16,146	538	0	16,146
6/19	6,474	4,629	1,845	0	0
	34,985	28,889	6,096	0	18,070

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,799.000 lf	=	1,799.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,127	0	0	1,127	0
6/19	2,866	2,609	257	0	0
7/22	221	221	0	0	0
	4,214	2,830	257	1,127	0
**** Grade 80, Black ****					
8/25	1,451	1,451	0	0	0
	1,451	1,451	0	0	0
**** Grand Totals ****					
3/10	1,127	0	0	1,127	0
6/19	2,866	2,609	257	0	0
7/22	221	221	0	0	0
8/25	1,451	1,451	0	0	0
	5,665	4,281	257	1,127	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
4/13	69	0	0	69	0
	69	0	0	69	0
**** Grade 80, Black ****					
8/25	560	560	0	0	0
	560	560	0	0	0
**** Grand Totals ****					
4/13	69	0	0	69	0
8/25	560	560	0	0	0
	629	560	0	69	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000 lf	=	26.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 23RD FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,947	0	0	1,947	0
4/13	14,281	9,921	4,291	69	2,966
5/16	21,634	21,096	538	0	18,149
6/19	9,340	7,238	2,102	0	0
7/22	221	221	0	0	0
	47,423	38,476	6,931	2,016	21,115
**** Grade 80, Black ****					
8/25	2,011	2,011	0	0	0
	2,011	2,011	0	0	0
**** Grand Totals ****					
3/10	1,947	0	0	1,947	0
4/13	14,281	9,921	4,291	69	2,966
5/16	21,634	21,096	538	0	18,149
6/19	9,340	7,238	2,102	0	0
7/22	221	221	0	0	0
8/25	2,011	2,011	0	0	0
	49,434	40,487	6,931	2,016	21,115

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,949.000	lf	=	1,949.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 24TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	759	0	0	759	0
4/13	2,200	1,667	533	0	962
5/16	2,947	2,947	0	0	0
	5,906	4,614	533	759	962

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	11,827	8,114	3,713	0	1,924
5/16	16,684	16,146	538	0	16,146
6/19	6,474	4,629	1,845	0	0
	34,985	28,889	6,096	0	18,070

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,799.000	lf	=	1,799.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	912	0	0	912	0
6/19	1,177	920	257	0	0
7/22	221	221	0	0	0
	2,310	1,141	257	912	0
**** Grade 80, Black ****					
8/25	4,594	4,594	0	0	0
	4,594	4,594	0	0	0
**** Grand Totals ****					
3/10	912	0	0	912	0
6/19	1,177	920	257	0	0
7/22	221	221	0	0	0
8/25	4,594	4,594	0	0	0
	6,904	5,735	257	912	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
4/13	77	0	0	77	0
	77	0	0	77	0
**** Grade 80, Black ****					
8/25	560	560	0	0	0
	560	560	0	0	0
**** Grand Totals ****					
4/13	77	0	0	77	0
8/25	560	560	0	0	0
	637	560	0	77	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 24TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,671	0	0	1,671	0
4/13	14,104	9,781	4,246	77	2,886
5/16	21,634	21,096	538	0	18,149
6/19	7,651	5,549	2,102	0	0
7/22	221	221	0	0	0
	45,281	36,647	6,886	1,748	21,035
**** Grade 80, Black ****					
8/25	5,154	5,154	0	0	0
	5,154	5,154	0	0	0
**** Grand Totals ****					
3/10	1,671	0	0	1,671	0
4/13	14,104	9,781	4,246	77	2,886
5/16	21,634	21,096	538	0	18,149
6/19	7,651	5,549	2,102	0	0
7/22	221	221	0	0	0
8/25	5,154	5,154	0	0	0
	50,435	41,801	6,886	1,748	21,035

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,949.000	lf	=	1,949.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 25TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	759	0	0	759	0
4/13	2,200	1,667	533	0	962
5/16	2,947	2,947	0	0	0
	5,906	4,614	533	759	962

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	11,827	8,114	3,713	0	1,924
5/16	16,684	16,146	538	0	16,146
6/19	6,474	4,629	1,845	0	0
	34,985	28,889	6,096	0	18,070

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,799.000	lf	=	1,799.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	912	0	0	912	0
6/19	1,177	920	257	0	0
7/22	221	221	0	0	0
	2,310	1,141	257	912	0
**** Grade 80, Black ****					
8/25	3,014	3,014	0	0	0
	3,014	3,014	0	0	0
**** Grand Totals ****					
3/10	912	0	0	912	0
6/19	1,177	920	257	0	0
7/22	221	221	0	0	0
8/25	3,014	3,014	0	0	0
	5,324	4,155	257	912	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
4/13	77	0	0	77	0
7/22	343	343	0	0	0
	420	343	0	77	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 25TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,671	0	0	1,671	0
4/13	14,104	9,781	4,246	77	2,886
5/16	21,634	21,096	538	0	18,149
6/19	7,651	5,549	2,102	0	0
7/22	564	564	0	0	0
	45,624	36,990	6,886	1,748	21,035
**** Grade 80, Black ****					
8/25	3,014	3,014	0	0	0
	3,014	3,014	0	0	0
**** Grand Totals ****					
3/10	1,671	0	0	1,671	0
4/13	14,104	9,781	4,246	77	2,886
5/16	21,634	21,096	538	0	18,149
6/19	7,651	5,549	2,102	0	0
7/22	564	564	0	0	0
8/25	3,014	3,014	0	0	0
	48,638	40,004	6,886	1,748	21,035

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,949.000	lf	=	1,949.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 26TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	759	0	0	759	0
4/13	2,200	1,667	533	0	962
5/16	2,947	2,947	0	0	0
	5,906	4,614	533	759	962

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	11,827	8,114	3,713	0	1,924
5/16	16,684	16,146	538	0	16,146
6/19	6,474	4,629	1,845	0	0
	34,985	28,889	6,096	0	18,070

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,799.000	lf	=	1,799.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	912	0	0	912	0
6/19	1,273	920	353	0	0
7/22	221	221	0	0	0
	2,406	1,141	353	912	0
**** Grade 80, Black ****					
8/25	2,706	2,706	0	0	0
	2,706	2,706	0	0	0
**** Grand Totals ****					
3/10	912	0	0	912	0
6/19	1,273	920	353	0	0
7/22	221	221	0	0	0
8/25	2,706	2,706	0	0	0
	5,112	3,847	353	912	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
4/13	77	0	0	77	0
	77	0	0	77	0
**** Grade 80, Black ****					
8/25	374	374	0	0	0
	374	374	0	0	0
**** Grand Totals ****					
4/13	77	0	0	77	0
8/25	374	374	0	0	0
	451	374	0	77	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 26TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,671	0	0	1,671	0
4/13	14,104	9,781	4,246	77	2,886
5/16	21,634	21,096	538	0	18,149
6/19	7,747	5,549	2,198	0	0
7/22	221	221	0	0	0
	45,377	36,647	6,982	1,748	21,035
**** Grade 80, Black ****					
8/25	3,080	3,080	0	0	0
	3,080	3,080	0	0	0
**** Grand Totals ****					
3/10	1,671	0	0	1,671	0
4/13	14,104	9,781	4,246	77	2,886
5/16	21,634	21,096	538	0	18,149
6/19	7,747	5,549	2,198	0	0
7/22	221	221	0	0	0
8/25	3,080	3,080	0	0	0
	48,457	39,727	6,982	1,748	21,035

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,949.000	lf	=	1,949.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 27TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	915	0	0	915	0
4/13	2,659	2,014	645	0	1,162
5/16	3,501	3,501	0	0	0
	7,075	5,515	645	915	1,162

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000 lf	=	150.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	11,827	8,114	3,713	0	1,924
5/16	16,684	16,146	538	0	16,146
6/19	6,474	4,629	1,845	0	0
	34,985	28,889	6,096	0	18,070

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,799.000 lf	=	1,799.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,069	0	0	1,069	0
6/19	1,593	1,270	323	0	0
7/22	215	0	215	0	0
	2,877	1,270	538	1,069	0
**** Grade 80, Black ****					
8/25	3,001	2,716	285	0	0
	3,001	2,716	285	0	0
**** Grand Totals ****					
3/10	1,069	0	0	1,069	0
6/19	1,593	1,270	323	0	0
7/22	215	0	215	0	0
8/25	3,001	2,716	285	0	0
	5,878	3,986	823	1,069	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
4/13	227	112	0	115	0
	227	112	0	115	0
**** Grade 80, Black ****					
8/25	560	560	0	0	0
	560	560	0	0	0
**** Grand Totals ****					
4/13	227	112	0	115	0
8/25	560	560	0	0	0
	787	672	0	115	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 27TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,984	0	0	1,984	0
4/13	14,713	10,240	4,358	115	3,086
5/16	22,188	21,650	538	0	18,149
6/19	8,067	5,899	2,168	0	0
7/22	215	0	215	0	0
	47,167	37,789	7,279	2,099	21,235
**** Grade 80, Black ****					
8/25	3,561	3,276	285	0	0
	3,561	3,276	285	0	0
**** Grand Totals ****					
3/10	1,984	0	0	1,984	0
4/13	14,713	10,240	4,358	115	3,086
5/16	22,188	21,650	538	0	18,149
6/19	8,067	5,899	2,168	0	0
7/22	215	0	215	0	0
8/25	3,561	3,276	285	0	0
	50,728	41,065	7,564	2,099	21,235

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,949.000	lf	=	1,949.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 28TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	915	0	0	915	0
4/13	2,659	2,014	645	0	1,162
5/16	3,501	3,501	0	0	0
	7,075	5,515	645	915	1,162

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000 lf	=	150.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	11,827	8,114	3,713	0	1,924
5/16	16,684	16,146	538	0	16,146
6/19	6,474	4,629	1,845	0	0
	34,985	28,889	6,096	0	18,070

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,799.000 lf	=	1,799.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	879	0	0	879	0
6/19	1,368	1,095	273	0	0
	2,247	1,095	273	879	0
**** Grade 80, Black ****					
8/25	2,328	2,328	0	0	0
	2,328	2,328	0	0	0
**** Grand Totals ****					
3/10	879	0	0	879	0
6/19	1,368	1,095	273	0	0
8/25	2,328	2,328	0	0	0
	4,575	3,423	273	879	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
4/13	206	112	0	94	0
	206	112	0	94	0
**** Grade 80, Black ****					
8/25	374	374	0	0	0
	374	374	0	0	0
**** Grand Totals ****					
4/13	206	112	0	94	0
8/25	374	374	0	0	0
	580	486	0	94	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000 lf	=	26.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 28TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,794	0	0	1,794	0
4/13	14,692	10,240	4,358	94	3,086
5/16	22,188	21,650	538	0	18,149
6/19	7,842	5,724	2,118	0	0
	46,516	37,614	7,014	1,888	21,235
**** Grade 80, Black ****					
8/25	2,702	2,702	0	0	0
	2,702	2,702	0	0	0
**** Grand Totals ****					
3/10	1,794	0	0	1,794	0
4/13	14,692	10,240	4,358	94	3,086
5/16	22,188	21,650	538	0	18,149
6/19	7,842	5,724	2,118	0	0
8/25	2,702	2,702	0	0	0
	49,218	40,316	7,014	1,888	21,235

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000	/ lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,949.000	lf	=	1,949.000	lf	@	0.000	/ lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 29TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	759	0	0	759	0
4/13	2,200	1,667	533	0	962
5/16	2,947	2,947	0	0	0
	5,906	4,614	533	759	962

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000 lf	=	150.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	9,178	5,506	3,672	0	601
5/16	17,219	17,219	0	0	11,390
6/19	4,712	2,957	1,755	0	0
	31,109	25,682	5,427	0	11,991

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,765.000 lf	=	1,765.000 lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal							= $	0.00	0 Lbs
Grand Total							= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	741	0	0	741	0
6/19	1,117	1,067	50	0	0
	1,858	1,067	50	741	0
**** Grade 80, Black ****					
8/25	2,030	2,030	0	0	0
	2,030	2,030	0	0	0
**** Grand Totals ****					
3/10	741	0	0	741	0
6/19	1,117	1,067	50	0	0
8/25	2,030	2,030	0	0	0
	3,888	3,097	50	741	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
4/13	110	0	0	110	0
5/16	150	150	0	0	0
7/22	229	229	0	0	0
	489	379	0	110	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: 29TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	1,500	0	0	1,500	0
4/13	11,488	7,173	4,205	110	1,563
5/16	22,319	22,319	0	0	13,393
6/19	5,829	4,024	1,805	0	0
7/22	229	229	0	0	0
	41,365	33,745	6,010	1,610	14,956
**** Grade 80, Black ****					
8/25	2,030	2,030	0	0	0
	2,030	2,030	0	0	0
**** Grand Totals ****					
3/10	1,500	0	0	1,500	0
4/13	11,488	7,173	4,205	110	1,563
5/16	22,319	22,319	0	0	13,393
6/19	5,829	4,024	1,805	0	0
7/22	229	229	0	0	0
8/25	2,030	2,030	0	0	0
	43,395	35,775	6,010	1,610	14,956

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,915.000	lf	=	1,915.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: 30TH FLOOR

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,198	0	0	1,198	0
4/13	3,485	2,640	845	0	1,523
5/16	4,453	4,453	0	0	0
	9,136	7,093	845	1,198	1,523

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	8,461	5,180	3,281	0	601
5/16	14,400	14,400	0	0	11,014
6/19	3,819	2,446	1,373	0	0
	26,680	22,026	4,654	0	11,615

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,445.000	lf	=	1,445.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,058	0	0	1,058	0
6/19	2,705	0	2,705	0	0
	3,763	0	2,705	1,058	0

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	422	253	0	169	0
6/19	138	138	0	0	0
	560	391	0	169	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

Total for Segment: 30TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	2,256	0	0	2,256	0
4/13	12,368	8,073	4,126	169	2,124
5/16	20,856	20,856	0	0	13,017
6/19	6,662	2,584	4,078	0	0
	42,142	31,513	8,204	2,425	15,141

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,595.000	lf	=	1,595.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: ROOF

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	2,818	0	0	2,818	0
4/13	8,333	6,445	1,888	0	4,609
5/16	9,648	9,648	0	0	0
	20,799	16,093	1,888	2,818	4,609

Total for STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	150.000	lf	=	150.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	1,246	0	1,246	0	0
5/16	12,903	12,903	0	0	9,637
	14,149	12,903	1,246	0	9,637

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,445.000	lf	=	1,445.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black **					
4/13	363	253	0	110	0
6/19	138	138	0	0	0
	501	391	0	110	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@ 0.000 / lf	= $ 0.00	0 Lbs
Subtotal								= $ 0.00	0 Lbs
Grand Total								= $ 0.00	0 Lbs

Total for Segment: ROOF

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	2,818	0	0	2,818	0
4/13	9,942	6,698	3,134	110	4,609
5/16	24,554	24,554	0	0	11,640
6/19	138	138	0	0	0
	37,452	31,390	3,134	2,928	16,249

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@ 0.000 / lf	= $ 0.00	0 Lbs
Subtotal								= $ 0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	1,595.000	lf	=	1,595.000	lf	@ 0.000 / lf	= $ 0.00	0 Lbs
Subtotal								= $ 0.00	0 Lbs
Grand Total								= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: EMR LEVEL

Total for SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	2,384	1,806	578	0	1,042
5/16	3,145	133	3,012	0	0
	6,349	1,939	3,590	820	1,042

Total for SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	228	0	228	0	0
5/16	2,441	2,441	0	0	2,128
6/19	180	0	180	0	0
	2,849	2,441	408	0	2,128

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	255.000	lf	=	255.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

Total for LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	250	84	0	166	0
	250	84	0	166	0
** Grade 80, Black **					
10/32	1,059	1,059	0	0	0
	1,059	1,059	0	0	0
** Grand Totals **					
4/13	250	84	0	166	0
10/32	1,059	1,059	0	0	0
	1,309	1,143	0	166	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 /	lf	= $ 0.00	0 Lbs
Subtotal										= $ 0.00	0 Lbs
Grand Total										= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Total for Segment: EMR LEVEL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	820	0	0	820	0
4/13	2,862	1,890	806	166	1,042
5/16	5,586	2,574	3,012	0	2,128
6/19	180	0	180	0	0
	9,448	4,464	3,998	986	3,170
**** Grade 80, Black ****					
10/32	1,059	1,059	0	0	0
	1,059	1,059	0	0	0
**** Grand Totals ****					
3/10	820	0	0	820	0
4/13	2,862	1,890	806	166	1,042
5/16	5,586	2,574	3,012	0	2,128
6/19	180	0	180	0	0
10/32	1,059	1,059	0	0	0
	10,507	5,523	3,998	986	3,170

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	26.000	lf	=	26.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	255.000	lf	=	255.000	lf	@	0.000 / lf	= $ 0.00	0 Lbs
Subtotal									= $ 0.00	0 Lbs
Grand Total									= $ 0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Segment: ZECKENDORF ROOF

Total for SLAB ON METAL DECK

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	727	727	0	0	0
	727	727	0	0	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'MESH' **											
6X6 W1.4XW1.4 WWF	6X6 W1.4XW1.4 WWF	4,278.000	SqFt	=	4,278.000	SqFt	@	0.000 / SqFt	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
** Undefined Item Class - 'SB' **											
SB 1.75	1 3/4" SLAB BOLSTER	930.000	lf	=	930.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

Total for Segment: ZECKENDORF ROOF

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	727	727	0	0	0
	727	727	0	0	0

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'MESH' **											
6X6 W1.4XW1.4 WWF	6X6 W1.4XW1.4 WWF	4,278.000	SqFt	=	4,278.000	SqFt	@	0.000 / SqFt	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
** Undefined Item Class - 'SB' **											
SB 1.75	1 3/4" SLAB BOLSTER	930.000	lf	=	930.000	lf	@	0.000 / lf	= $	0.00	0 Lbs
Subtotal									= $	0.00	0 Lbs
Grand Total									= $	0.00	0 Lbs

©2023 UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: CELLAR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	1,800	0	0	1,800	0
4/13	179	0	0	179	0
5/16	7,300	5,284	2,016	0	876
6/19	880	457	423	0	0
7/22	4,853	4,326	527	0	0
8/25	11,986	11,986	0	0	0
11/36	2,533	2,533	0	0	0
	29,531	24,586	2,966	1,979	876

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: WALL

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
4/13	2,712	2,487	225	0	2,244
5/16	4,194	3,443	751	0	0
	6,906	5,930	976	0	2,244

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: CELLAR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	1,573	0	0	1,573	0
4/13	746	0	0	746	0
6/19	781	781	0	0	0
7/22	3,007	3,007	0	0	0
	6,107	3,788	0	2,319	0
			** Grade 80, Black **		
8/25	1,308	1,308	0	0	0
9/29	3,401	3,401	0	0	0
11/36	5,462	5,462	0	0	0
	10,171	10,171	0	0	0
			** Grand Totals **		
3/10	1,573	0	0	1,573	0
4/13	746	0	0	746	0
6/19	781	781	0	0	0
7/22	3,007	3,007	0	0	0
8/25	1,308	1,308	0	0	0
9/29	3,401	3,401	0	0	0
11/36	5,462	5,462	0	0	0
	16,278	13,959	0	2,319	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
4/13	286	152	0	134	0
	286	152	0	134	0
			** Grade 80, Black **		
8/25	704	704	0	0	0
	704	704	0	0	0
			** Grand Totals **		
4/13	286	152	0	134	0
8/25	704	704	0	0	0
	990	856	0	134	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: CELLAR

Total for Segment: CELLAR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	3,373	0	0	3,373	0
4/13	3,923	2,639	225	1,059	2,244
5/16	13,497	10,730	2,767	0	2,879
6/19	1,661	1,238	423	0	0
7/22	7,860	7,333	527	0	0
8/25	11,986	11,986	0	0	0
11/36	2,533	2,533	0	0	0
	44,833	36,459	3,942	4,432	5,123
			** Grade 80, Black **		
8/25	2,012	2,012	0	0	0
9/29	3,401	3,401	0	0	0
11/36	5,462	5,462	0	0	0
	10,875	10,875	0	0	0
			** Grand Totals **		
3/10	3,373	0	0	3,373	0
4/13	3,923	2,639	225	1,059	2,244
5/16	13,497	10,730	2,767	0	2,879
6/19	1,661	1,238	423	0	0
7/22	7,860	7,333	527	0	0
8/25	13,998	13,998	0	0	0
9/29	3,401	3,401	0	0	0
11/36	7,995	7,995	0	0	0
	55,708	47,334	3,942	4,432	5,123

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 1ST FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	2,329	0	0	2,329	0
4/13	3,792	2,482	858	452	0
5/16	6,225	4,412	1,813	0	0
8/25	21,015	21,015	0	0	0
9/29	1,418	1,418	0	0	0
11/36	6,468	6,468	0	0	0
	41,247	35,795	2,671	2,781	0

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
4/13	13,427	4,680	7,607	1,140	4,008
5/16	84,008	78,561	5,447	0	50,815
	97,435	83,241	13,054	1,140	54,823

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 1ST FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	3,850	0	0	3,850	0
4/13	925	0	0	925	0
6/19	1,787	1,787	0	0	0
7/22	8,542	8,005	537	0	0
	15,104	9,792	537	4,775	0
			** Grade 80, Black **		
8/25	1,614	1,614	0	0	0
9/29	7,712	7,712	0	0	0
11/36	7,268	7,268	0	0	0
	16,594	16,594	0	0	0
			** Grand Totals **		
3/10	3,850	0	0	3,850	0
4/13	925	0	0	925	0
6/19	1,787	1,787	0	0	0
7/22	8,542	8,005	537	0	0
8/25	1,614	1,614	0	0	0
9/29	7,712	7,712	0	0	0
11/36	7,268	7,268	0	0	0
	31,698	26,386	537	4,775	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
4/13	168	168	0	0	0
5/16	527	0	0	527	0
	695	168	0	527	0
			** Grade 80, Black **		
9/29	1,025	1,025	0	0	0
	1,025	1,025	0	0	0
			** Grand Totals **		
4/13	168	168	0	0	0
5/16	527	0	0	527	0
9/29	1,025	1,025	0	0	0
	1,720	1,193	0	527	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 1ST FLOOR

Total for Segment: 1ST FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	6,179	0	0	6,179	0
4/13	18,312	7,330	8,465	2,517	4,008
5/16	92,763	84,976	7,260	527	52,818
6/19	1,787	1,787	0	0	0
7/22	8,542	8,005	537	0	0
8/25	21,015	21,015	0	0	0
9/29	1,418	1,418	0	0	0
11/36	6,468	6,468	0	0	0
	156,484	130,999	16,262	9,223	56,826
			** Grade 80, Black **		
8/25	1,614	1,614	0	0	0
9/29	8,737	8,737	0	0	0
11/36	7,268	7,268	0	0	0
	17,619	17,619	0	0	0
			** Grand Totals **		
3/10	6,179	0	0	6,179	0
4/13	18,312	7,330	8,465	2,517	4,008
5/16	92,763	84,976	7,260	527	52,818
6/19	1,787	1,787	0	0	0
7/22	8,542	8,005	537	0	0
8/25	22,629	22,629	0	0	0
9/29	10,155	10,155	0	0	0
11/36	13,736	13,736	0	0	0
	174,103	148,618	16,262	9,223	56,826

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 2ND FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	2,136	0	0	2,136	0
4/13	2,119	1,495	624	0	0
5/16	8,350	6,822	1,528	0	2,002
6/19	2,682	0	2,682	0	0
7/22	8,208	8,208	0	0	0
	23,495	16,525	4,834	2,136	2,002

Sub-Segment: BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	357	0	0	357	0
7/22	1,840	1,472	368	0	1,472
	2,197	1,472	368	357	1,472

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	10,547	4,283	6,264	0	3,547
5/16	99,493	93,677	5,816	0	57,824
	110,040	97,960	12,080	0	61,371
** Grade 80, Black **					
8/25	7,573	2,242	5,331	0	0
	7,573	2,242	5,331	0	0
** Grand Totals **					
4/13	10,547	4,283	6,264	0	3,547
5/16	99,493	93,677	5,816	0	57,824
8/25	7,573	2,242	5,331	0	0
	117,613	100,202	17,411	0	61,371

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 2ND FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	3,456	0	0	3,456	0
6/19	1,788	622	1,166	0	0
7/22	6,144	4,028	2,116	0	0
	11,388	4,650	3,282	3,456	0
			** Grade 80, Black **		
8/25	2,712	2,712	0	0	0
9/29	4,725	4,725	0	0	0
10/32	7,117	7,117	0	0	0
	14,554	14,554	0	0	0
			** Grand Totals **		
3/10	3,456	0	0	3,456	0
6/19	1,788	622	1,166	0	0
7/22	6,144	4,028	2,116	0	0
8/25	2,712	2,712	0	0	0
9/29	4,725	4,725	0	0	0
10/32	7,117	7,117	0	0	0
	25,942	19,204	3,282	3,456	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
4/13	196	196	0	0	0
5/16	575	0	0	575	0
	771	196	0	575	0
			** Grade 80, Black **		
9/29	1,025	1,025	0	0	0
	1,025	1,025	0	0	0
			** Grand Totals **		
4/13	196	196	0	0	0
5/16	575	0	0	575	0
9/29	1,025	1,025	0	0	0
	1,796	1,221	0	575	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 2ND FLOOR

Total for Segment: 2ND FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	5,592	0	0	5,592	0
4/13	13,219	5,974	6,888	357	3,547
5/16	110,421	102,502	7,344	575	61,829
6/19	4,470	622	3,848	0	0
7/22	16,192	13,708	2,484	0	1,472
	149,894	122,806	20,564	6,524	66,848
			** Grade 80, Black **		
8/25	10,285	4,954	5,331	0	0
9/29	5,750	5,750	0	0	0
10/32	7,117	7,117	0	0	0
	23,152	17,821	5,331	0	0
			** Grand Totals **		
3/10	5,592	0	0	5,592	0
4/13	13,219	5,974	6,888	357	3,547
5/16	110,421	102,502	7,344	575	61,829
6/19	4,470	622	3,848	0	0
7/22	16,192	13,708	2,484	0	1,472
8/25	10,285	4,954	5,331	0	0
9/29	5,750	5,750	0	0	0
10/32	7,117	7,117	0	0	0
	173,046	140,627	25,895	6,524	66,848

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 3RD FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,839	0	0	1,839	0
4/13	2,603	1,273	1,330	0	721
5/16	4,348	3,286	1,062	0	1,126
6/19	2,976	2,223	753	0	0
7/22	6,206	6,206	0	0	0
	17,972	12,988	3,145	1,839	1,847

Sub-Segment: BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	656	0	0	656	0
7/22	3,470	2,454	1,016	0	2,454
	4,126	2,454	1,016	656	2,454

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	9,780	3,768	6,012	0	3,246
5/16	86,851	81,981	4,870	0	54,444
	96,631	85,749	10,882	0	57,690
** Grade 80, Black **					
8/25	5,049	1,495	3,554	0	0
	5,049	1,495	3,554	0	0
** Grand Totals **					
4/13	9,780	3,768	6,012	0	3,246
5/16	86,851	81,981	4,870	0	54,444
8/25	5,049	1,495	3,554	0	0
	101,680	87,244	14,436	0	57,690

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 3RD FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,615	0	0	2,615	0
6/19	1,281	0	1,281	0	0
7/22	3,688	2,820	868	0	0
	7,584	2,820	2,149	2,615	0
			** Grade 80, Black **		
8/25	2,187	2,187	0	0	0
9/29	5,121	5,121	0	0	0
10/32	6,807	6,807	0	0	0
	14,115	14,115	0	0	0
			** Grand Totals **		
3/10	2,615	0	0	2,615	0
6/19	1,281	0	1,281	0	0
7/22	3,688	2,820	868	0	0
8/25	2,187	2,187	0	0	0
9/29	5,121	5,121	0	0	0
10/32	6,807	6,807	0	0	0
	21,699	16,935	2,149	2,615	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
4/13	337	337	0	0	0
5/16	800	0	0	800	0
	1,137	337	0	800	0
			** Grade 80, Black **		
9/29	2,090	2,049	0	41	0
	2,090	2,049	0	41	0
			** Grand Totals **		
4/13	337	337	0	0	0
5/16	800	0	0	800	0
9/29	2,090	2,049	0	41	0
	3,227	2,386	0	841	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 3RD FLOOR

Total for Segment: 3RD FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	4,454	0	0	4,454	0
4/13	13,376	5,378	7,342	656	3,967
5/16	94,002	87,270	5,932	800	57,573
6/19	4,257	2,223	2,034	0	0
7/22	13,364	11,480	1,884	0	2,454
	129,453	106,351	17,192	5,910	63,994
			** Grade 80, Black **		
8/25	7,236	3,682	3,554	0	0
9/29	7,211	7,170	0	41	0
10/32	6,807	6,807	0	0	0
	21,254	17,659	3,554	41	0
			** Grand Totals **		
3/10	4,454	0	0	4,454	0
4/13	13,376	5,378	7,342	656	3,967
5/16	94,002	87,270	5,932	800	57,573
6/19	4,257	2,223	2,034	0	0
7/22	13,364	11,480	1,884	0	2,454
8/25	7,236	3,682	3,554	0	0
9/29	7,211	7,170	0	41	0
10/32	6,807	6,807	0	0	0
	150,707	124,010	20,746	5,951	63,994

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 4TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,072	0	0	1,072	0
5/16	4,175	3,257	918	0	1,815
6/19	2,949	2,949	0	0	0
7/22	4,451	3,935	516	0	0
	12,647	10,141	1,434	1,072	1,815

Sub-Segment: BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	2,362	0	0	2,362	0
7/22	12,454	10,916	1,538	0	10,916
	14,816	10,916	1,538	2,362	10,916

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	8,260	4,111	4,149	0	3,486
5/16	66,686	63,980	2,706	0	49,625
	74,946	68,091	6,855	0	53,111
** Grade 80, Black **					
8/25	5,049	1,495	3,554	0	0
	5,049	1,495	3,554	0	0
** Grand Totals **					
4/13	8,260	4,111	4,149	0	3,486
5/16	66,686	63,980	2,706	0	49,625
8/25	5,049	1,495	3,554	0	0
	79,995	69,586	10,409	0	53,111

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 4TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	2,248	0	0	2,248	0
6/19	1,308	0	1,308	0	0
7/22	3,184	2,992	192	0	0
	6,740	2,992	1,500	2,248	0
** Grade 80, Black **					
8/25	4,268	4,268	0	0	0
9/29	1,483	1,483	0	0	0
10/32	6,146	6,146	0	0	0
	11,897	11,897	0	0	0
** Grand Totals **					
3/10	2,248	0	0	2,248	0
6/19	1,308	0	1,308	0	0
7/22	3,184	2,992	192	0	0
8/25	4,268	4,268	0	0	0
9/29	1,483	1,483	0	0	0
10/32	6,146	6,146	0	0	0
	18,637	14,889	1,500	2,248	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	393	393	0	0	0
5/16	575	0	0	575	0
	968	393	0	575	0
** Grade 80, Black **					
9/29	2,090	2,049	0	41	0
	2,090	2,049	0	41	0
** Grand Totals **					
4/13	393	393	0	0	0
5/16	575	0	0	575	0
9/29	2,090	2,049	0	41	0
	3,058	2,442	0	616	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 4TH FLOOR

Total for Segment: 4TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	3,320	0	0	3,320	0
4/13	11,015	4,504	4,149	2,362	3,486
5/16	73,439	69,240	3,624	575	53,443
6/19	4,257	2,949	1,308	0	0
7/22	20,089	17,843	2,246	0	10,916
	112,120	94,536	11,327	6,257	67,845
			** Grade 80, Black **		
8/25	9,317	5,763	3,554	0	0
9/29	3,573	3,532	0	41	0
10/32	6,146	6,146	0	0	0
	19,036	15,441	3,554	41	0
			** Grand Totals **		
3/10	3,320	0	0	3,320	0
4/13	11,015	4,504	4,149	2,362	3,486
5/16	73,439	69,240	3,624	575	53,443
6/19	4,257	2,949	1,308	0	0
7/22	20,089	17,843	2,246	0	10,916
8/25	9,317	5,763	3,554	0	0
9/29	3,573	3,532	0	41	0
10/32	6,146	6,146	0	0	0
	131,156	109,977	14,881	6,298	67,845

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 5TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	882	0	0	882	0
4/13	1,274	992	282	0	561
5/16	2,419	2,075	344	0	876
6/19	3,971	3,682	289	0	0
	8,546	6,749	915	882	1,437

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
4/13	16,176	10,137	6,039	0	2,044
5/16	37,078	33,197	3,881	0	33,167
6/19	6,489	4,617	1,872	0	0
7/22	3,473	2,461	1,012	0	2,208
	63,216	50,412	12,804	0	37,419

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 5TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	1,839	0	0	1,839	0
4/13	36	0	0	36	0
6/19	522	0	522	0	0
7/22	2,632	2,632	0	0	0
	5,029	2,632	522	1,875	0
			** Grade 80, Black **		
8/25	4,886	4,886	0	0	0
10/32	5,578	5,578	0	0	0
	10,464	10,464	0	0	0
			** Grand Totals **		
3/10	1,839	0	0	1,839	0
4/13	36	0	0	36	0
6/19	522	0	522	0	0
7/22	2,632	2,632	0	0	0
8/25	4,886	4,886	0	0	0
10/32	5,578	5,578	0	0	0
	15,493	13,096	522	1,875	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
5/16	188	0	0	188	0
	188	0	0	188	0
			** Grade 80, Black **		
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
			** Grand Totals **		
5/16	188	0	0	188	0
11/36	1,392	1,392	0	0	0
	1,580	1,392	0	188	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 5TH FLOOR

Total for Segment: 5TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,721	0	0	2,721	0
4/13	17,486	11,129	6,321	36	2,605
5/16	41,688	37,275	4,225	188	36,046
6/19	10,982	8,299	2,683	0	0
7/22	6,105	5,093	1,012	0	2,208
	78,982	61,796	14,241	2,945	40,859
			** Grade 80, Black **		
8/25	4,886	4,886	0	0	0
10/32	5,578	5,578	0	0	0
11/36	1,392	1,392	0	0	0
	11,856	11,856	0	0	0
			** Grand Totals **		
3/10	2,721	0	0	2,721	0
4/13	17,486	11,129	6,321	36	2,605
5/16	41,688	37,275	4,225	188	36,046
6/19	10,982	8,299	2,683	0	0
7/22	6,105	5,093	1,012	0	2,208
8/25	4,886	4,886	0	0	0
10/32	5,578	5,578	0	0	0
11/36	1,392	1,392	0	0	0
	90,838	73,652	14,241	2,945	40,859

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 6TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	1,184	920	264	0	521
5/16	4,835	4,358	477	0	814
	6,839	5,278	741	820	1,335

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	14,607	9,810	4,797	0	2,424
5/16	26,884	20,651	6,233	0	20,651
6/19	6,061	4,216	1,845	0	0
	47,552	34,677	12,875	0	23,075

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 6TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,914	0	0	1,914	0
6/19	2,075	1,574	501	0	0
7/22	2,533	2,533	0	0	0
	6,522	4,107	501	1,914	0
** Grade 80, Black **					
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
	5,074	5,074	0	0	0
** Grand Totals **					
3/10	1,914	0	0	1,914	0
6/19	2,075	1,574	501	0	0
7/22	2,533	2,533	0	0	0
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
	11,596	9,181	501	1,914	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	179	0	0	179	0
	179	0	0	179	0
** Grade 80, Black **					
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
** Grand Totals **					
5/16	179	0	0	179	0
11/36	1,392	1,392	0	0	0
	1,571	1,392	0	179	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 6TH FLOOR

Total for Segment: 6TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,734	0	0	2,734	0
4/13	15,791	10,730	5,061	0	2,945
5/16	33,901	27,012	6,710	179	23,468
6/19	8,136	5,790	2,346	0	0
7/22	2,533	2,533	0	0	0
	63,095	46,065	14,117	2,913	26,413
			** Grade 80, Black **		
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
11/36	1,392	1,392	0	0	0
	6,466	6,466	0	0	0
			** Grand Totals **		
3/10	2,734	0	0	2,734	0
4/13	15,791	10,730	5,061	0	2,945
5/16	33,901	27,012	6,710	179	23,468
6/19	8,136	5,790	2,346	0	0
7/22	2,533	2,533	0	0	0
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
11/36	1,392	1,392	0	0	0
	69,561	52,531	14,117	2,913	26,413

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 7TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	820	0	0	820	0
4/13	1,184	920	264	0	521
5/16	4,835	4,358	477	0	814
	6,839	5,278	741	820	1,335

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
4/13	14,235	9,438	4,797	0	2,044
5/16	30,832	29,287	1,545	0	29,287
6/19	6,061	4,216	1,845	0	0
	51,128	42,941	8,187	0	31,331

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 7TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,914	0	0	1,914	0
6/19	2,075	1,574	501	0	0
7/22	2,533	2,533	0	0	0
	6,522	4,107	501	1,914	0
** Grade 80, Black **					
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
	5,074	5,074	0	0	0
** Grand Totals **					
3/10	1,914	0	0	1,914	0
6/19	2,075	1,574	501	0	0
7/22	2,533	2,533	0	0	0
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
	11,596	9,181	501	1,914	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	179	0	0	179	0
	179	0	0	179	0
** Grade 80, Black **					
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
** Grand Totals **					
5/16	179	0	0	179	0
11/36	1,392	1,392	0	0	0
	1,571	1,392	0	179	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 7TH FLOOR

Total for Segment: 7TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,734	0	0	2,734	0
4/13	15,419	10,358	5,061	0	2,565
5/16	37,849	35,648	2,022	179	32,104
6/19	8,136	5,790	2,346	0	0
7/22	2,533	2,533	0	0	0
	66,671	54,329	9,429	2,913	34,669
			** Grade 80, Black **		
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
11/36	1,392	1,392	0	0	0
	6,466	6,466	0	0	0
			** Grand Totals **		
3/10	2,734	0	0	2,734	0
4/13	15,419	10,358	5,061	0	2,565
5/16	37,849	35,648	2,022	179	32,104
6/19	8,136	5,790	2,346	0	0
7/22	2,533	2,533	0	0	0
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
11/36	1,392	1,392	0	0	0
	73,137	60,795	9,429	2,913	34,669

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 8TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	1,184	920	264	0	521
5/16	4,835	4,358	477	0	814
	6,839	5,278	741	820	1,335

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	14,235	9,438	4,797	0	2,044
5/16	30,832	29,287	1,545	0	29,287
6/19	6,061	4,216	1,845	0	0
	51,128	42,941	8,187	0	31,331

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 8TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,911	0	0	1,911	0
6/19	2,075	1,574	501	0	0
7/22	2,533	2,533	0	0	0
	6,519	4,107	501	1,911	0
** Grade 80, Black **					
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
	5,074	5,074	0	0	0
** Grand Totals **					
3/10	1,911	0	0	1,911	0
6/19	2,075	1,574	501	0	0
7/22	2,533	2,533	0	0	0
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
	11,593	9,181	501	1,911	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	331	0	0	331	0
	331	0	0	331	0
** Grade 80, Black **					
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
** Grand Totals **					
5/16	331	0	0	331	0
11/36	1,392	1,392	0	0	0
	1,723	1,392	0	331	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 8TH FLOOR

Total for Segment: 8TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,731	0	0	2,731	0
4/13	15,419	10,358	5,061	0	2,565
5/16	38,001	35,648	2,022	331	32,104
6/19	8,136	5,790	2,346	0	0
7/22	2,533	2,533	0	0	0
	66,820	54,329	9,429	3,062	34,669
			** Grade 80, Black **		
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
11/36	1,392	1,392	0	0	0
	6,466	6,466	0	0	0
			** Grand Totals **		
3/10	2,731	0	0	2,731	0
4/13	15,419	10,358	5,061	0	2,565
5/16	38,001	35,648	2,022	331	32,104
6/19	8,136	5,790	2,346	0	0
7/22	2,533	2,533	0	0	0
8/25	1,014	1,014	0	0	0
9/29	4,060	4,060	0	0	0
11/36	1,392	1,392	0	0	0
	73,286	60,795	9,429	3,062	34,669

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 9TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,010	0	0	1,010	0
4/13	1,456	1,132	324	0	641
5/16	5,832	5,244	588	0	1,001
	8,298	6,376	912	1,010	1,642

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	14,235	9,438	4,797	0	2,044
5/16	30,832	29,287	1,545	0	29,287
6/19	6,061	4,216	1,845	0	0
	51,128	42,941	8,187	0	31,331

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 9TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	2,340	0	0	2,340	0
6/19	2,431	1,885	546	0	0
7/22	5,735	5,735	0	0	0
	10,506	7,620	546	2,340	0
** Grade 80, Black **					
8/25	1,164	1,164	0	0	0
	1,164	1,164	0	0	0
** Grand Totals **					
3/10	2,340	0	0	2,340	0
6/19	2,431	1,885	546	0	0
7/22	5,735	5,735	0	0	0
8/25	1,164	1,164	0	0	0
	11,670	8,784	546	2,340	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	443	0	0	443	0
	443	0	0	443	0
** Grade 80, Black **					
11/36	2,848	2,848	0	0	0
	2,848	2,848	0	0	0
** Grand Totals **					
5/16	443	0	0	443	0
11/36	2,848	2,848	0	0	0
	3,291	2,848	0	443	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 9TH FLOOR

Total for Segment: 9TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	3,350	0	0	3,350	0
4/13	15,691	10,570	5,121	0	2,685
5/16	39,110	36,534	2,133	443	32,291
6/19	8,492	6,101	2,391	0	0
7/22	5,735	5,735	0	0	0
	72,378	58,940	9,645	3,793	34,976
			** Grade 80, Black **		
8/25	1,164	1,164	0	0	0
11/36	2,848	2,848	0	0	0
	4,012	4,012	0	0	0
			** Grand Totals **		
3/10	3,350	0	0	3,350	0
4/13	15,691	10,570	5,121	0	2,685
5/16	39,110	36,534	2,133	443	32,291
6/19	8,492	6,101	2,391	0	0
7/22	5,735	5,735	0	0	0
8/25	1,164	1,164	0	0	0
11/36	2,848	2,848	0	0	0
	76,390	62,952	9,645	3,793	34,976

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 10TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	882	0	0	882	0
4/13	2,500	1,936	564	0	1,122
5/16	3,027	3,027	0	0	0
	6,409	4,963	564	882	1,122

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	14,821	9,438	5,383	0	2,044
5/16	31,237	29,692	1,545	0	29,662
6/19	6,061	4,216	1,845	0	0
	52,119	43,346	8,773	0	31,706

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 10TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,657	0	0	1,657	0
6/19	2,323	2,162	161	0	0
7/22	3,298	3,236	62	0	0
	7,278	5,398	223	1,657	0
** Grade 80, Black **					
8/25	1,047	1,047	0	0	0
	1,047	1,047	0	0	0
** Grand Totals **					
3/10	1,657	0	0	1,657	0
6/19	2,323	2,162	161	0	0
7/22	3,298	3,236	62	0	0
8/25	1,047	1,047	0	0	0
	8,325	6,445	223	1,657	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	331	0	0	331	0
	331	0	0	331	0
** Grade 80, Black **					
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
** Grand Totals **					
5/16	331	0	0	331	0
11/36	1,392	1,392	0	0	0
	1,723	1,392	0	331	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 10TH FLOOR

Total for Segment: 10TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,539	0	0	2,539	0
4/13	17,321	11,374	5,947	0	3,166
5/16	36,598	34,722	1,545	331	31,665
6/19	8,384	6,378	2,006	0	0
7/22	3,298	3,236	62	0	0
	68,140	55,710	9,560	2,870	34,831
			** Grade 80, Black **		
8/25	1,047	1,047	0	0	0
11/36	1,392	1,392	0	0	0
	2,439	2,439	0	0	0
			** Grand Totals **		
3/10	2,539	0	0	2,539	0
4/13	17,321	11,374	5,947	0	3,166
5/16	36,598	34,722	1,545	331	31,665
6/19	8,384	6,378	2,006	0	0
7/22	3,298	3,236	62	0	0
8/25	1,047	1,047	0	0	0
11/36	1,392	1,392	0	0	0
	70,579	58,149	9,560	2,870	34,831

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 11TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	2,324	1,798	526	0	1,042
5/16	2,677	2,677	0	0	0
	5,821	4,475	526	820	1,042

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	13,449	9,094	4,355	0	2,285
5/16	26,884	20,651	6,233	0	20,651
6/19	5,498	3,670	1,828	0	0
	45,831	33,415	12,416	0	22,936

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 11TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,598	0	0	1,598	0
6/19	1,932	1,932	0	0	0
7/22	3,113	3,113	0	0	0
	6,643	5,045	0	1,598	0
** Grade 80, Black **					
8/25	1,322	1,322	0	0	0
	1,322	1,322	0	0	0
** Grand Totals **					
3/10	1,598	0	0	1,598	0
6/19	1,932	1,932	0	0	0
7/22	3,113	3,113	0	0	0
8/25	1,322	1,322	0	0	0
	7,965	6,367	0	1,598	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	331	0	0	331	0
	331	0	0	331	0
** Grade 80, Black **					
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
** Grand Totals **					
5/16	331	0	0	331	0
11/36	1,392	1,392	0	0	0
	1,723	1,392	0	331	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 11TH FLOOR

Total for Segment: 11TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,418	0	0	2,418	0
4/13	15,773	10,892	4,881	0	3,327
5/16	31,895	25,331	6,233	331	22,654
6/19	7,430	5,602	1,828	0	0
7/22	3,113	3,113	0	0	0
	60,629	44,938	12,942	2,749	25,981
			** Grade 80, Black **		
8/25	1,322	1,322	0	0	0
11/36	1,392	1,392	0	0	0
	2,714	2,714	0	0	0
			** Grand Totals **		
3/10	2,418	0	0	2,418	0
4/13	15,773	10,892	4,881	0	3,327
5/16	31,895	25,331	6,233	331	22,654
6/19	7,430	5,602	1,828	0	0
7/22	3,113	3,113	0	0	0
8/25	1,322	1,322	0	0	0
11/36	1,392	1,392	0	0	0
	63,343	47,652	12,942	2,749	25,981

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 12TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	2,324	1,798	526	0	1,042
5/16	2,907	2,907	0	0	0
	6,051	4,705	526	820	1,042

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	13,445	9,094	4,351	0	2,285
5/16	26,884	20,651	6,233	0	20,651
6/19	5,498	3,670	1,828	0	0
	45,827	33,415	12,412	0	22,936

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 12TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,539	0	0	1,539	0
6/19	1,932	1,932	0	0	0
7/22	3,113	3,113	0	0	0
	6,584	5,045	0	1,539	0
** Grade 80, Black **					
8/25	1,322	1,322	0	0	0
	1,322	1,322	0	0	0
** Grand Totals **					
3/10	1,539	0	0	1,539	0
6/19	1,932	1,932	0	0	0
7/22	3,113	3,113	0	0	0
8/25	1,322	1,322	0	0	0
	7,906	6,367	0	1,539	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	331	0	0	331	0
	331	0	0	331	0
** Grade 80, Black **					
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
** Grand Totals **					
5/16	331	0	0	331	0
11/36	1,392	1,392	0	0	0
	1,723	1,392	0	331	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 12TH FLOOR

Total for Segment: 12TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,359	0	0	2,359	0
4/13	15,769	10,892	4,877	0	3,327
5/16	32,125	25,561	6,233	331	22,654
6/19	7,430	5,602	1,828	0	0
7/22	3,113	3,113	0	0	0
	60,796	45,168	12,938	2,690	25,981
			** Grade 80, Black **		
8/25	1,322	1,322	0	0	0
11/36	1,392	1,392	0	0	0
	2,714	2,714	0	0	0
			** Grand Totals **		
3/10	2,359	0	0	2,359	0
4/13	15,769	10,892	4,877	0	3,327
5/16	32,125	25,561	6,233	331	22,654
6/19	7,430	5,602	1,828	0	0
7/22	3,113	3,113	0	0	0
8/25	1,322	1,322	0	0	0
11/36	1,392	1,392	0	0	0
	63,510	47,882	12,938	2,690	25,981

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 13TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	820	0	0	820	0
4/13	2,324	1,798	526	0	1,042
5/16	2,907	2,907	0	0	0
	6,051	4,705	526	820	1,042

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
4/13	13,445	9,094	4,351	0	2,285
5/16	26,884	20,651	6,233	0	20,651
6/19	5,498	3,670	1,828	0	0
	45,827	33,415	12,412	0	22,936

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 13TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	1,539	0	0	1,539	0
6/19	1,896	1,896	0	0	0
7/22	3,113	3,113	0	0	0
	6,548	5,009	0	1,539	0
			** Grade 80, Black **		
8/25	1,322	1,322	0	0	0
	1,322	1,322	0	0	0
			** Grand Totals **		
3/10	1,539	0	0	1,539	0
6/19	1,896	1,896	0	0	0
7/22	3,113	3,113	0	0	0
8/25	1,322	1,322	0	0	0
	7,870	6,331	0	1,539	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
5/16	331	0	0	331	0
	331	0	0	331	0
			** Grade 80, Black **		
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
			** Grand Totals **		
5/16	331	0	0	331	0
11/36	1,392	1,392	0	0	0
	1,723	1,392	0	331	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 13TH FLOOR

Total for Segment: 13TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,359	0	0	2,359	0
4/13	15,769	10,892	4,877	0	3,327
5/16	32,125	25,561	6,233	331	22,654
6/19	7,394	5,566	1,828	0	0
7/22	3,113	3,113	0	0	0
	60,760	45,132	12,938	2,690	25,981
			** Grade 80, Black **		
8/25	1,322	1,322	0	0	0
11/36	1,392	1,392	0	0	0
	2,714	2,714	0	0	0
			** Grand Totals **		
3/10	2,359	0	0	2,359	0
4/13	15,769	10,892	4,877	0	3,327
5/16	32,125	25,561	6,233	331	22,654
6/19	7,394	5,566	1,828	0	0
7/22	3,113	3,113	0	0	0
8/25	1,322	1,322	0	0	0
11/36	1,392	1,392	0	0	0
	63,474	47,846	12,938	2,690	25,981

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 14TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	2,324	1,798	526	0	1,042
5/16	2,907	2,907	0	0	0
	6,051	4,705	526	820	1,042

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	13,445	9,094	4,351	0	2,285
5/16	26,884	20,651	6,233	0	20,651
6/19	5,498	3,670	1,828	0	0
	45,827	33,415	12,412	0	22,936

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 14TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	1,539	0	0	1,539	0
6/19	1,896	1,896	0	0	0
7/22	3,113	3,113	0	0	0
	6,548	5,009	0	1,539	0
			** Grade 80, Black **		
8/25	1,322	1,322	0	0	0
	1,322	1,322	0	0	0
			** Grand Totals **		
3/10	1,539	0	0	1,539	0
6/19	1,896	1,896	0	0	0
7/22	3,113	3,113	0	0	0
8/25	1,322	1,322	0	0	0
	7,870	6,331	0	1,539	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
5/16	179	0	0	179	0
	179	0	0	179	0
			** Grade 80, Black **		
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
			** Grand Totals **		
5/16	179	0	0	179	0
11/36	1,392	1,392	0	0	0
	1,571	1,392	0	179	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 14TH FLOOR

Total for Segment: 14TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,359	0	0	2,359	0
4/13	15,769	10,892	4,877	0	3,327
5/16	31,973	25,561	6,233	179	22,654
6/19	7,394	5,566	1,828	0	0
7/22	3,113	3,113	0	0	0
	60,608	45,132	12,938	2,538	25,981
			** Grade 80, Black **		
8/25	1,322	1,322	0	0	0
11/36	1,392	1,392	0	0	0
	2,714	2,714	0	0	0
			** Grand Totals **		
3/10	2,359	0	0	2,359	0
4/13	15,769	10,892	4,877	0	3,327
5/16	31,973	25,561	6,233	179	22,654
6/19	7,394	5,566	1,828	0	0
7/22	3,113	3,113	0	0	0
8/25	1,322	1,322	0	0	0
11/36	1,392	1,392	0	0	0
	63,322	47,846	12,938	2,538	25,981

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 15TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	1,010	0	0	1,010	0
4/13	2,860	2,213	647	0	1,283
5/16	3,463	3,463	0	0	0
	7,333	5,676	647	1,010	1,283

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
4/13	13,445	9,094	4,351	0	2,285
5/16	26,884	20,651	6,233	0	20,651
6/19	5,498	3,670	1,828	0	0
	45,827	33,415	12,412	0	22,936

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 15TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,764	0	0	1,764	0
6/19	2,247	2,013	234	0	0
7/22	3,359	2,929	430	0	0
	7,370	4,942	664	1,764	0
** Grade 80, Black **					
8/25	1,522	1,522	0	0	0
	1,522	1,522	0	0	0
** Grand Totals **					
3/10	1,764	0	0	1,764	0
6/19	2,247	2,013	234	0	0
7/22	3,359	2,929	430	0	0
8/25	1,522	1,522	0	0	0
	8,892	6,464	664	1,764	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	378	196	0	182	0
	378	196	0	182	0
** Grade 80, Black **					
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
** Grand Totals **					
4/13	378	196	0	182	0
11/36	1,392	1,392	0	0	0
	1,770	1,588	0	182	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 15TH FLOOR

Total for Segment: 15TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,774	0	0	2,774	0
4/13	16,683	11,503	4,998	182	3,568
5/16	32,350	26,117	6,233	0	22,654
6/19	7,745	5,683	2,062	0	0
7/22	3,359	2,929	430	0	0
	62,911	46,232	13,723	2,956	26,222
			** Grade 80, Black **		
8/25	1,522	1,522	0	0	0
11/36	1,392	1,392	0	0	0
	2,914	2,914	0	0	0
			** Grand Totals **		
3/10	2,774	0	0	2,774	0
4/13	16,683	11,503	4,998	182	3,568
5/16	32,350	26,117	6,233	0	22,654
6/19	7,745	5,683	2,062	0	0
7/22	3,359	2,929	430	0	0
8/25	1,522	1,522	0	0	0
11/36	1,392	1,392	0	0	0
	65,825	49,146	13,723	2,956	26,222

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 16TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	884	0	0	884	0
4/13	2,503	1,936	567	0	1,122
5/16	3,027	3,027	0	0	0
	6,414	4,963	567	884	1,122

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	14,207	9,094	5,113	0	2,285
5/16	26,278	21,682	4,596	0	21,652
6/19	5,498	3,670	1,828	0	0
7/22	2,009	1,604	405	0	1,411
	47,992	36,050	11,942	0	25,348

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 16TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,373	0	0	1,373	0
6/19	2,206	2,105	101	0	0
7/22	2,223	2,223	0	0	0
	5,802	4,328	101	1,373	0
** Grade 80, Black **					
8/25	1,366	1,366	0	0	0
	1,366	1,366	0	0	0
** Grand Totals **					
3/10	1,373	0	0	1,373	0
6/19	2,206	2,105	101	0	0
7/22	2,223	2,223	0	0	0
8/25	1,366	1,366	0	0	0
	7,168	5,694	101	1,373	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	350	0	0	350	0
	350	0	0	350	0
** Grade 80, Black **					
10/32	1,059	1,059	0	0	0
	1,059	1,059	0	0	0
** Grand Totals **					
5/16	350	0	0	350	0
10/32	1,059	1,059	0	0	0
	1,409	1,059	0	350	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 16TH FLOOR

Total for Segment: 16TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,257	0	0	2,257	0
4/13	16,710	11,030	5,680	0	3,407
5/16	31,658	26,712	4,596	350	23,655
6/19	7,704	5,775	1,929	0	0
7/22	4,232	3,827	405	0	1,411
	62,561	47,344	12,610	2,607	28,473
			** Grade 80, Black **		
8/25	1,366	1,366	0	0	0
10/32	1,059	1,059	0	0	0
	2,425	2,425	0	0	0
			** Grand Totals **		
3/10	2,257	0	0	2,257	0
4/13	16,710	11,030	5,680	0	3,407
5/16	31,658	26,712	4,596	350	23,655
6/19	7,704	5,775	1,929	0	0
7/22	4,232	3,827	405	0	1,411
8/25	1,366	1,366	0	0	0
10/32	1,059	1,059	0	0	0
	64,986	49,769	12,610	2,607	28,473

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 17TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	820	0	0	820	0
4/13	2,324	1,798	526	0	1,042
5/16	2,907	2,907	0	0	0
	6,051	4,705	526	820	1,042

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
4/13	12,234	8,309	3,925	0	2,084
5/16	19,416	17,460	1,956	0	17,460
6/19	6,474	4,629	1,845	0	0
	38,124	30,398	7,726	0	19,544

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 17TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,326	0	0	1,326	0
6/19	2,021	2,021	0	0	0
7/22	2,153	2,153	0	0	0
	5,500	4,174	0	1,326	0
** Grade 80, Black **					
8/25	1,322	1,322	0	0	0
	1,322	1,322	0	0	0
** Grand Totals **					
3/10	1,326	0	0	1,326	0
6/19	2,021	2,021	0	0	0
7/22	2,153	2,153	0	0	0
8/25	1,322	1,322	0	0	0
	6,822	5,496	0	1,326	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	179	0	0	179	0
	179	0	0	179	0
** Grade 80, Black **					
9/29	768	768	0	0	0
	768	768	0	0	0
** Grand Totals **					
5/16	179	0	0	179	0
9/29	768	768	0	0	0
	947	768	0	179	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 17TH FLOOR

Total for Segment: 17TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,146	0	0	2,146	0
4/13	14,558	10,107	4,451	0	3,126
5/16	24,505	22,370	1,956	179	19,463
6/19	8,495	6,650	1,845	0	0
7/22	2,153	2,153	0	0	0
	51,857	41,280	8,252	2,325	22,589
			** Grade 80, Black **		
8/25	1,322	1,322	0	0	0
9/29	768	768	0	0	0
	2,090	2,090	0	0	0
			** Grand Totals **		
3/10	2,146	0	0	2,146	0
4/13	14,558	10,107	4,451	0	3,126
5/16	24,505	22,370	1,956	179	19,463
6/19	8,495	6,650	1,845	0	0
7/22	2,153	2,153	0	0	0
8/25	1,322	1,322	0	0	0
9/29	768	768	0	0	0
	53,947	43,370	8,252	2,325	22,589

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 18TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	820	0	0	820	0
4/13	2,385	1,807	578	0	1,042
5/16	2,947	2,947	0	0	0
	6,152	4,754	578	820	1,042

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
4/13	12,234	8,309	3,925	0	2,084
5/16	19,416	17,460	1,956	0	17,460
6/19	6,474	4,629	1,845	0	0
	38,124	30,398	7,726	0	19,544

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 18TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,326	0	0	1,326	0
6/19	2,168	2,168	0	0	0
7/22	2,153	2,153	0	0	0
	5,647	4,321	0	1,326	0
** Grade 80, Black **					
8/25	1,014	1,014	0	0	0
	1,014	1,014	0	0	0
** Grand Totals **					
3/10	1,326	0	0	1,326	0
6/19	2,168	2,168	0	0	0
7/22	2,153	2,153	0	0	0
8/25	1,014	1,014	0	0	0
	6,661	5,335	0	1,326	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	139	0	0	139	0
	139	0	0	139	0
** Grade 80, Black **					
10/32	1,059	1,059	0	0	0
	1,059	1,059	0	0	0
** Grand Totals **					
5/16	139	0	0	139	0
10/32	1,059	1,059	0	0	0
	1,198	1,059	0	139	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 18TH FLOOR

Total for Segment: 18TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,146	0	0	2,146	0
4/13	14,619	10,116	4,503	0	3,126
5/16	24,505	22,410	1,956	139	19,463
6/19	8,642	6,797	1,845	0	0
7/22	2,153	2,153	0	0	0
	52,065	41,476	8,304	2,285	22,589
			** Grade 80, Black **		
8/25	1,014	1,014	0	0	0
10/32	1,059	1,059	0	0	0
	2,073	2,073	0	0	0
			** Grand Totals **		
3/10	2,146	0	0	2,146	0
4/13	14,619	10,116	4,503	0	3,126
5/16	24,505	22,410	1,956	139	19,463
6/19	8,642	6,797	1,845	0	0
7/22	2,153	2,153	0	0	0
8/25	1,014	1,014	0	0	0
10/32	1,059	1,059	0	0	0
	54,138	43,549	8,304	2,285	22,589

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 19TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	2,385	1,807	578	0	1,042
5/16	2,947	2,947	0	0	0
	6,152	4,754	578	820	1,042

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	12,234	8,309	3,925	0	2,084
5/16	19,416	17,460	1,956	0	17,460
6/19	6,474	4,629	1,845	0	0
	38,124	30,398	7,726	0	19,544

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 19TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,326	0	0	1,326	0
6/19	2,131	2,131	0	0	0
7/22	2,153	2,153	0	0	0
	5,610	4,284	0	1,326	0
** Grade 80, Black **					
8/25	1,014	1,014	0	0	0
	1,014	1,014	0	0	0
** Grand Totals **					
3/10	1,326	0	0	1,326	0
6/19	2,131	2,131	0	0	0
7/22	2,153	2,153	0	0	0
8/25	1,014	1,014	0	0	0
	6,624	5,298	0	1,326	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	112	0	0	112	0
	112	0	0	112	0
** Grade 80, Black **					
10/32	1,059	1,059	0	0	0
	1,059	1,059	0	0	0
** Grand Totals **					
5/16	112	0	0	112	0
10/32	1,059	1,059	0	0	0
	1,171	1,059	0	112	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 19TH FLOOR

Total for Segment: 19TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,146	0	0	2,146	0
4/13	14,619	10,116	4,503	0	3,126
5/16	24,478	22,410	1,956	112	19,463
6/19	8,605	6,760	1,845	0	0
7/22	2,153	2,153	0	0	0
	52,001	41,439	8,304	2,258	22,589
			** Grade 80, Black **		
8/25	1,014	1,014	0	0	0
10/32	1,059	1,059	0	0	0
	2,073	2,073	0	0	0
			** Grand Totals **		
3/10	2,146	0	0	2,146	0
4/13	14,619	10,116	4,503	0	3,126
5/16	24,478	22,410	1,956	112	19,463
6/19	8,605	6,760	1,845	0	0
7/22	2,153	2,153	0	0	0
8/25	1,014	1,014	0	0	0
10/32	1,059	1,059	0	0	0
	54,074	43,512	8,304	2,258	22,589

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 20TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	2,385	1,807	578	0	1,042
5/16	2,947	2,947	0	0	0
	6,152	4,754	578	820	1,042

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	12,234	8,309	3,925	0	2,084
5/16	19,416	17,460	1,956	0	17,460
6/19	6,474	4,629	1,845	0	0
	38,124	30,398	7,726	0	19,544

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 20TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,326	0	0	1,326	0
6/19	2,131	2,131	0	0	0
7/22	2,153	2,153	0	0	0
	5,610	4,284	0	1,326	0
** Grade 80, Black **					
8/25	1,014	1,014	0	0	0
	1,014	1,014	0	0	0
** Grand Totals **					
3/10	1,326	0	0	1,326	0
6/19	2,131	2,131	0	0	0
7/22	2,153	2,153	0	0	0
8/25	1,014	1,014	0	0	0
	6,624	5,298	0	1,326	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	112	0	0	112	0
	112	0	0	112	0
** Grade 80, Black **					
10/32	1,059	1,059	0	0	0
	1,059	1,059	0	0	0
** Grand Totals **					
5/16	112	0	0	112	0
10/32	1,059	1,059	0	0	0
	1,171	1,059	0	112	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 20TH FLOOR

Total for Segment: 20TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,146	0	0	2,146	0
4/13	14,619	10,116	4,503	0	3,126
5/16	24,478	22,410	1,956	112	19,463
6/19	8,605	6,760	1,845	0	0
7/22	2,153	2,153	0	0	0
	52,001	41,439	8,304	2,258	22,589
			** Grade 80, Black **		
8/25	1,014	1,014	0	0	0
10/32	1,059	1,059	0	0	0
	2,073	2,073	0	0	0
			** Grand Totals **		
3/10	2,146	0	0	2,146	0
4/13	14,619	10,116	4,503	0	3,126
5/16	24,478	22,410	1,956	112	19,463
6/19	8,605	6,760	1,845	0	0
7/22	2,153	2,153	0	0	0
8/25	1,014	1,014	0	0	0
10/32	1,059	1,059	0	0	0
	54,074	43,512	8,304	2,258	22,589

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 21ST FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	1,010	0	0	1,010	0
4/13	2,935	2,224	711	0	1,283
5/16	3,501	3,501	0	0	0
	7,446	5,725	711	1,010	1,283

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
4/13	12,234	8,309	3,925	0	2,084
5/16	19,416	17,460	1,956	0	17,460
6/19	6,474	4,629	1,845	0	0
	38,124	30,398	7,726	0	19,544

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 21ST FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,529	0	0	1,529	0
6/19	2,787	2,319	468	0	0
7/22	2,243	1,813	430	0	0
	6,559	4,132	898	1,529	0
** Grade 80, Black **					
8/25	673	388	285	0	0
	673	388	285	0	0
** Grand Totals **					
3/10	1,529	0	0	1,529	0
6/19	2,787	2,319	468	0	0
7/22	2,243	1,813	430	0	0
8/25	673	388	285	0	0
	7,232	4,520	1,183	1,529	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	140	140	0	0	0
5/16	556	0	0	556	0
	696	140	0	556	0
** Grade 80, Black **					
11/36	1,392	1,392	0	0	0
	1,392	1,392	0	0	0
** Grand Totals **					
4/13	140	140	0	0	0
5/16	556	0	0	556	0
11/36	1,392	1,392	0	0	0
	2,088	1,532	0	556	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 21ST FLOOR

Total for Segment: 21ST FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,539	0	0	2,539	0
4/13	15,309	10,673	4,636	0	3,367
5/16	25,476	22,964	1,956	556	19,463
6/19	9,261	6,948	2,313	0	0
7/22	2,243	1,813	430	0	0
	54,828	42,398	9,335	3,095	22,830
			** Grade 80, Black **		
8/25	673	388	285	0	0
11/36	1,392	1,392	0	0	0
	2,065	1,780	285	0	0
			** Grand Totals **		
3/10	2,539	0	0	2,539	0
4/13	15,309	10,673	4,636	0	3,367
5/16	25,476	22,964	1,956	556	19,463
6/19	9,261	6,948	2,313	0	0
7/22	2,243	1,813	430	0	0
8/25	673	388	285	0	0
11/36	1,392	1,392	0	0	0
	56,893	44,178	9,620	3,095	22,830

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 22ND FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	884	0	0	884	0
4/13	2,567	1,945	622	0	1,122
5/16	3,066	3,066	0	0	0
	6,517	5,011	622	884	1,122

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	12,635	8,114	4,521	0	1,924
5/16	20,121	18,866	1,255	0	18,836
6/19	6,474	4,629	1,845	0	0
7/22	2,009	1,604	405	0	1,411
	41,239	33,213	8,026	0	22,171

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 22ND FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	1,164	0	0	1,164	0
6/19	2,360	1,983	377	0	0
7/22	1,603	1,603	0	0	0
	5,127	3,586	377	1,164	0
			** Grade 80, Black **		
8/25	349	349	0	0	0
	349	349	0	0	0
			** Grand Totals **		
3/10	1,164	0	0	1,164	0
6/19	2,360	1,983	377	0	0
7/22	1,603	1,603	0	0	0
8/25	349	349	0	0	0
	5,476	3,935	377	1,164	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
4/13	90	0	0	90	0
	90	0	0	90	0
			** Grade 80, Black **		
9/29	768	768	0	0	0
	768	768	0	0	0
			** Grand Totals **		
4/13	90	0	0	90	0
9/29	768	768	0	0	0
	858	768	0	90	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 22ND FLOOR

Total for Segment: 22ND FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	2,048	0	0	2,048	0
4/13	15,292	10,059	5,143	90	3,046
5/16	25,190	23,935	1,255	0	20,839
6/19	8,834	6,612	2,222	0	0
7/22	3,612	3,207	405	0	1,411
	54,976	43,813	9,025	2,138	25,296
			** Grade 80, Black **		
8/25	349	349	0	0	0
9/29	768	768	0	0	0
	1,117	1,117	0	0	0
			** Grand Totals **		
3/10	2,048	0	0	2,048	0
4/13	15,292	10,059	5,143	90	3,046
5/16	25,190	23,935	1,255	0	20,839
6/19	8,834	6,612	2,222	0	0
7/22	3,612	3,207	405	0	1,411
8/25	349	349	0	0	0
9/29	768	768	0	0	0
	56,093	44,930	9,025	2,138	25,296

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 23RD FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	2,385	1,807	578	0	1,042
5/16	2,947	2,947	0	0	0
	6,152	4,754	578	820	1,042

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	11,827	8,114	3,713	0	1,924
5/16	16,684	16,146	538	0	16,146
6/19	6,474	4,629	1,845	0	0
	34,985	28,889	6,096	0	18,070

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 23RD FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,127	0	0	1,127	0
6/19	2,866	2,609	257	0	0
7/22	221	221	0	0	0
	4,214	2,830	257	1,127	0
** Grade 80, Black **					
8/25	1,451	1,451	0	0	0
	1,451	1,451	0	0	0
** Grand Totals **					
3/10	1,127	0	0	1,127	0
6/19	2,866	2,609	257	0	0
7/22	221	221	0	0	0
8/25	1,451	1,451	0	0	0
	5,665	4,281	257	1,127	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	69	0	0	69	0
	69	0	0	69	0
** Grade 80, Black **					
8/25	560	560	0	0	0
	560	560	0	0	0
** Grand Totals **					
4/13	69	0	0	69	0
8/25	560	560	0	0	0
	629	560	0	69	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 23RD FLOOR

Total for Segment: 23RD FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	1,947	0	0	1,947	0
4/13	14,281	9,921	4,291	69	2,966
5/16	21,634	21,096	538	0	18,149
6/19	9,340	7,238	2,102	0	0
7/22	221	221	0	0	0
	47,423	38,476	6,931	2,016	21,115
			** Grade 80, Black **		
8/25	2,011	2,011	0	0	0
	2,011	2,011	0	0	0
			** Grand Totals **		
3/10	1,947	0	0	1,947	0
4/13	14,281	9,921	4,291	69	2,966
5/16	21,634	21,096	538	0	18,149
6/19	9,340	7,238	2,102	0	0
7/22	221	221	0	0	0
8/25	2,011	2,011	0	0	0
	49,434	40,487	6,931	2,016	21,115

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 24TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	759	0	0	759	0
4/13	2,200	1,667	533	0	962
5/16	2,947	2,947	0	0	0
	5,906	4,614	533	759	962

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
4/13	11,827	8,114	3,713	0	1,924
5/16	16,684	16,146	538	0	16,146
6/19	6,474	4,629	1,845	0	0
	34,985	28,889	6,096	0	18,070

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 24TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	912	0	0	912	0
6/19	1,177	920	257	0	0
7/22	221	221	0	0	0
	2,310	1,141	257	912	0
** Grade 80, Black **					
8/25	4,594	4,594	0	0	0
	4,594	4,594	0	0	0
** Grand Totals **					
3/10	912	0	0	912	0
6/19	1,177	920	257	0	0
7/22	221	221	0	0	0
8/25	4,594	4,594	0	0	0
	6,904	5,735	257	912	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	77	0	0	77	0
	77	0	0	77	0
** Grade 80, Black **					
8/25	560	560	0	0	0
	560	560	0	0	0
** Grand Totals **					
4/13	77	0	0	77	0
8/25	560	560	0	0	0
	637	560	0	77	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 24TH FLOOR

Total for Segment: 24TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	1,671	0	0	1,671	0
4/13	14,104	9,781	4,246	77	2,886
5/16	21,634	21,096	538	0	18,149
6/19	7,651	5,549	2,102	0	0
7/22	221	221	0	0	0
	45,281	36,647	6,886	1,748	21,035
			** Grade 80, Black **		
8/25	5,154	5,154	0	0	0
	5,154	5,154	0	0	0
			** Grand Totals **		
3/10	1,671	0	0	1,671	0
4/13	14,104	9,781	4,246	77	2,886
5/16	21,634	21,096	538	0	18,149
6/19	7,651	5,549	2,102	0	0
7/22	221	221	0	0	0
8/25	5,154	5,154	0	0	0
	50,435	41,801	6,886	1,748	21,035

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 25TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	759	0	0	759	0
4/13	2,200	1,667	533	0	962
5/16	2,947	2,947	0	0	0
	5,906	4,614	533	759	962

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
4/13	11,827	8,114	3,713	0	1,924
5/16	16,684	16,146	538	0	16,146
6/19	6,474	4,629	1,845	0	0
	34,985	28,889	6,096	0	18,070

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 25TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	912	0	0	912	0
6/19	1,177	920	257	0	0
7/22	221	221	0	0	0
	2,310	1,141	257	912	0
** Grade 80, Black **					
8/25	3,014	3,014	0	0	0
	3,014	3,014	0	0	0
** Grand Totals **					
3/10	912	0	0	912	0
6/19	1,177	920	257	0	0
7/22	221	221	0	0	0
8/25	3,014	3,014	0	0	0
	5,324	4,155	257	912	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	77	0	0	77	0
7/22	343	343	0	0	0
	420	343	0	77	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 25TH FLOOR

Total for Segment: 25TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	1,671	0	0	1,671	0
4/13	14,104	9,781	4,246	77	2,886
5/16	21,634	21,096	538	0	18,149
6/19	7,651	5,549	2,102	0	0
7/22	564	564	0	0	0
	45,624	36,990	6,886	1,748	21,035
			** Grade 80, Black **		
8/25	3,014	3,014	0	0	0
	3,014	3,014	0	0	0
			** Grand Totals **		
3/10	1,671	0	0	1,671	0
4/13	14,104	9,781	4,246	77	2,886
5/16	21,634	21,096	538	0	18,149
6/19	7,651	5,549	2,102	0	0
7/22	564	564	0	0	0
8/25	3,014	3,014	0	0	0
	48,638	40,004	6,886	1,748	21,035

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 26TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	759	0	0	759	0
4/13	2,200	1,667	533	0	962
5/16	2,947	2,947	0	0	0
	5,906	4,614	533	759	962

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
4/13	11,827	8,114	3,713	0	1,924
5/16	16,684	16,146	538	0	16,146
6/19	6,474	4,629	1,845	0	0
	34,985	28,889	6,096	0	18,070

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 26TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	912	0	0	912	0
6/19	1,273	920	353	0	0
7/22	221	221	0	0	0
	2,406	1,141	353	912	0
** Grade 80, Black **					
8/25	2,706	2,706	0	0	0
	2,706	2,706	0	0	0
** Grand Totals **					
3/10	912	0	0	912	0
6/19	1,273	920	353	0	0
7/22	221	221	0	0	0
8/25	2,706	2,706	0	0	0
	5,112	3,847	353	912	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	77	0	0	77	0
	77	0	0	77	0
** Grade 80, Black **					
8/25	374	374	0	0	0
	374	374	0	0	0
** Grand Totals **					
4/13	77	0	0	77	0
8/25	374	374	0	0	0
	451	374	0	77	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 26TH FLOOR

Total for Segment: 26TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	1,671	0	0	1,671	0
4/13	14,104	9,781	4,246	77	2,886
5/16	21,634	21,096	538	0	18,149
6/19	7,747	5,549	2,198	0	0
7/22	221	221	0	0	0
	45,377	36,647	6,982	1,748	21,035
			** Grade 80, Black **		
8/25	3,080	3,080	0	0	0
	3,080	3,080	0	0	0
			** Grand Totals **		
3/10	1,671	0	0	1,671	0
4/13	14,104	9,781	4,246	77	2,886
5/16	21,634	21,096	538	0	18,149
6/19	7,747	5,549	2,198	0	0
7/22	221	221	0	0	0
8/25	3,080	3,080	0	0	0
	48,457	39,727	6,982	1,748	21,035

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 27TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	915	0	0	915	0
4/13	2,659	2,014	645	0	1,162
5/16	3,501	3,501	0	0	0
	7,075	5,515	645	915	1,162

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
4/13	11,827	8,114	3,713	0	1,924
5/16	16,684	16,146	538	0	16,146
6/19	6,474	4,629	1,845	0	0
	34,985	28,889	6,096	0	18,070

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 27TH FLOOR

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,069	0	0	1,069	0
6/19	1,593	1,270	323	0	0
7/22	215	0	215	0	0
	2,877	1,270	538	1,069	0
** Grade 80, Black **					
8/25	3,001	2,716	285	0	0
	3,001	2,716	285	0	0
** Grand Totals **					
3/10	1,069	0	0	1,069	0
6/19	1,593	1,270	323	0	0
7/22	215	0	215	0	0
8/25	3,001	2,716	285	0	0
	5,878	3,986	823	1,069	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	227	112	0	115	0
	227	112	0	115	0
** Grade 80, Black **					
8/25	560	560	0	0	0
	560	560	0	0	0
** Grand Totals **					
4/13	227	112	0	115	0
8/25	560	560	0	0	0
	787	672	0	115	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 27TH FLOOR

Total for Segment: 27TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	1,984	0	0	1,984	0
4/13	14,713	10,240	4,358	115	3,086
5/16	22,188	21,650	538	0	18,149
6/19	8,067	5,899	2,168	0	0
7/22	215	0	215	0	0
	47,167	37,789	7,279	2,099	21,235
			** Grade 80, Black **		
8/25	3,561	3,276	285	0	0
	3,561	3,276	285	0	0
			** Grand Totals **		
3/10	1,984	0	0	1,984	0
4/13	14,713	10,240	4,358	115	3,086
5/16	22,188	21,650	538	0	18,149
6/19	8,067	5,899	2,168	0	0
7/22	215	0	215	0	0
8/25	3,561	3,276	285	0	0
	50,728	41,065	7,564	2,099	21,235

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 28TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	915	0	0	915	0
4/13	2,659	2,014	645	0	1,162
5/16	3,501	3,501	0	0	0
	7,075	5,515	645	915	1,162

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	11,827	8,114	3,713	0	1,924
5/16	16,684	16,146	538	0	16,146
6/19	6,474	4,629	1,845	0	0
	34,985	28,889	6,096	0	18,070

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	879	0	0	879	0
6/19	1,368	1,095	273	0	0
	2,247	1,095	273	879	0
** Grade 80, Black **					
8/25	2,328	2,328	0	0	0
	2,328	2,328	0	0	0
** Grand Totals **					
3/10	879	0	0	879	0
6/19	1,368	1,095	273	0	0
8/25	2,328	2,328	0	0	0
	4,575	3,423	273	879	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 28TH FLOOR

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	206	112	0	94	0
	206	112	0	94	0
** Grade 80, Black **					
8/25	374	374	0	0	0
	374	374	0	0	0
** Grand Totals **					
4/13	206	112	0	94	0
8/25	374	374	0	0	0
	580	486	0	94	0

Total for Segment: 28TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,794	0	0	1,794	0
4/13	14,692	10,240	4,358	94	3,086
5/16	22,188	21,650	538	0	18,149
6/19	7,842	5,724	2,118	0	0
	46,516	37,614	7,014	1,888	21,235
** Grade 80, Black **					
8/25	2,702	2,702	0	0	0
	2,702	2,702	0	0	0
** Grand Totals **					
3/10	1,794	0	0	1,794	0
4/13	14,692	10,240	4,358	94	3,086
5/16	22,188	21,650	538	0	18,149
6/19	7,842	5,724	2,118	0	0
8/25	2,702	2,702	0	0	0
	49,218	40,316	7,014	1,888	21,235

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 29TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	759	0	0	759	0
4/13	2,200	1,667	533	0	962
5/16	2,947	2,947	0	0	0
	5,906	4,614	533	759	962

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	9,178	5,506	3,672	0	601
5/16	17,219	17,219	0	0	11,390
6/19	4,712	2,957	1,755	0	0
	31,109	25,682	5,427	0	11,991

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	741	0	0	741	0
6/19	1,117	1,067	50	0	0
	1,858	1,067	50	741	0
** Grade 80, Black **					
8/25	2,030	2,030	0	0	0
	2,030	2,030	0	0	0
** Grand Totals **					
3/10	741	0	0	741	0
6/19	1,117	1,067	50	0	0
8/25	2,030	2,030	0	0	0
	3,888	3,097	50	741	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 29TH FLOOR

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	110	0	0	110	0
5/16	150	150	0	0	0
7/22	229	229	0	0	0
	489	379	0	110	0

Total for Segment: 29TH FLOOR

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	1,500	0	0	1,500	0
4/13	11,488	7,173	4,205	110	1,563
5/16	22,319	22,319	0	0	13,393
6/19	5,829	4,024	1,805	0	0
7/22	229	229	0	0	0
	41,365	33,745	6,010	1,610	14,956
** Grade 80, Black **					
8/25	2,030	2,030	0	0	0
	2,030	2,030	0	0	0
** Grand Totals **					
3/10	1,500	0	0	1,500	0
4/13	11,488	7,173	4,205	110	1,563
5/16	22,319	22,319	0	0	13,393
6/19	5,829	4,024	1,805	0	0
7/22	229	229	0	0	0
8/25	2,030	2,030	0	0	0
	43,395	35,775	6,010	1,610	14,956

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 30TH FLOOR

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	1,198	0	0	1,198	0
4/13	3,485	2,640	845	0	1,523
5/16	4,453	4,453	0	0	0
	9,136	7,093	845	1,198	1,523

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
4/13	8,461	5,180	3,281	0	601
5/16	14,400	14,400	0	0	11,014
6/19	3,819	2,446	1,373	0	0
	26,680	22,026	4,654	0	11,615

Sub-Segment: COLUMN

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	1,058	0	0	1,058	0
6/19	2,705	0	2,705	0	0
	3,763	0	2,705	1,058	0

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
4/13	422	253	0	169	0
6/19	138	138	0	0	0
	560	391	0	169	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: 30TH FLOOR

Total for Segment: 30TH FLOOR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	2,256	0	0	2,256	0
4/13	12,368	8,073	4,126	169	2,124
5/16	20,856	20,856	0	0	13,017
6/19	6,662	2,584	4,078	0	0
	42,142	31,513	8,204	2,425	15,141

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: ROOF

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	2,818	0	0	2,818	0
4/13	8,333	6,445	1,888	0	4,609
5/16	9,648	9,648	0	0	0
	20,799	16,093	1,888	2,818	4,609

Sub-Segment: STAIR

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
5/16	2,003	2,003	0	0	2,003
	2,003	2,003	0	0	2,003

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
4/13	1,246	0	1,246	0	0
5/16	12,903	12,903	0	0	9,637
	14,149	12,903	1,246	0	9,637

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
4/13	363	253	0	110	0
6/19	138	138	0	0	0
	501	391	0	110	0

Total for Segment: ROOF

**** Rebar Weight Summary (Lbs) ****

** Grade 60, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
3/10	2,818	0	0	2,818	0
4/13	9,942	6,698	3,134	110	4,609
5/16	24,554	24,554	0	0	11,640
6/19	138	138	0	0	0
	37,452	31,390	3,134	2,928	16,249

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: EMR LEVEL

Sub-Segment: SHEAR WALL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
3/10	820	0	0	820	0
4/13	2,384	1,806	578	0	1,042
5/16	3,145	133	3,012	0	0
	6,349	1,939	3,590	820	1,042

Sub-Segment: SLAB

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	228	0	228	0	0
5/16	2,441	2,441	0	0	2,128
6/19	180	0	180	0	0
	2,849	2,441	408	0	2,128

Sub-Segment: LINK BEAM

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	250	84	0	166	0
	250	84	0	166	0
** Grade 80, Black **					
10/32	1,059	1,059	0	0	0
	1,059	1,059	0	0	0
** Grand Totals **					
4/13	250	84	0	166	0
10/32	1,059	1,059	0	0	0
	1,309	1,143	0	166	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: EMR LEVEL

Total for Segment: EMR LEVEL

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 60, Black **		
3/10	820	0	0	820	0
4/13	2,862	1,890	806	166	1,042
5/16	5,586	2,574	3,012	0	2,128
6/19	180	0	180	0	0
	9,448	4,464	3,998	986	3,170
			** Grade 80, Black **		
10/32	1,059	1,059	0	0	0
	1,059	1,059	0	0	0
			** Grand Totals **		
3/10	820	0	0	820	0
4/13	2,862	1,890	806	166	1,042
5/16	5,586	2,574	3,012	0	2,128
6/19	180	0	180	0	0
10/32	1,059	1,059	0	0	0
	10,507	5,523	3,998	986	3,170

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Rebar Sub-Segment Summary

Segment: ZECKENDORF ROOF

Sub-Segment: SLAB ON METAL DECK

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	727	727	0	0	0
	727	727	0	0	0

Total for Segment: ZECKENDORF ROOF

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 60, Black **					
4/13	727	727	0	0	0
	727	727	0	0	0

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Estimate Totals

**** Rebar Weight Summary (Lbs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 60, Black ****					
3/10	85,556	0	0	85,556	0
4/13	465,846	301,937	155,586	8,323	100,117
5/16	1,156,254	1,050,886	98,620	6,748	820,371
6/19	227,344	163,542	63,802	0	0
7/22	124,965	114,328	10,637	0	19,872
8/25	33,001	33,001	0	0	0
9/29	1,418	1,418	0	0	0
11/36	9,001	9,001	0	0	0
	2,103,385	1,674,113	328,645	100,627	940,360
**** Grade 80, Black ****					
8/25	75,717	62,708	13,009	0	0
9/29	42,388	42,306	0	82	0
10/32	30,943	30,943	0	0	0
11/36	30,890	30,890	0	0	0
	179,938	166,847	13,009	82	0
**** Grand Totals ****					
3/10	85,556	0	0	85,556	0
4/13	465,846	301,937	155,586	8,323	100,117
5/16	1,156,254	1,050,886	98,620	6,748	820,371
6/19	227,344	163,542	63,802	0	0
7/22	124,965	114,328	10,637	0	19,872
8/25	108,718	95,709	13,009	0	0
9/29	43,806	43,724	0	82	0
10/32	30,943	30,943	0	0	0
11/36	39,891	39,891	0	0	0
	2,283,323	1,840,960	341,654	100,709	940,360

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

DC(E)097 - LIU PHASE II

Estimate Totals

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'BB' **

BB 1.5	1 1/2" BEAM BOLSTER	1,987.000	lf	=	1,987.000	lf	@	0.000	/	lf	= $	0.00	0	Lbs
Subtotal											= $	0.00	0	Lbs

** Undefined Item Class - 'MECH CPLR' **

#11 MECH CPLR	#11 MECHANICAL COUPLER	72.000	EA	=	72.000	EA	@	0.000	/	EA	= $	0.00	0	Lbs
#11/#10 TRANS CPLR	#11/#10 TRANSITION COUPLER	72.000	EA	=	72.000	EA	@	0.000	/	EA	= $	0.00	0	Lbs
Subtotal											= $	0.00	0	Lbs

** Undefined Item Class - 'MESH' **

6X6 W1.4XW1.4 WWF	6X6 W1.4XW1.4 WWF	4,278.000	SqFt	=	4,278.000	SqFt	@	0.000	/	SqFt	= $	0.00	0	Lbs
Subtotal											= $	0.00	0	Lbs

** Undefined Item Class - 'SB' **

SB 0.75	3/4" SLAB BOLSTER	87,972.000	lf	=	87,972.000	lf	@	0.000	/	lf	= $	0.00	0	Lbs
SB 1.75	1 3/4" SLAB BOLSTER	930.000	lf	=	930.000	lf	@	0.000	/	lf	= $	0.00	0	Lbs
Subtotal											= $	0.00	0	Lbs
Grand Total											= $	0.00	0	Lbs

©2023 aSa UNAUTHORIZED REPRODUCTION PROHIBITED